INDEX TO VOLUME 92

*Author index**

A

Ablin AR, 851
Ablow RC, 454
Adcock EW III, 668
Adhikari M, 676
Alagille D, 17
Alexander H, 934
Alford CA, 738
Alix D, 856
Altmiller DH, 159
Alvarado CS, 443
Alvord EC Jr, 64
Amatayakul K, 153
Ament ME, 170, 686
Anand SK, 952, 985
Anderson DC, 86
Andrew G, 995
Angelova-Gateva P, 944
Ansari BM, 856
Anthony BF, 13
Antonowicz I, 214
Antony JH, 433
Appelbaum PC, 676
Arant BS Jr, 705
Arcilla RA, 344
Arkans HD, 1001
Armstrong DL, 903
Artner J, 168
Arvanitakis C, 734
Ashbach NE, 158
Ashby S, 253
Asquith MT, 236
Aterman K, 841, 1027
Au-Yeung YB, 231
Avery ME, 982

B

Bader JL, 925
Bakay B, 385
Baker FL, 864
Bale JF Jr, 233
Bale P, 862
Ballantine TVN, 210
Ballet J-J, 358
Ballow M, 915
Ballowitz L, 166, 683
Baltimore RS, 503
Baluarte HJ, 237, 295
Bancalari E, 859
Banchini G, 220
Barker BE, 638
Barkin RM, 158
Barnea B, 26
Beadle EL, 959
Beaudry PH, 247
Beck GR, 846
Becker DJ, 491, 1011
Becker LE, 903
Bell AE, 518
Bell MJ, 589
Bellini F, 1031
Berant M, 157
Bergeson PS, 506
Bergman MA, 282
Bergsteinsson H, 247
Berlin CM, 1033
Berman W Jr, 687, 722, 1024
Bernasconi S, 220
Berry DH, 754
Bestak M, 648
Beutler E, 390
Biggar WD, 354
Biskinis EK, 512
Bissen S, 603
Black SB, 235
Blackett PR, 159
Blaedel ME, 921
Blatt J, 509
Boat TF, 443
Boggs TR, 858
Bongiovanni AM, 340
Bonin A, 729
Book LS, 73, 793
Borden M, 385
Borkenstein M, 167
Bottini E, 863
Bourdoux P, 974
Bowen AJ, 676
Box QT, 593
Boyer KM, 823
Boyle RJ, 638
Brandt RB, 101
Bray PF, 73
Bremner JE, 832
Brill CB, 441
Brook I, 13
Brooks JG, 861
Brotherton T, 589
Brown AC, 846
Brown ER, 982
Broyer M, 299
Brumley GW, 801
Bryant DR, 1022
Buchanan GR, 171
Buchanan N, 158
Buck BE, 504
Buckley RH, 347
Buist NRM, 1006
Buncic RJ, 253
Burstein J, 529
Burstein R, 529
Butler RB, 342
Buts J-P, 729
Butt KMH, 426
Buttery CM, 511
Byrne WJ, 170

C

Calderon E, 135
Cane RD, 158
Carnelli V, 1031
Carpentieri U, 593
Carranco A, 117
Carter JN, 743
Carter SC, 1023
Cassady G, 1001
Castel Y, 856
Catterton WZ, 467
Cervantes C, 117
Challop R, 1032
Champion LAA, 505
Chan G, 995
Chandler BD, 638
Chang H, 648
Chatten J, 338
Chaudhary S, 285
Cherry JD, 239, 823
Chesney PJ, 863, 957
Chesney RW, 420
Chiu TTW, 231
Christie DL, 725
Chu J-Y, 336
Claesson I, 194
Clarke WL, 690
Clarren SK, 64, 878
Coates AL, 247
Coe FL, 906
Cohen A, 643, 659
Cohen DJ, 179
Cohen HI, 859
Cohen M, 934
Cohen ME, 588
Cohen MI, 511
Cohn RM, 394, 813
Colby TV, 114
Cole DEC, 955
Cole FS, 105
Coleman WS, 163
Colle E, 608
Collins JM, 519
Coplan J, 517
Corbeel L, 678
Cornfeld D, 500
Corrigan JJ Jr, 826
Cortés-Gallegos V, 117
Cotton RB, 467
Couper-Smith J, 320
Cox F, 285
Cox R, 325
Crawford JD, 51
Crawford RF, 506
Cromer MA, 864
Crussi FG, 985
Csaba IF, 484
Cuestas RA, 342, 963
Cunningham AS, 865
Cushmore FN, 641

D

Dalhem A, 974
Dallman PR, 930
Danon A, 461
Danon M, 51
Datta NS, 862
Daum C, 848
Daum RS, 163
Davi MJ, 91
Dearth JC, 512
de Bruijn WC, 401
Decker M, 668
De Groot WG, 429
Delange F, 974

* January, pp. 1-178; February, pp. 179-346; March, pp. 347-522; April, pp. 523-696; May, pp. 697-870; June, pp. 871-1038.

Denson SE, 668
Depp R, 789
de Romaña GL, 562
Desai N, 734
Desmond K, 247
Desnick RJ, 599
Deuel RK, 165
de Villeneuve VH, 401
de Wijn JF, 1029
Diamond JM, 857
Dickerman Z, 169
Dickinson L, 754
Dickinson WP, 754
Dickman GL, 860
Dimich I, 934
Dinwiddie R, 77
de Sant'Agnese PA, 685
DiSessa TG, 474
Dodion J, 974
Dolan TF Jr, 454
Doyle PE, 848
Dozy AM, 278
Drage JS, 858
Drash AL, 491
Driscoll DJ, 309
Driscoll JM Jr, 635
Drouet J, 200
Dubynsky O, 1033
Duello TM, 856
Dupuy C, 200
Dupuy JM, 17, 200
Durbin WA, 778
Dussault JH, 274
Dyke J, 86

E

Earle DP, 325
Easa D, 989
Edwards DK, 114
Eeckels R, 678
Ehrlich FE, 101
Eidelman AI, 848
Elders MJ, 754
Elliott S, 227
Elsas LJ II, 378
Embil JA, 954
Engberg S, 1030
Engel RR, 603
Enzmann DR, 535
Ermans A-M, 974
Ertl T, 484
Eterovic E, 141
Euler AR, 850

F

Faiman C, 743
Falletta JM, 540
Favus MJ, 906
Feigin RD, 229, 431, 448, 589, 758
Feldman F, 784
Feldman NI, 394
Feldman S, 285, 1034
Fellman J, 108
Fennell RS III, 304
Fennessey PV, 84
Ferlauto GJ, 950
Fernbach DJ, 540
Ferrari M, 1031
Finalt M, 676
Findley H, 1028
Finegold SM, 13
Finer MA, 514
Firzli SS, 862
Fiser RH, 754
Fitzhardinge PM, 253
Fixler DE, 478
Fluharty AL, 782
Fogel A, 26
Fonkalsrud EW, 586
Foley TP Jr, 343, 491, 1011
Foster DW, 713
Fox WW, 977
Frank AL, 454, 601
Frauen B, 1028
Freed MD, 39
Frías EG, 113
Friedman WF, 474
Friedman Z, 461, 687, 968, 1024
Frutos AA, 853
Frykholm BC, 346
Fuccillo DA, 959
Fujimoto T, 785
Fulginiti VA, 826

G

Gaisin A, 504
Gardner GG, 838
Gardner HG, 847
Garfunkel JM, 340
Garin EH, 304
Garrison RD, 231
Garson A Jr, 36, 141
Gartner LM, 848
Gerhardt T, 172, 859
Gerichter ChB, 26
Gershon AA, 1033
Geutler G, 683
Gewitz M, 77
Ghent C, 406
Ghionzoli OG, 847
Giacoia GP, 633
Giblett ER, 354
Gilbert EMF, 957
Gilchrist GS, 512
Gill FM, 342
Gillette P, 141
Gillette PC, 36, 309
Giovanneli G, 220
Giraud P, 200
Glinoer D, 974
Gnepp DR, 448
Goddard J, 861
Godmilow L, 441
Goff JR, 834
Golbus MS, 278
Goldberg M, 237
Goldman DA, 778
Goldsmith LA, 675
Good RA, 43
Good TA, 921
Goodman SI, 84
Goodwin CC, 1029
Gorman G, 718
Gottschalk SK, 161
Gottuso MA, 810
Gouedard H, 856
Goya N, 785
Graham GG, 562
Grand RJ, 210, 450
Grauer M, 157
Graziano JH, 648
Green HL, 947
Greenberger NJ, 734
Greenfield D, 177
Griesemer DA, 82
Grimes ER, 43
Griscelli C, 358
Griswold WR, 510
Gröschel D, 337
Gross PA, 30
Gross S, 584, 1026
Grover BD, 354
Gruenther RC, 1022
Grunebaum M, 205
Grunstein S, 157
Grushkin CM, 952
Gruskin AB, 237, 295, 911
Guesry P, 299
Guggenheim MA, 284
Gunn LC, 847
Gunn T, 608
Gustavson K-H, 1030
Gustavson LP, 593
Gutai JP, 491
Guyda H, 274
Guyer KE, 101

H

Haggard ME, 593
Haidvogl M, 167
Hall CB, 30
Hall RT, 1029
Halmi NS, 856
Hamet M, 358
Hamilton JR, 572
Hamilton W, 603
Hammerschlag MR, 503
Hammersen G, 390, 871
Handsher R, 26
Hanson JW, 457, 787
Hanson LA, 194
Hanson V, 771
Haque N, 818
Harcke T, 1021
Harding P, 169
Hardy JB, 858
Harkavy KL, 162, 854
Hart D, 653
Harvey MAS, 878
Hassanein K, 911
Hayden WR, 1025
Hayes AH Jr, 1033
Headings DL, 282
Heeger E, 26
Hegyi T, 627
Heideman RL, 540
Heilbron DC, 851
Hein K, 511
Heinrichs WL, 789
Heller RM, 947
Hellerstein S, 188
Hemady ZS, 55
Hendeles L, 125, 513
Henry WL, 653
Herbst JJ, 73, 793
Herman CS, 363
Herrera A, 282
Herrman KL, 738
Herz M, 512
Hestand HE, 167
Heuser ET, 952
Hey DJ, 1029
Heymann MA, 265
Hiatt IM, 627
Higgins CB, 474
Hillman RE, 439
Hinchcliffe WA, 506
Hiner L, 295
Hintz RL, 153
Hirschhorn K, 441
Hirschklau MJ, 474
Hoch MA, 385
Hodes DS, 509
Hoecker JL, 337
Hoefnagel D, 79
Holinger LD, 368
Holinger PC, 368
Holinger PH, 368
Holman RT, 603
Holt RW, 418
Homa M, 418
Homer DR, 417
Hong R, 521
Honig AS, 21
Honig GR, 556
Honig PJ, 504
Hoofnagle J, 200
Hopwood NJ, 748
Horton WA, 523, 697
Horwich A, 406
Hough AJ Jr, 947
Houghton S, 390
Howard JB, 131, 135

Howard L, 947
Howie V, 889
Howie VM, 893
Hsia YE, 769
Hubbard VS, 685
Huber J, 401
Hughes WT, 227, 285
Humphrey RP, 903
Hunt CE, 603
Hunter AGW, 429
Hurley JK, 592
Hurst DL, 168
Huseman CA, 748
Hutcher NE, 101
Hutchinson RJ, 780
Hyman AI, 265
Hyman LR, 915

I

Iacuone JJ, 520
Iitaka K, 422, 774
Indyk L, 627
Inwood MJ, 78
Irvin M, 754
Isaacson M, 676
Isenberg JN, 586
Iyngkaran N, 597

J

Jacobsen JR, 36
Jacobsson L, 1030
Jalbert EO, 79
James HE, 854
Jeffers RG, 1023
Jeyaranjan T, 784
Jodal U, 194
John TJ, 826
Johnson CA, 668
Johnson H, 826
Johnson WE, 446
Jonas DM, 851
Jones KL, 68, 787
Justice P, 681

K

Kahler JP, 675
Kahn CB, 8
Kalk F, 158
Kan YW, 278
Kandall SR, 861, 1032
Kanto WP Jr, 96
Kaplan M, 205, 968
Kaplan SL, 431, 448, 758
Kapoor N, 638
Karna P, 270
Karpatkin M, 653
Kastner O, 509
Katcher AL, 516
Kattan M, 718
Katz RM, 663
Katz SL, 859
Katzenstein A-LA, 448
Kauli R, 205
Käyhty H, 818
Keane JF, 39
Keating JP, 160, 439
Keener P, 631
Keens TG, 718
Kelch RP, 748
Kenien AG, 491
Kennaway N, 108
Kennedy E, 188
Khan WN, 343
Khanna NN, 641
Kicha C, 680
Kidowaki T, 436
Kihara H, 782
Kim KH, 426
Kim SH, 51
Kim Y, 88
King KC, 8
Kinney TR, 342
Kirchner SG, 947
Kirkman HN, 863
Kirkpatrick BV, 101
Kirya C, 998
Kishida K, 785
Klatskin G, 406
Klaus MH, 163
Klein AH, 343
Klein DM, 588
Klein GL, 562
Klein JO, 893
Klish WJ, 566
Knieser MR, 915
Koenig HM, 278
Koepp P, 164
Koerper MA, 930
Koffler H, 529, 686
Kohl S, 337
Kolyvas E, 81
Koornhof HJ, 676
Koshy M, 556
Kostewicz E, 17
Kountz SL, 426
Kovar I, 467
Kramer SS, 947
Krochmann J, 683
Kulczycki LL, 855
Kulin HE, 968
Kuronen T, 818
Kushnick T, 680
Kusunoki T, 436
Kwun YA, 426

L

Laberge C, 274
LaBrecque DR, 406
Lagenstein I, 164
Laird WP, 335
Lamberth EL Jr, 461
Lamiell JM, 583
Lamon JM, 346
Lampert RP, 766
Landing BH, 952
Lane B, 535
Laron Z, 169, 205, 340
Larrondo J, 135
Larsen SA Jr, 417
Larter WE, 826
Laws HF III, 858
Lawson EE, 423, 982
Lazicki ME, 30
Leape LL, 75
Lebenthal E, 214
Lee H, 30
Lee K, 848
Lehmiller DJ, 96
Leibel R, 177
Lenn NJ, 165
Lenoir G, 299
Lerer MP, 168
Lerer RJ, 168
Lesh P, 385
Lester LZ, 344
Letarte J, 274
Levey RH, 210
Levin DL, 264, 478, 805
Levine P, 235
Levine RL, 284
Levison H, 718
Levitsky D, 853
Levy HL, 390, 871
Lewin GA, 451
Lewiston NJ, 236
Ley AC, 959
Li FP, 943
Lieberman E, 952
Liebhaber M, 236
Lietman PS, 867
Lightner ES, 240, 857
Lindberg U, 194
Linshaw MA, 911
Lippe BM, 897
Lirenman DS, 955
Litt IF, 679
Livingston S, 688
Lloyd J, 169
Lockhart LH, 593
Loughlin GM, 776
Loughnan PM, 1016, 1019
Loveland GC, 75
Lowman JT, 75
Lubchenco LO, 284
Lubin E, 205
Luddy R, 82
Luddy RE, 505
Luderer JR, 1033
Lui V, 1028
Lupatkin WL, 1032

M

McCarthy PL, 454
McCracken GH Jr, 15, 135, 292, 485
McCredie J, 762
McCrory JH, 231
McCurdy DK, 394
MacDonald H, 315
Mace J, 345, 1030
Mace SE, 446
McEnery PT, 422
MacGregor DL, 903
Macintyre MN, 446
McKee KT Jr, 677
McLean EB, 846
McLean RH, 852
MacLean WC Jr, 562
McMahon DP, 841
McMann BJ, 906
McNamara DG, 36, 141, 309
Mc Namara JM, 1016
McNulty C, 115
McVie R, 687
Madden DL, 959
Mahoney MJ, 769
Maisels MJ, 687, 968, 1024
Mäkelä PH, 818
Malloy MH, 668
Mangurten HH, 164
Mann WJ, 461
Margileth AM, 1030
Marinova M, 944
Markenson A, 648
Marks A, 511
Marks KH, 968, 1024
Marks MI, 81
Martínez A, 113
Mascarina M, 680
Masera G, 1031
Mason RG, 556
Massa E, 562
Masters SJ, 454
Match RM, 508
Matson JR, 776
Mazzi E, 282
Méhes K, 692
Mehta J, 599
Mellis C, 862
Mellis CM, 718
Mellits D, 858
Mendoza SA, 510
Menke JA, 633
Meradji M, 401
Meyers P, 648
Michael AF, 88
Michals K, 681
Michie DD, 798
Mikity V, 451
Miller DR, 648
Miller RL, 378
Miller RW, 925

Minnefore AB, 30
Mirkin BL, 510
Miyazaki S, 785
Modler S, 603
Moel DI, 426
Moessinger AC, 635
Mohammed I, 325
Moodley G, 320
Moore ES, 906
Moore HV, 939
Moorthy AV, 420
Morens DM, 374
Morin CL, 729
Morrison S, 1032
Morriss FC, 478
Morriss FH Jr, 668
Morissette J, 274
Motoyama EK, 860
Muaka Bk, 678
Mueller DG, 101
Mukhopadhyay N, 540
Mullins C, 141
Murphey WH, 1006
Murray F, 968
Murugasu R, 597
Musgrave JE, 596

N

Naiman JL, 244, 1021
Najjar S, 55
Neches W, 141
Nelson ED, 145
Nelson JD, 131, 175, 485
Nelson WE, 173
Newman AJ, 433, 584
Newman DE, 60
Nichols BL, 566
Nogen AG, 832
Norman ME, 394
Northway JD, 985
Northway WH Jr, 114
Nousia-Arvanitakis S, 734
Novak R, 434
Nussbaum E, 784
Nussbaum L, 188
Nyhan W, 108
Nyhan WL, 68, 84, 385

O

O'Brien ML, 1006
O'Brien RT, 579
O'Connor DM, 336
Ogra PL, 546, 550
Ogra SS, 546, 550
Oh W, 8, 149, 638
Olson DL, 952
Olson R, 153
Omar A, 597
Omeñaca F, 113
O'Neill JA Jr, 947
O'Reilly RJ, 43
Oski BF, 810
Oski FA, 21, 810
Osler DC, 864
Ossi MJ, 285
Outerbridge EW, 247, 608
Overturf GD, 823
Ozere RL, 354

P

Packman R, 160
Packman S, 769
Pahwa RN, 43
Pahwa SG, 43
Pai CH, 81
Painter MJ, 315
Pang SJ, 491
Pape KE, 253
Papile L-A, 529
Parra A, 117
Pauli LL, 688
Paulson MA, 834
Pearse RG, 401
Peltola H, 818
Pelton SI, 893
Pérez-Rodrigues J, 113
Perkett EA, 171
Perry D, 86
Perry PM, 889
Peter G, 884
Pettifor JM, 320
Pfister RR, 158
Phillips C, 713
Pickering LK, 337
Pifer L, 227
Pinnell SR, 378
Piomelli S, 653
Pippenger C, 315
Pippinger CE, 520
Pisciotto P, 648
Pitlick W, 315
Pizzo PA, 849
Platzker ACG, 771
Ploussard JH, 893
Pohlandt F, 614, 617
Poland RL, 270
Polin RA, 520, 627
Pollak A, 149
Pollitt E, 177
Poon-King T, 325
Poplack DG, 849
Portnoy B, 823
Postellon DC, 491
Postuma R, 429
Potter EV, 325
Potter NU, 943
Powars DR, 823
Powazek M, 834
Prebis J, 237
Price WH, 596
Priest J, 692
Proesmans W, 678
Pruce I, 688
Prueitt JL, 261
Pryor ND, 304
Publow DG, 79
Purohit DM, 1031
Puschak R, 813

Q

Quero J, 113
Quinby GE Jr, 161

R

Rabinovitch P, 846
Rachelefsky GS, 663
Ragab AH, 1028
Ramos MEG, 584
Raney RB Jr, 244, 780
Rao SP, 939
Rasoulpour M, 852
Raye J, 852
Rayner A, 766
Reaman G, 608
Reaman GH, 849
Reder R, 934
Reichert TJ, 368
Reid IS, 762
Reinert P, 358
Rennert OM, 766
Reyes FI, 743
Reynolds DW, 738
Riccardi VM, 685
Rice K, 188
Richard GA, 304
Richtsmeier AJ, 79
Riely CA, 406
Rifkind A, 648
Rigatto H, 91
Rimoin DL, 523, 697
Robins-Browne RM, 676
Rockoff AS, 945
Rodriguez JT, 566
Rodriguez W, 343
Rogers JH Jr, 959
Rose JS, 441
Rosen RC, 240
Rosenbloom AL, 689, 691
Rosenfield N, 210
Rosenlund ML, 338
Ross BS, 149
Ross P, 320
Rossi E, 1031
Roth KS, 394
Rothman R, 813
Roy CC, 729
Rudensky B, 676
Rudolph AM, 265
Ryder RW, 684

S

Saarinen UM, 412
Saenger P, 687
Sakati N, 68
Salisbury S, 954
Sample WF, 897
Sankaran K, 91
Santiago JV, 690
Santos D, 117
Sanyal SK, 285
Sarna S, 818
Sarnat HB, 624
Sasaki K, 785
Sawada T, 436
Scanlon JW, 162
Schauf V, 855
Schedewie H, 754
Scheidt PC, 858
Scheifele D, 889
Schell FR, 641
Schiff D, 995
Schmerler S, 680
Schnaufer L, 338
Schreiner RL, 115
Schroeder JR, 101
Schuth CR, 161
Schwartz AD, 505
Schwartz E, 643, 659
Schwartz HC, 8
Schwartz JG, 977
Schwartz R, 8, 343
Schyving J, 834
Scott EG, 853
Scully RE, 51
Seaman C, 653
Searle B, 680
Sebastianelli J, 1021
Seeler RA, 171
Seely JR, 159
Segal S, 813
Sellers BB Jr, 941
Senter TP, 68
Sepe SJ, 390
Seshia MM, 91
Sever JL, 959
Shafai T, 84, 108
Shaffer TH, 977
Shah BL, 852
Shahidi NT, 957
Shannon DC, 105
Shapiro LR, 345
Shapiro SA, 780
Shaywitz BA, 179
Shaywitz SE, 179
Shelton S, 131
Sheth KJ, 921

Shih VE, 390
Shin H, 785
Shinefield HR, 235
Shore RM, 684
Shurin PA, 893
Shvil Y, 88
Shwachman H, 214
Sieber OF Jr, 826
Siegel S, 663
Sigell LT, 145
Siimes MA, 412
Silber R, 1033
Siler-Khodr TM, 55
Simmons MA, 284
Simons FER, 91
Simons KJ, 91
Sinaiko A, 510
Singer DB, 566
Singer HS, 341
Singsen BH, 771
Sinniah D, 597
Sklower S, 441
Smith AL, 889
Smith B, 169
Smith DW, 64, 363, 457, 787, 878
Smith LE, 586, 850
Smith RM, 801
Smithwick EM, 43
Söderström R, 1030
Sojo I, 117
Sondheimer JM, 572
Sorenson MJ, 506
Sorger S, 81
Sosenko I, 982
Stagno S, 738
Stahlman MT, 467
Stannard WW, 801
Stapleton FB, 911
Stark A, 982
Stechenberg BW, 229
Steele L, 853
Stein BS, 1021
Stein REK, 495
Steinberg E, 823
Steinberg S, 1033
Steinfeld L, 934
Stempel DA, 930
Stevens RL, 782
Stevenson RE, 950
Stewart D, 793
Stoerner JW, 668
Streissguth AP, 64, 363, 457
Strobel CT, 586, 850
Strong WB, 939
Strunk R, 514
Strunk RC, 776
Stuart BH, 679
Sugg VM, 231
Sugimoto T, 436
Sulyok E, 484
Sumi SM, 64
Sunshine P, 236
Suskind R, 153
Svartman M, 325
Sweetman L, 84, 108, 385
Syriopoulou V, 889
Szymczak EG, 778

T

Taher A, 957
Take H, 785
Taljaard JJF, 158
Talwalkar YB, 596
Tan KL, 683
Tanaka K, 769
Tanaka T, 862
Tang TT, 921
Tanner MS, 169
Tarr PI, 884
Tauscher JW, 1022
Taussig LM, 514
Taylor HA, 950
Taylor JFN, 77
Tebbi K, 1026
Tedford JC, 771
Teele RL, 423
Ternberg JL, 160, 589
Teske DW, 167
Tetzlaff TR, 135, 292, 485
Thanangkul O, 153
Thapar MK, 939
Thoene J, 108
Thomas ML, 292
Thompson D, 8
Tiller TL Jr, 347
Todres ID, 105
Torres-Aybar FG, 507
Tourville JF, 514
Tozawa M, 436
Traub RG, 959
Trump DS, 506
Truog WE, 261
Tschudy DP, 346
Tucker G, 601
Turk KB, 446
Tyers GFO, 722
Tyson J, 478

U

Udall JN, 566
Udkow G, 829
Uhrmann S, 968
Utiger R, 968

V

Van Biervliet J-PGM, 1029
Vasios G, 680
Vaughan R, 171
Vaughan RS, 633
Vedvick TS, 278
Vida LN, 556
Virelizier J-L, 358
Vitale JJ, 864
Vogl TP, 627
Volpe JJ, 693
Vora SK, 653

W

Wagner R, 418
Wald ER, 505
Waldman JD, 512
Wall MA, 520
Walson PD, 514
Walton DS, 390
Wang J, 320
Ward JI, 713
Warne GL, 743
Watkins JB, 210
Watkins M, 233
Weber A, 729
Wehunt WD, 1023
Weichsel ME Jr, 1035
Weil WB Jr, 516
Weinberg AG, 335
Weinberger M, 1, 125, 513
Weiner M, 653
Weintraub BD, 51
Weintraub M, 829
Weir MR, 1023
Welliver RC, 239
Wennberg RP, 166, 789
Werlin SL, 450
Werthmann MW Jr, 998
West CD, 422, 774
West EF, 593
Weyandt TB, 583
Weyler W, 84
White JC, 597
White RD, 867
Whitman V, 687, 722, 1024
Widness JA, 8
Wiener JD, 691
Wigger HJ, 635
Wijesekera S, 641
Wilimas J, 434
Williams JC, 439
Willner J, 441
Wilson GS, 861
Wimmer RS, 244
Wingert WA, 451
Winkelstein JA, 82
Winter JSD, 743
Wirth FH, 798
Wishnick MM, 960
Wolf RO, 685
Wolff JA, 30
Wolter R, 974
Wong AS, 86
Wong KY, 520
Wong PWK, 681
Woodard T, 227
Woodrum DE, 261
Woods D, 227
Wyatt R, 125
Wyllie R, 631
Wynn RJ, 115

Y

Yabek SM, 686
Yamaguchi N, 436
Yokel RA, 145
Yudkoff M, 813

Z

Zeidner DL, 491
Zimmerman RA, 342
Zipf WB, 748
Ziyai F, 681

*Subject index**

A

ABO incompatibility: Racial difference in frequency of manifestations (Bottini) (Letter), 863; (Kirkman) (Reply), 863
Abscess, brain *(Pasteurella multocida),* following perforating cranial dog bite (Klein and Cohen) (BCLO), 588
Academic progress—effect of methylphenidate on (Hurst) (Letter), 168; (Lerer et al) (Reply), 168
Acanthosis nigricans and cutis gyratum associated with other anomalies: Distinctive syndrome (Stevenson et al) (BCLO), 950
Acetaminophen overdosage, fatal (Nogen and Bremner), 832
Acidemia, biotin-responsive propionic, presenting as rumination syndrome (Hillman et al) (BCLO), 439
isovaleric—glycine therapy in (Yudkoff et al), 813
propionic, with severe hyperammonemia and defective glycine metabolism (Shafai et al) (BCLO), 84
Acidosis, distal renal tubular—urinary citrate excretion in diagnosis of (Norman et al), 394
Acne therapy, systemic—complication of: Tetracycline-associated intracranial hypertension in adolescent (Stuart and Litt) (Clin note), 679
Adenocarcinoma, primary gastric, in pediatric population (Strobel et al) (Clin note), 850
Adenoma, pituitary—immunocytochemical demonstration of growth hormone in (Halmi and Duello) (Letter), 856; (Lightner) (Reply), 857
Adolescent and pediatric endocrine disorders—pelvic ultrasonography in (Lippe and Sample), 897
diabetic—osteomyelitis due to group B streptococcus in (McKee) (Clin note), 677
pubertal gynecomastia, clomiphene in (Laron and Dickerman) (Letter), 169; (Harding) (Reply), 169
tetracycline-associated intracranial hypertension in: Complication of systemic acne therapy (Stuart and Litt) (Clin note), 679
Adrenal hemorrhage and hyposplenic septicemia (Dearth and Gilchrist) (Letter), 512; (Waldman) (Reply), 512
diagnosed by ultrasound (Lawson and Teele) (BCLO), 423
hyperplasia, congenital—mineralocorticoid therapy in (McVie and Saenger) (Letter), 687
Adrenarche, precocious—hormonal changes in girls with: Possible role for estradiol or prolactin (Warne et al), 743
Adrenocortical function with hypopituitarism, effect of cyproheptadine and human growth hormone on (Kenien et al), 491
Aerobic and anaerobic bacteriology of acute otitis media (Brook et al), 13; Commentary (McCracken), 15
Aeromonas shigelloides, neonatal septicemia and meningitis due to (Appelbaum et al) (Clin note), 676
Agranulocytosis, infantile genetic, and acute lymphocytic leukemia in two sibs (Lui et al) (Clin note), 1028
Albumin—displacement of bilirubin by drugs (Ballowitz) (Letter), 166; (Wennberg) (Reply), 166
enriched peritoneal dialysate in acute copper poisoning, role of (Cole and Lirenman) (BCLO), 955
Alcohol consumption, moderate—effects during pregnancy on fetal growth and morphogenesis (Hanson et al), 457
syndrome, fetal—intelligence, behavior, and dysmorphogensis in: Report on 20 patients (Streissguth et al), 363
Alkalosis, metabolic, in anephric child caused by combined use of Kayexalate and Basaljel (Baluarte et al) (BCLO), 237
Alpha$_1$-antitrypsin deficiency, neonatal screening for (O'Brien et al), 1006
Aluminum hydroxide gel—bowel obstruction occurring during treatment with (Hurley) (BCLO), 592
Ambulatory "special care unit": Pediatric home care (Stein), 495
Amino acid concentrations, plasma, in newborn infants breast-fed ad libitum (Pohlandt), 614
umbilical cord vein and artery of newborn infants after elective cesarean section or spontaneous delivery (Pohlandt), 617
Aminolevulinic dehydratase deficiency with tyrosinemia (Lamon et al) (Letter), 346
Ampicillin resistance in *H. influenzae,* increasing incidence of (Syriopoulou et al), 889
of *H. influenzae* to (Schwartz et al) (Letter), 343
followed by ampicillin-sensitive *H. influenzae* meningitis in normal host (Stechenberg and Feigin) (BCLO), 229
Anaerobic and aerobic bacteriology of acute otitis media (Brook et al), 13; Commentary (McCracken), 15
Analgesia, obstetric—use of meperidine for (Vaughan and Perkett) (Letter), 171; (Gerhardt) (Reply), 172
Anemia—α-thalassemia syndrome, sickle cell. II. Sickle cell syndromes (Honig et al), 556
classical Fanconi, in family with hypoplastic anemia (Li and Potter) (BCLO), 943
Cooley: High transfusion regimen and chelation therapy, results, and perspective (Weiner et al), 653
—iron chelation therapy with deferoxamine in (Cohen and Schwartz), 643
with juvenile rheumatoid arthritis (Koerper et al), 930
Anephric child, metabolic alkalosis in, caused by combined use of Kayexalate and Basaljel (Baluarte et al) (BCLO), 237

*January, pp. 1-178; February, pp. 179-346; March, pp. 347-522; April, pp. 523-696; May, pp. 697-870; June, pp. 871-1038.

Anomalies, multiple congenital—syndrome of (Torres-Aybar) (Clin note), 507
other, associated with cutis gyratum and acanthosis nigricans: Distinctive syndrome (Stevenson et al) (BCLO), 950
Antibiotic concentrations in pus and bone of children with osteomyelitis (Tetzlaff et al), 135
therapy, oral, for serious infections in hospitalized patients (Nelson) (Editor's column), 175
skeletal infections. I. Antibiotic concentrations in suppurative synovial fluid (Nelson et al), 131
II. Therapy of osteomyelitis and suppurative arthritis (Tetzlaff et al), 485
Antibody-coated bacteria in urinary sediments—localization of urinary tract infections by means of (Hellerstein et al), 188
response to live virus vaccines in congenital and neonatal cytomegalovirus infections (Reynolds et al), 738
Antidiuretic hormone, inappropriate secretion of, complicating neonatal hypoxic-ischemic encephalopathy (Kaplan and Feigin) (BCLO), 431
syndrome of inappropriate secretion of—with bacterial meningitis (Kaplan and Feigin), 758
Antigen(s), carcinoembryonic, with ataxia-telangiectasia, plasma levels of (Sugimoto et al) (BCLO), 436
glomerular basement membrane—changes with age (Anand et al) (BCLO), 952
H. influenzae b, in cerebrospinal fluid, improved method for detection of (Pifer et al) (BCLO), 227
Antrum, gastric—ectopic pancreatic tissue in (Strobel et al) (BCLO), 586
Aphasia, acquired epileptic (Koepp and Lagenstein) (Letter), 164; (Deuel and Lenn) (Reply), 165
Apnea and respiratory obstruction with bilateral abductor vocal cord paralysis, meningomyelocele, hydrocephalus, and Arnold-Chiari malformation (Holinger et al), 368
in preterm infants—physiologic changes induced by theophylline in treatment of (Davi et al), 91
Appendicitis, acute—outpatient procedure in early diagnosis of: Barium enema (Lewin et al) (BCLO), 451
Arginine and insulin infusion—differential effects of cranial radiation on growth hormone response to (Dickinson et al), 754
Arnold-Chiari malformation, hydrocephalus, meningomyelocele, and bilateral abductor vocal cord paralysis with respiratory obstruction and apnea (Holinger et al), 368
Arterial calcification, idiopathic infantile, in siblings: Radiologic diagnosis and successful treatment (Meradji et al), 401
intra-, injection producing intestinal necrosis in rabbit ileum: Hazards of calcium gluconate therapy in newborn infant (Book et al), 793
Artery and vein, umbilical cord, of newborn infants after elective cesarean section or spontaneous delivery—plasma amino acid concentrations in (Pohlandt), 617
catheter, radial, in LBW infant—hypernatremia due to heparinized saline infusion through (Hayden) (Clin note), 1025
catheterization, temporal—serious sequelae of: Warning (Simmons et al) (Clin note), 284
radial—technique for percutaneous cannulation in newborn infant (Sessions et al), 105
Arthritis, juvenile rheumatoid—anemia with (Koerper et al), 930
suppurative, and osteomyelitis, therapy of. II. Oral antibiotic therapy for skeletal infections (Tetzlaff et al), 485
Ascorbic acid response: Inherited human collagen lysyl hydroxylase deficiency (Elsas et al), 378
Asphyxia secondary to massive dirt aspiration (Bergeson et al) (Clin note), 506
Aspirated vegetable particles, miliary pulmonary nodules due to (Kaplan et al) (BCLO), 448
Aspiration, massive dirt—asphyxia secondary to (Bergeson et al) (Clin note), 506
Asthma, chronic—oral theophylline dosage for management of (Wyatt et al), 125
theophylline for treatment of (Weinberger), 1
Asthmatic and normal children, response to exercise (Kattan et al), 718
children—effectiveness of short- and long-term use of crystallized theophylline in (Katz et al), 663
myocardial ischemia complicating use of isoproterenol in (Matson et al) (BCLO), 776
Ataxia-telangiectasia, plasma levels of carcinoembryonic antigen with (Sugimoto et al) (BCLO), 436
Atresia, familial pyloric, associated with epidermolysis bullosa (De Groot et al) (BCLO), 429

B

Bacteria, antibody-coated, in urinary sediments—localization of urinary tract infections by means of (Hellerstein et al), 188
Bacterial and viral pneumonia—value of C-reactive protein test in differentiation of (McCarthy et al) (BCLO), 454
etiology of otitis media during first 6 weeks of life (Shurin et al), 893
meningitis—syndrome of inappropriate secretion of antidiuretic hormone with (Kaplan and Feigin), 758
Bacteriology, aerobic and anaerobic, of acute otitis media (Brook et al), 13; Commentary (McCracken), 15
Bacteriuria, asymptomatic, in schoolgirls. VIII. Clinical course during a 3-year follow-up (Lindberg et al), 194
Barium enema: Outpatient procedure in early diagnosis of acute appendicitis (Lewin et al) (BCLO), 451
Basaljel and Kayexalate, combined use of—metabolic alkalosis in anephric child caused by (Baluarte et al) (BCLO), 237
Bayley Scale score changes following iron therapy, significance of (Pollitt et al) (Editor's column), 177
Bed requirements, newborn special care, determined by application of queuing theory to 1975-176 morbidity experience (Morriss et al), 668
Behavior, intelligence, and dysmorphogensis in fetal alcohol syndrome: Report on 20 patients (Streissguth et al), 363
N-Benzoyl-L-tyrosyl-*p*-amihobenzoic acid, synthetic epetide—diagnosis of exocrine pancreatic insufficiency in cystic fibrosis by (Nousia-Arvanitakis et al), 734
Biliary obstruction, partial—multinodular hemangiomatosis with (Wishnick) (BCLO), 960

Bilirubin—displacement from albumin by drugs (Ballowitz) (Letter), 166; (Wennberg) (Reply), 166
estimation of unbound serum, by peroxidase assay method: Effect of exchange transfusion on unbound bilirubin and serum bindings (Arkans and Cassady), 1001
free, without basal ganglion staining (Buchanan et al) (Clin note), 158
in newborn nursery, evaluation of (Wyllie and Keener), 631
Bioavailability of cephalexin: Relationship to drug formulations and meals (Tetzlaff et al), 292
Biotin-responsive propionic acidemia presenting as rumination syndrome (Hillman et al) (BCLO), 439
Birth weight, low, infants—overadministration of digoxin to (Berman et al) (Clin note), 1024
of less than 1,001 gm, status at two years of LBW infants born in 1974 with (Pape et al), 253
Black children, incidence of cystic fibrosis—revisited (Kulczycki and Schauf) (Letter), 855
Bleeding, intracranial—computerized tomography in diagnosis of (Singer) (Letter), 341; (Kinney et al) (Reply), 342
Blood cell, red, counts and indices of infants after exclusion of iron deficiency by laboratory criteria and continuous iron supplementation, developmental changes in, (Saarinen and Siimes), 412
cord—free erythrocyte porphyrins in (Guttuso et al), 810
cultures, quantitative, in bacteremia (Durbin et al) (BCLO), 778
volume of, required for blood culture (Daum) (Letter), 163; (Mangurten) (Reply), 164
Bone and pus, antibiotic concentrations in, with osteomyelitis (Tetzlaff et al), 135
Bottle vs breast feeding (Baker and Vitale) (Letter), 864; (Cromer and Osler) (Letter), 864; (Cunningham) (Reply), 865
Bowel obstruction occurring during treatment with aluminum hydroxide gel (Hurley) (BCLO), 592
small, function—reliable index of: One-hour blood xylose test (Buts et al), 729
mucosal disease—use of one-hour blood xylose test as indicator of (Christie), 725
Brain abscess, *Pasteurella multocida*, following perforating cranial dog bite (Klein and Cohen) (BCLO), 588
biopsies for neurodegenerative disease (MacGregor et al), 903
dysfunction, biochemical basis of (Shaywitz et al), 179
malformations related to prenatal exposure to ethanol (Clarren et al), 64
Breast milk, human—digoxin excretion in (Loughnan), 1019
vs bottle feeding (Baker and Vitale) (Letter), 864; (Cromer and Osler) (Letter), 864; (Cunningham) (Reply), 865
relation of, to hospitalization for gastroenteritis in middle-class U.S. population (Larsen and Homer) (BCLO), 417
fed ad libitum, newborn infants—plasma amino acid concentrations in (Pohlandt), 614
British pediatrics—specialty in transition? (Cornfeld), 500
Bronchial intubation, selective, for treatment of localized pulmonary emphysema (Dickman) (Letter), 860; (Brooks) (Reply), 861
Bronchopulmonary dysplasia in survivors of hyaline membrane disease, unchanged incidence of (Truog et al), 261
Possible relationship to pulmonary edema (Brown et al), 982
Bronchus, left mainstem—more on intubation of (Goodwin et al) (Letter), 1029

C

C_1-C_2 subluxation in Hurler syndrome, spastic quadriparesis due to (Brill et al) (BCLO), 441
C3 nephritic factor—hypocomplementemia caused by placental transfer of (Kim et al) (BCLO), 88
C-reactive protein test, value in differentiation of bacterial and viral pneumonia (McCarthy et al) (BCLO), 454
Caffeine, toxicity of (Mace) (Letter), 345
Calcification, hepatic, in congenital cytomegalic inclusion disease (Alix et al) (Letter), 856; (Ansari) (Reply), 856
idiopathic infantile arterial, in siblings: Radiologic diagnosis and successful treatment (Meradji et al), 401
Calcium gluconate therapy, hazards in newborn infant: Intra-arterial injection producing intestinal necrosis in rabbit ileum (Book et al), 793
low dietary—a factor? Rickets in children of rural origin in South Africa (Pettifor et al), 320
Calorie-protein malnutrition with plasma somatomedin and growth hormone values (Hintz et al), 153
Cancer hospital, emotional reactions to isolation in (Powazek et al), 834
Candidiasis prevented by nystatin in acute lymphocytic leukemia, clinical experience with (Carpentieri et al) (BCLO), 593
Cannulation, percutaneous, of radial artery in newborn infant—technique for (Sessions et al), 105
Capillary blood samples, digital—monitoring critically ill newborn infants with: An alternative (Karna and Foland), 270
Carbamazepine, toxicity of (Livingston et al) (Letter), 688
Carcinoembryonic antigen with ataxia-telangiectasia, plasma levels of (Sugimoto et al) (BCLO), 436
Cardiac defects in Hallerman-Streiff syndrome (Dinwiddie et al) (BCLO), 77
output measured by thermodilution (Freed and Keane), 39
Carrier(s), familial 14/15 translocation chromosome, detected by fetal propositus (Kushnick et al) (Clin note), 680
mothers, chronic HBsAg—study of children born to. II. Hepatitis B (Dupuy et al), 200
Cartilage, nasal triangular—dislocation after cesarean section for breech presentation without labor (Harkavy and Scanlon) (Clin note), 162
Catheter, radial artery, in LBW infant—hypernatremia due to heparinized saline infusion through (Hayden) (Clin note), 1025
Catheterization, temporal artery—serious sequelae of: Warning (Simmons et al) (Clin note), 284
Cellular and humoral immunologic injury, roles of. Diphenylhydantoin interstitial nephritis (Hyman et al), 915
Cephalexin, bioavailability of: Relationship to drug formulations and meals (Tetzlaff et al), 292
Cerebroside sulfate hydrolysis by fibroblasts from a parent with metachromatic leukodystrophy (Fluharty et al) (BCLO), 782
Cerebrospinal fluid, improved method for detection of *Hemophilus influenzae* b antigen in (Pifer et al) (BCLO), 227
Cervical rib—neck mass caused by (Match) (Clin note), 508

Cesarean section for breech presentation without labor—dislocation of nasal triangular cartilage after (Harkavy and Scanlon) (Clin note), 162
mother-newborn relationship following (Coleman) (Letter), 163; (Klaus) (Reply), 163
Chelation therapy, high transfusion regimen, results, and perspective: Cooley anemia (Weiner et al), 653
in β-thalassemia major. I. Intravenous and subcutaneous deferoxamine (Graziano et al), 648
iron, with deferoxamine in Cooley anemia (Cohen and Schwartz), 643
Chemotactic defects in severe combined immunodeficiency (Pahwa et al), 43
Chest deformity and late-onset pulmonary fibrosis with cyclophosphamide treatment (Alvarado et al) (BCLO), 443
tube in neonatal pneumothorax—high incidence of lung perforation by (Moessinger et al), 635
Chlorambucil dosage in frequently relapsing nephrotic syndrome: A controlled clinical trial (Baluarte et al), 295
given to pre- and pubertal boys for nephrotic syndrome, gonadal effects of (Guesry et al), 299
Chloramphenicol levels, necessity for monitoring, when treating neonatal meningitis (Black et al) (BCLO), 235
Cholelithiasis and Wilson disease (Rosenfield et al), 210
ultrasonic diagnosis of (Holt et al) (BCLO), 418
Cholestasis and peripheral pulmonic stenosis in father and son (Riely et al), 406
Chromosome carriers, familial 14/15 translocation translocation, detected by fetal propositus (Kushnick et al) (Clin note), 680
Circumcision, neonatal, and penile dorsal nerve block—painless procedure (Kirya and Werthmann), 998
Citrate excretion, urinary, in diagnosis of distal renal tubular acidosis (Norman et al), 394
Clindamycin and erythromycin—*Streptococcus pneumoniae* resistant to (Champion et al) (Clin note), 505
Clomiphene in pubertal-adolescent gynecomastia (Laron and Dickerman) (Letter), 169; (Harding) (Reply), 169
Clubbing, digital—clinical sign in thalassemia (Sinniah et al) (BCLO), 597
Coagulation abnormalities associated with localized hemorrhage in neonate (Easa), 989
Collagen lysyl hydroxylase deficiency, inherited human: Ascorbic acid response (Elsas et al), 378
Colony-forming cells, circulating—fluctuation with transfusion with β-thalassemia major (Chu and O'Connor) (Clin note), 336
Colostrum, human, and milk—immunologic aspects of. I. Distribution characteristics and concentrations of immunoglobulins at different times after onset of lactation (Ogra and Ogra), 546; II. Characteristics of lymphocyte reactivity and distribution of E-rosette forming cells at different times after the onset of lactation (Ogra and Ogra), 500
Computerized tomography in diagnosis of intracranial bleeding (Singer) (Letter, 341; (Kinney et al) (Reply), 342
Congenital adrenal hyperplasia, mineralocorticoid therapy in (McVie and Saenger) (Letter), 687
and neonatal cytomegalovirus infections, antibody response to live virus vaccines in (Reynolds et al), 738
Congenital—Cont'd
anomalies, multiple, and unusual pathological findings: Trisomy 9 syndrome (Mace et al) (BCLO), 446
—syndrome of (Torres-Aybar) (Clin note), 507
cytomegalic inclusion disease, hepatic calcification in (Alix et al) (Letter), 856; (Ansari) (Reply), 856
cytomegalovirus infection—cutaneous vesicles in (Blatt et al) (Clin note), 509
Graves disease following (Salisbury and Embil) (BCLO), 954
—intranuclear inclusions in megakaryocytes in (Chesney et al) (BCLO), 957
diaphragmatic hernia associated with homolateral upper limb malformation: Study of possible pathogenesis in four cases (McCredie and Reid), 762
heart disease, severe—intestinal function in infants with (Sondheimer and Hamilton), 572
neurosensory deafness and atypical ichthyosiform erythroderma—a distinct syndrome (Senter et al), 68
left-sided diaphragmatic hernia, morphologic analysis of pulmonary vascular bed in (Levin), 805
Conjunctivitis, primary meningococcal, followed by meningitis (Nussbaum et al) (BCLO), 784
Contamination, bacterial, with two methods of human milk collection, comparison of (Liebhaber et al) (BCLO), 236
Contractions, premature ventricular, in normal children (Jacobsen et al), 36
Cooley anemia: High transfusion regimen and chelation therapy, results, and perspective (Weiner et al), 653
—iron chelation therapy with deferoxamine in (Cohen and Schwartz), 643
Copper deficiency—skeletal changes with prolonged total parenteral nutrition (Heller et al) (BCLO), 947
poisoning, role of albumin-enriched peritoneal dialysate in (Cole and Lirenman) (BCLO), 955
Cord blood fatty acid composition in infants and in their mothers during third trimester (Friedman et al), 461
vein and artery, umbilical, of newborn infants after elective cesarean section or spontaneous delivery—plasma amino acid concentrations in (Pohlandt), 617
Coxsackie B1-6, mumps, or respiratory syncytial virus infections—failure to associate with: Juvenile onset diabetes mellitus in pregnant women (Madden et al) (BCLO), 959
CPAP—effect on pulmonary function (Gerhardt and Banclaari) (Letter), 859; (Motoyama) (Reply), 860
Cranial, intra-, hypertension in adolescent, tetracycline-associated: Complication of systemic acne therapy (Stuart and Litt) (Clin note), 679
irradiation and lymphocyte subpopulations in acute lymphocytic leukemia (Kishida et al) (BCLO), 785
radiation, differential effects on growth hormone response to arginine and insulin infusion (Dickinson et al), 754
Crohn disease and Turner syndrome, association of (Keating et al) (Clin note), 160
Cryptococcosis, generalized—successful renal transplantation after (Iitaka et al) (BCLO), 422
Culture(s) blood—volume of blood required for (Daum) (Letter, 163; (Mangurten) (Reply), 164
quantitative blood, in bacteremia (Durbin et al) (BCLO), 778

Cutis gyratum and acanthosis nigricans associated with other anomalies: Distinctive syndrome (Stevenson et al) (BCLO), 950
Cyclophosphamide—plasma gonadotropins and gonadal steroids in children treated with (Parra et al), 117
therapy—pattern of response to prednisone in idiopathic, minimal lesion nephrotic syndrome as criterion in selecting patients for (Garin et al), 304
treatment—late-onset pulmonary fibrosis and chest deformity with (Alvarado et al) (BCLO), 443
Cyproheptadine and human growth hormone, effect on adrenocortical function with hypopituitarism (Kenien et al), 491
Cyst, foregut—traction diverticulum of esophagus due to (Rosenlund et al) (Clin note), 338
Cystic fibrosis—diagnosis of exocrine pancreatic insufficiency by synthetic peptide N-benzoyl-L-tyrosyl-*p*-aminobenzoic acid (Nousia-Arvanitakis et al), 734
—disaccharidase activities in small intestinal mucosa with (Antonowicz et al), 214
incidence in black children—revisited (Kulczycki and Schauf) (Letter), 855
Cytomegalic inclusion disease, congenital—hepatic calcification in (Alix et al) (Letter), 856; (Ansari) (Reply), 856
Cytomegalovirus infections, congenital and neonatal—antibody response to live virus vaccines in (Reynolds et al), 738
—cutaneous vesicles in (Blatt et al) (Clin note), 509
—Graves disease following (Salisbury and Embil) (BCLO), 954
—intranuclear inclusions in megakaryocytes in (Chesney et al) (BCLO), 957
tyrosinemia associated with perinatal infection with (Thoene et al), 108

D

Day-care center, *H. influenzae* type b disease in (Ward et al), 713
Deafness, congenital neurosensory, and atypical ichthyosiform erythroderma—a distinct syndrome (Senter et al), 68
l-Deamino-8-D-arginine vasopressin in treatment of central diabetes insipidus (Becker and Foley), 1011
Deferoxamine in Cooley anemia—iron chelation therapy with (Cohen and Schwartz), 643
sickle cell anemia—excretion of iron in response to (Cohen and Schwartz), 659
intravenous and subcutaneous. I. Chelation therapy in β-thalassemia major (Graziano et al), 648
Deltoid muscles, progressive fibrosis of (Hoefnagel et al) (BCLO), 79
Demographic factors in epidemiology of *Hemophilus influenzae* meningitis (Tarr and Peter), 884
Dependence, physical, and morphine sulfate tolerance—use of propoxyphene napsylate for detoxification of (Udkow and Weintraub), 829
Dermatitis, molluscum (Rockoff) (BCLO), 945
Dermatomyositis, juvenile—complication of: Spontaneous pneumothorax (Singsen et al) (BCLO), 771
Detoxification—propoxyphene napsylate used with morphine sulfate tolerance and physical dependence (Udkow and Weintraub), 829
Developmental changes in red blood cell counts and indices of infants after exclusion of iron deficiency by laboratory criteria and continuous iron supplementation (Saarinen and Siimes), 412
effects of hyperbilirubinemia (Diamond) (Letter), 857; (Laws) (Letter), 558; (Scheidt et al) (Reply), 858
patterns of renal functional maturation compared in human neonate (Arant), 705
scores of iron-deficient infants, effects of therapy on (Oski and Honig), 21
Diabetes, juvenile—role of artificial pancreas in (Rosenbloom) (Letter), 689; (Santiago and Clarke) (Reply), 690
insipidus, central—l-deamino-8-D-arginine vasopressin in treatment of (Becker and Foley), 1011
mellitus, juvenile onset, in pregnant women: Failure to associate with Coxsackie B1-6, mumps, or respiratory syncytial virus infections (Madden et al) (BCLO), 959
Diabetic adolescent—osteomyelitis due to group B streptococcus in (McKee) (Clin note), 677
control, more on (Laron) (Letter), 340
mothers, predictor of birth weight in infants of: Glycohemoglobin (Widness et al), 8
Dialysis, peritoneal, for methyprylon intoxication (Collins) (Letter, 519; (Polin and Pippinger) (Reply), 520
Diaphragmatic hernia, congenital, associated with homolateral upper limb malformation: Study of possible pathogenesis in four cases (McCredie and Reid), 762
left-sided—morphologic analysis of pulmonary vascular bed in (Levin), 805
Diarrhea, bloody—new complication of sulfasalazine (Werlin and Grand) (BCLO), 450
mild, in early infancy—transient steatorrhea following episodes of (MacLean et al), 562
Dietary calcium, low—a factor? Rickets in children of rural origin in South Africa (Pettifor et al), 320
Digital capillary blood samples, monitoring critically ill newborn infants with: An alternative (Karna and Poland), 270
clubbing—clinical sign in thalassemia (Sinniah et al) (BCLO), 597
Digitalis for infants with left-to-right shunts and "heart failure," reappraisal of (White and Lietman) (Editor's column), 867
Digoxin excretion in human breast milk (Loughnan), 1019
to LBW infants, inadvertent overadministration to (Berman et al) (Clin note), 1024
Diphenylhydantoin interstitial nephritis. Roles of cellular and humoral immunologic injury (Hyman et al), 915
and phenobarbital levels in neonates with seizures (Painter et al), 315
Diphenhydramine, treatment of ingestion of (Borkenstein and Haidvogl) (Letter), 167; (Hestand and Teske) (Reply), 167
Disaccharidase activities in small intestinal mucosa with cystic fibrosis (Antonowicz et al), 214
Disease *see* specific disease
Disk infection, intervertebral, secondary to *Moraxella kingii* associated with paraspinal mass (Wong et al) (BCLO), 86
Diverticulum, Meckel—false positive scan for (Tauscher et al) (Clin note), 1022

Diverticulum—Cont'd
traction, of esophagus due to foregut cyst (Rosenlund et al) (Clin note), 338
Dopamine, use in children (Driscoll et al), 309
Down syndrome, detection of parental mosacism in (Méhes) (Letter), 692; (Priest) (Reply), 692
Drug(s) and staphylococcal-induced toxic epidermal necrolysis—frozen section differentiation of (Honig et al) (Clin note), 504
formulations and meals, relationship to: Bioavailability of cephalexin (Tetzlaff et al), 292
—displacement of bilirubin from albumin by (Ballowtiz) (Letter), 166; (Wennberg) (Reply), 166
withdrawal, neonatal—management of (Goddard and Wilson) (Letter), 861; (Kandall) (Reply), 861
Duarte/galactosemia combined variation—galactose-1-phosphate uridyl transferase deficiency due to: Clinical and biochemial studies (Levy et al), 390
Ductus arteriosus, patent—pitfalls in premature infant with: Echocardiographic diagnosis (Hirschklau et al), 474
Ductus arteriosus, symptomatic patent—medical management of small preterm infants (Cotton et al), 467
Duodenorenal perforation in neonate by tube of silicone rubber during transpyloric feeding (Pérez-Rodrígues et al) (Clin note), 113
Dwarfism, familial ichthyosis, mental retardation, and renal disease (Rayner et al), 766
Dysgenesis, gonadal, vs. Turner syndrome (Shapiro) (Letter), 345
Dysmorphogensis, intelligence, and behavior in fetal alcohol syndrome: Report on 20 patients (Streissguth et al), 363
Dysplasia, bronchopulmonary, in survivors of hyaline membrane disease, unchanged incidence of (Truog et al), 261
Possible relationship to pulmonary edema (Brown et al), 982
septo-optic, and hypothalamic hypopituitarism—sexual precocity in association with (Huseman et al), 748

E

Echocardiographic diagnosis: Pitfalls in premature infant with large patent ductus arteriosus (Hirschklau et al), 474
Echocardiography, group B streptococcal endocarditis detected by (Weinberg and Laird) (Clin note), 335
Echovirus 6 infection, aseptic meningitis and orchitis associated with (Welliver and Cherry) (BCLO), 239
Emboli, multiple—pulmonary hypertension due to (McMahon and Aterman), 841
Emotional reactions to isolation in cancer hospital (Powazek et al), 834
Emphysema, localized pulmonary—selective bronchial intubation for treatment of (Dickman) (Letter), 860; (Brooks) (Reply), 861
Encephalitis—herpes simplex type 1 isolation from ventricular fluid in (Frank and Tucker) (BCLO), 601
Encephalopathy, neonatal hypoxic-ischemic, complicated by inappropriate secretion of antidiuretic hormone (Kaplan and Feigin) (BCLO), 431
Encephalopathy—Cont'd
relapsing, after hypoxia (Antony) (BCLO), 433
Endocarditis, group B streptococcal, detected by echocardiography (Weinberg and Laird) (Clin note), 335
Endocrine disorders, pediatric and adolescent—pelvic ultrasonography in (Lippe and Sample), 897
Endotracheal tube suctioning, complication of: Pneumothorax (Vaughan et al), 633
Enteroviral disease in early infancy (Morens), 374
Epidemiology of *H. influenzae* meningitis, demographic factors in (Tarr and Peter), 884
Epidermolysis bullosa associated with familial pyloric atresia (De Groot et al) (BCLO), 429
E-rosette forming cells, distribution of, and lymphocyte reactivity at different times after onset of lactation—characteristics of. II. Immunologic aspects of human colostrum and milk (Ogra and Ogra), 550
Erythroblastosis fetalis—indications for early exchange transfusion in patients with (Wennberg et al), 789
Erythrocyte porphyrins, free, in cord blood (Guttuso et al), 810
Erythromycin and clindamycin—*Streptococcus pneumoniae* resistant to (Champion et al) (Clin note), 505
Escherichia coli, enterotoxigenic, associated with necrotizing enterocolitis (Shore) (Letter), 684; (Ryder) (Reply), 684
Esophageal rupture in premature infant (Khanna) (Clin note), 641
Esophagus, traction diverticulum of, due to foregut cyst (Rosenlund et al) (Clin note), 338
Enterocolitis, necrotizing, oral feeding, and mesenteric thromboembolism—relationships of (Lehmiller and Kanto), 96
Epileptic aphasia, acquired (Koepp and Lagenstein) (Letter), 164; (Deuel and Lenn) (Reply), 165
Erythroderma, atypical ichthyosiform, and congenital neurosensory deafness—a distinct syndrome (Senter et al), 68
Esophageal foreign body, radiolucent: Often-forgotten cause of respiratory symptoms (Newman), 60
Estradiol or prolactin, possible role for: Hormonal changes in girls with precocious adrenarche (Warne et al), 743
Ethanol, brain malformations related to prenatal exposure to (Clarren et al), 64
Exchange transfusion and hypernatremia: Possible role in intracranial hemorrhage in very LBW infants (Doyle et al) (Clin note), 848
early—indications in patients with erythroblastosis fetalis (Wennberg et al), 789
—effect on unbound bilirubin and serum bindings: Estimation of unbound serum bilirubin by peroxidase assay method (Arkans and Cassady), 1001
Exercise, response to, in normal and asthmatic children (Kattan et al), 718
Exocrine pancreatic insufficiency in cystic fibrosis diagnosed by synthetic peptide N-benzoyl-L-tyrosyl-*p*-aminobenzoic acid (Nousia-Arvanitakis et al), 734

F

Familial 14/15 translocation chromosome carriers detected by fetal propositus (Kushnick et al) (Clin note), 680

Familial–Cont'd
hepatic disease, veno-occlusive (Firzli) (Letter), 862; (Mellis and Bale) (Reply), 862
ichthyosis, dwarfism, mental retardation, and renal disease (Rayner et al), 766
micrognathia with hydramnios (Berant et al) (Clin note), 157
pyloric atresia associated with epidermolysis bullosa (De Groot et al) (BCLO), 429
Family with hypoplastic anemia, classical Fanconi anemia in (Li and Potter) (BCLO), 943
Fanconi anemia, classical, in family with hypoplastic anemia (Li and Potter) (BCLO), 943
Fatty acid composition, cord blood, in infants and mothers during the third trimester (Friedman et al), 461
deficiency, essential, in neonates: Inability to reverse deficiency by topical applications of EFA-rich oil (Hunt et al), 603
Feeding, bottle vs breast (Baker and Vitale) (Letter), 864; (Cromer and Osler) (Letter), 864; (Cunningham) (Reply), 865
relation of, to hospitalization for gastroenteritis in middle-class U.S. population (Larsen and Homer) (BCLO), 417
oral, mesenteric thromboembolism, and necrotizing enterocolitis–relationships of (Lehmiller and Kanto), 96
supplement, medium-chain triglyceride–neonatal pneumonia associated with (Smith et al), 801
transpyloric–duodenorenal perforation in neonate by tube of silicone rubber during transpyloric feeding (Pérez-Rodrigues et al) (Clin note), 113
Fetal alcohol syndrome, intelligence, behavior, and dysmorphogensis in: Report on 20 patients (Streissguth et al), 363
circulation syndrome–relationship of maternal treatment with indomethacin to persistence of (Casba et al) (Clin note), 484
growth and morphogenesis–effects of moderate alcohol consumption during pregnancy on (Hanson et al), 457
hypertension and development of increased pulmonary vascular smooth muscle: Possible mechanism for persistent pulmonary hypertension of newborn infant (Levin et al), 265
Fibroblasts from a parent with metachromatic leukodystrophy, cerebroside sulfate hydrolysis by (Fluharty et al) (BCLO), 782
Fibrosis, late-onset pulmonary, and chest deformity with cyclophosphamide treatment (Alvarado et al) (BCLO), 443
progressive, of deltoid muscles (Hoefnagel et al) (BCLO), 79
Fissure size, palpebral, in newborn infants (Jones et al) (BCLO), 787
Foreign body, radiolucent esophageal: Often-forgotten cause of respiratory symptoms (Newman), 60
sleeper–pull tab (Jeffers et al) (Clin note), 1023
Furosemide therapy in LBW infant, pharmacologic effects of (Ross et al), 149

G

Galactosemia and other galactose metabolic defects, newborn screening for (Levy and Hammersen), 871
Galactosemia–Cont'd
Duarte/, combined variation–galactose-l-phosphate uridyl transferase deficiency due to: Clinical and biochemical studies (Levy et al), 390
Ganglion staining, basal–free bilirubin without (Buchanan et al) (Clin note), 158
Gastric adenocarcinoma, primary, in pediatric population (Strobel et al) (Clin note), 850
antrum–ectopic pancreatic tissue in (Strobel et al) (BCLO), 586
Gastroenteritis, hospitalization for, in middle-class U.S. population–relation of breast versus bottle feeding to (Larsen and Homer) (BCLO), 417
Gastroesophageal reflux in "near miss" sudden infant death syndrome (Herbst et al) (BCLO), 73
Gastrointestinal microflora in necrotizing enterocolitis, evaluation of (Bell et al) (BCLO), 589
Genetic agranulocytosis, infantile, and acute lymphocytic leukemia in two sibs (Lui et al) (Clin note), 1028
Glomerular basement membrane antigen(s)–changes with age (Anand et al) (BCLO), 952
Glomerulonephritis, concurrent acute, compared with tropical acute rheumatic fever and associated streptococcal infections (Potter et al), 325
Glycine metabolism, defective, and severe hyperammonemia with propionic acidemia (Shafai et al) (BCLO), 84
therapy in isovaleric acidemia (Yudkoff et al), 813
Glycohemoglobin (HbA_{1c}): Predictor of birth weight in infants of diabetic mothers (Widness et al), 8
Gonadal dysgenesis vs. Turner syndrome (Shapiro) (Letter), 345
effects of chlorambucil given to pre- and pubertal boys for nephrotic syndrome (Guesry et al), 299
steroids and plasma gonadotropins in children treated with cyclophosphamide (Parra et al), 117
Gonadotropins, plasma, and gonadal steroids in children treated with cyclophosphamide (Parra et al), 117
Gonorrhea, screening for (Buttery) (Letter), 511; (Hein et al) (Reply), 511
Graves disease following congenital cytomegalovirus infection (Salisbury and Embil) (BCLO), 954
Growth and overalimentation (Van Biervliet and de Wijn) (Letter), 1029
fetal, and morphogenesis–effects of moderate alcohol consumption during pregnancy on (Hanson et al), 457
hormone and plasma somatomedin values with protein-calorie malnutrition (Hintz et al), 153
human, and cyproheptadine, effect on adrenocortical function with hypopituitarism (Kenien et al), 491
in pituitary adenoma, immunocytochemical demonstration of (Halmi and Duello) (Letter), 856; (Lightner) (Reply), 857
response to arginine and insulin infusion–differential effects of cranial radiation on (Dickinson et al), 754
Gynecomastia, pubertal-adolescent–clomiphene in (Laron and Dickerman) (Letter), 169; (Harding) (Reply), 169

H

Habit disorders, hypnotherapy in management of (Gardner), 838

Hair protein, extractable, in Menkes syndrome (Kahler and Goldsmith) (Clin note), 675
Hallerman-Streiff syndrome, cardiac defects in (Dinwiddie et al) (BCLO), 77
HBsAg carrier mothers, chronic—study of children born to. II. Hepatitis B (Dupuy et al), 200
Heart disease, severe congenital—intestinal function in infants with (Sondheimer and Hamilton), 572
failure and left-to-right shunts—reappraisal of digitalis for infants with (White and Lietman) (Editor's column), 867
Hemangioma, giant—treatment of (Margileth) (Letter), 1030; (Carnelli et al) (Reply), 1031
Hemangiomatosis, multinodular, with partial biliary obstruction (Wishnick) (BCLO), 960
Hematuria, asymptomatic, and renal calculus (Iitaka and West) (BCLO), 774
Hemoglobin A_2 in early childhood (Angelova-Gateva and Marinova) (BCLO), 944
H disease, prenatal diagnosis of (Koenig et al), 278
Hemoglobinopathy, major sickle, with pneumococcal meningitis (Greisemer et al) (BCLO), 82
Hemolytic streptococcus, Lancefield untypable beta—neonatal meningitis and septicemia due to (Rudensky et al) (Clin note), 676
Hemophiliac children on self-infusion program, aids for (Inwood) (BCLO), 78
Hemophilus influenzae, ampicillin-resistant followed by ampicillin-sensitive, meningitis in normal host (Stechenberg and Feigin) (BCLO), 229
b antigen in cerebrospinal fluid, improved method for detection of (Pifer et al) (BCLO), 227
increasing incidence of ampicillin resistance in (Syriopoulou et al), 889
meningitis, demographic factors in epidemiology of (Tarr and Peter), 884
pneumonia and sepsis, fulminant neonatal (Bale and Watkins) (BCLO), 233
resistance to ampicillin (Schwartz et al) (Letter), 343
type b disease in day-care center (Ward et al), 713
Hemorrhage, adrenal, and hyposplenic septicemia in asplenic children (Dearth and Gilchrist) (Letter), 512; (Waldman) (Reply), 512
diagnosis of, by ultrasound (Lawson and Teele) (BCLO), 423
intracranial, in very LBW infants, possible role in: Exchange transfusion and hypernatremia (Doyle et al) (Clin note), 848
localized, in neonate associated with coagulation abnormalities (Easa), 989
neonatal periventricular: Past, present, and future (Volpe) (Editor's column), 693
recurrent pre-retinal, following negative "g" maneuver on school playground equipment (Rabinovitch et al) (Clin note), 846
subependymal and intraventricular—incidence and evolution of: Study of infants with birth weights less than 1,500 gm (Papile et al), 529
Henoch-Schönlein syndrome, scrotal imaging in (Naiman et al) (Clin note), 1021
Heparin toxicity, accidental, in newborn ICU (Schreiner et al) (Clin note), 115
Heparinized saline infusion through a radial artery catheter in LBW infant, hypernatremia due to (Hayden) (Clin note), 1025
Hepatic calcification in congenital cytomegalic inclusion disease (Alix et al) (Letter), 856; (Ansari) (Reply), 856
disease, veno-occlusive familial (Firzli) (Letter), 862; (Mellis and Bale) (Reply), 862
Hepatitis B. I. Analysis of 80 cases of acute and chronic hepatitis B (Dupuy et al), 17
II. Study of children born to chronic HBsAg carrier mothers (Dupuy et al), 200
Hernia, congenital diaphragmatic, associated with homolateral upper limb malformation: Study of possible pathogenesis in four cases (McCredie and Reid), 762
left-sided diaphragmatic—morphologic analysis of pulmonary vascular bed in (Levin), 805
Herpes simplex type 1, isolation from ventricular fluid in encephalitis (Frank and Tucker) (BCLO), 601
Home care, pediatric: Ambulatory "special care unit" (Stein), 495
Hormonal changes in girls with precocious adrenarche: Possible role for estradiol or prolactin (Warne et al), 743
Hormone *see* specific hormone
Humoral immunologic and cellular injury, roles of. Diphenylhydantoin interstitial nephritis (Hyman et al), 915
Hurler syndrome, spastic quadriparesis due to C_1-C_2 subluxation (Brill et al) (BCLO), 441
Hyaline membranes, yellow pulmonary (Colby et al) (Clin note), 114
Hydramnios with familial micrognathia (Berant et al) (Clin note), 157
Hydrocephalus, meningomyelocele, bilateral abductor vocal cord paralysis, and Arnold-Chiari malformation with respiratory obstruction and apnea (Holinger et al), 368
Hydrolysis, cerebroside sulfate, by fibroblasts from a parent with metachromatic leukodystrophy (Fluharty et al) (BCLO), 782
Hyperammonemia, severe, and defective glycine metabolism with propionic acidemia (Shafai et al) (BCLO), 84
in newborn infant with methylmalonyl-CoA mutase deficiency (Packman et al) (BCLO), 769
Hyperbilirubinemia, developmental effects of (Diamond) (Letter), 857; (Laws) (Letter), 858; (Scheidt et al) (Reply), 858
extreme, with sickle cell disease (Seeler) (Letter), 171; (Buchanan) (Reply), 171
neurologic handicaps following (Harkavy) (Letter), 854
Hypercalciuria, idiopathic: Prevalence and metabolic characteristics (Moore et al), 906
Hypereosinophilia with acute lymphocytic and acute myelocytic leukemia (Wimmer et al) (BCLO), 244
Hypernatremia and exchange transfusion: Possible role in intracranial hemorrhage in very LBW infants (Doyle et al) (Clin note), 848
due to heparinized saline infusion through a radial artery catheter in LBW infant (Hayden) (Clin note), 1025
Hyperplasia, congenital adrenal—mineralocorticoid therapy in (McVie and Saenger) (Letter), 687
Hypertension, fetal, and development of increased pulmonary vascular smooth muscle: Possible mechanism for persistent pulmonary hypertension of newborn infant (Levin et al), 265

Hypertension—Cont'd
intermittent, during sickle cell crisis (Sellers) (BCLO), 941
intracranial, in adolescent, tetracycline-associated: Complication of systemic acne therapy (Stuart and Litt) (Clin note), 679
polyuria, and polydipsia associated with renin-secreting Wilms tumor (Sheth et al), 921
pulmonary, due to multiple emboli (McMahon and Aterman), 841
severe—use of minoxidil in (Griswold and Mendoza) (Letter), 510; (Sinaiko and Mirkin) (Reply), 510
Hyperthermia as possible teratogenic agent (Smith et al), 878
Hypnotherapy in management of habit disorders (Gardner), 838
Hypocomplementemia caused by placental transfer of C3 nephritic factor (Kim et al) (BCLO), 88
Hypogammaglobulinemia of infancy: Review of literature, clinical and immunologic features of 11 new cases, and long-term follow-up (Tiller and Buckley), 347
transient (Hong) (Editor's column), 521
Hypoglycemia, protein-induced, in phenylketonuric patient (Ziyai et al) (Clin note), 681
Hypopituitarism, effect of cyproheptadine and human growth hormone on adrenocortical function with (Kenien et al), 491
hypothalmic, and septo-optic dysplasia—sexual precocity in association with (Huseman et al), 748
Hypoplastic anemia, classical Fanconi anemia in family with (Li and Potter) (BCLO), 943
Hyposplenic septicemia and adrenal hemorrhage (Dearth and Gilchrist) (Letter), 512; (Waldman) (Reply), 512
Hypothalamic hypopituitarism and septo-optic dysplasia—sexual precocity in association with (Huseman et al), 748
Hypothyroidism, juvenile—precocious puberty in (Hemady et al), 55
maternal, followed by neonatal thyrotoxicosis (Blackett et al) (Clin note), 159
neonatal—modification of screening program for (Dussault et al), 274
transient, in newborn infant (Delange et al), 974
Hypoxanthine-guanine phosphoribosyl transferase, distinct human variant of (Sweetman et al), 385
Hypoxia, relapsing encephalopathy after (Antony) (BCLO), 433
Hypoxic-ischemic encephalopathy, neonatal, complicated by inappropriate secretion of antidiuretic hormone (Kaplan and Feigin) (BCLO), 431
Hyaline membrane disease, unchanged incidence of bronchopulmonary dysplasia in survivors of (Truog et al), 261

I

Ichthyosiform erythroderma, atypical, and congenital neurosensory deafness—a distinct syndrome (Senter et al), 68
Ichthyosis (familial), dwarfism, mental retardation, and renal disease (Rayner et al), 766
IgA nephropathy, recurrent resolving renal failure in (Talwalkar et al) (BCLO), 596
Immunization, influenza, in immunosuppressed children (Gross et al), 30
Immunized persons—response to experimental challenge with different rubella vaccines (Fogel et al), 26
Immunocytochemical demonstration of growth hormone in pituitary adenoma (Halmi and Duello) (Letter), 856; (Lightner) (Reply), 857
Immunodeficiency, severe combined—chemotactic defects in (Pahwa et al), 43
Immunoglobulins, distribution characteristics and concentrations of, at different times after onset of lactation. I. Immunologic aspects of human colostrum and milk (Ogra and Ogra), 546
Immunologic and clinical features of 11 new cases, long-term follow-up, and review of the literature: Transient hypogammaglobulinemia of infancy (Tiller and Buckley), 347
aspects of human colostrum and milk. I. Distribution characteristics and concentrations of immunoglobulins at different times after onset of lactation (Ogra and Ogra), 546; II. Characteristics of lymphocyte reactivity and distribution of E-rosette forming cells at different times after the onset of lactation (Ogra and Ogra), 550
humoral, and cellular injury, roles of. Diphenylhydantoin interstitial nephritis (Hyman et al), 915
Immunosuppressed children, influenza immunization in (Gross et al), 30
Incompatibility, ABO: Racial difference in frequency of manifestations (Bottini) (Letter), 863; (Kirkman) (Reply), 863
Indomethacin, maternal treatment with, related to persistence of fetal circulation syndrome (Csaba et al) (Clin note), 484
Infection *see* specific infection
Influenza A split virus vaccine, bivalent—serologic and clinical response of children with sickle cell disease (Steinberg et al), 823
immunization in immunosuppressed children (Gross et al), 30
Infusion, arginine and insulin—differential effects of cranial radiation on growth hormone response to (Dickinson et al), 754
heparinized saline, through a radial artery catheter in LBW infant, hypernatremia due to (Hayden) (Clin note), 1025
Intralipid—ketogenic effect of. III. Lipid metabolism in neonate (Andrew et al), 995
self-, program—aids for hemophiliac children on (Inwood) (BCLO), 78
Inosine phosphorylase defect, impaired defense against vaccinia with T-lymphocyte deficiency associated with (Virelizier et al), 358
Insulin and arginine infusion—differential effects of cranial radiation on growth hormone response to (Dickinson et al), 754
Intelligence, behavior, and dysmorphogensis in fetal alcohol syndrome: Report on 20 patients (Streissguth et al), 363
Intestinal function in infants with severe congenital heart disease (Sondheimer and Hamilton), 572
mucosa, small—disaccharidase activities with cystic fibrosis (Antonowicz et al), 214
necrosis in rabbit ileum, intra-arterial injection producing: Hazards of calcium gluconate therapy in newborn infant (Book et al), 793

Intestinal—Cont'd
. obstruction, chronic idiopathic (Tanner et al) (Letter), 169; (Byrne and Ament) (Reply), 170
surface area in infants with acquired monosaccharide intolerance (Klish et al), 566
Intolerance, acquired monosaccharide—intestinal surface area in infants with (Klish et al), 566
Intoxication, methyprylon—peritoneal dialysis for (Collins) (Letter), 519; (Polin and Pippinger) (Reply), 520
Intracranial hemorrhage in very LBW infants, possible role in: Exchange transfusion and hypernatremia (Doyle et al) (Clin note), 848
Intralipid infusion, ketogenic effect of. III. Lipid metabolism in neonate (Andrew et al), 995
Intranuclear inclusions in megakaryocytes in congenital cytomegalovirus infection (Chesney et al) (BCLO),
Intrascrotal lesions, nonoperative diagnosis of (Datta and Tanaka) (Letter), 862; (Chesney) (Reply), 863
Intraventricular and subependymal hemorrhage, incidence and evolution of: Study of infants with birth weights less than 1,500 gm (Papile et al), 529
Intubation of left mainstem bronchus, more on (Goodwin et al) (Letter), 1029
prolonged orotracheal—acquired palatal groove after (Biskinis and Herz) (Letter), 512
selective bronchial, for treatment of localized pulmonary emphysema (Dickman) (Letter), 860; (Brooks) (Reply), 861
tracheal—complication of: Distal kinking of tube (Gottschalk et al), 161
Iron burden in sickle cell anemia (O'Brien), 579
chelation therapy with deferoxamine in Cooley anemia (Cohen and Schwartz), 643
deficiency, exclusion by laboratory criteria and continuous iron supplementation—developmental changes in red blood cell counts and indices of infants after (Saarinen and Siimes), 412
deficient infants, effects of therapy on developmental scores of (Oski and Honig), 21
excretion of, in response to deferoxamine in sickle cell anemia (Cohen and Schwartz), 659
therapy, significance of Bayley Scale score changes following (Pollitt et al) (Editor's column), 177
Irradiation, cranial, and lymphocyte subpopulations in acute lymphocytic leukemia (Kishida et al) (BCLO), 785
Ischemia, myocardial, complicating use of isoproterenol in asthmatic children (Matson et al) (BCLO), 776
Ischemic-hypoxic encephalopathy, neonatal, complicated by inappropriate secretion of antidiuretic hormone (Kaplan and Feigin) (BCLO), 431
Isolation, emotional reactions in cancer hospital to (Powazek et al), 834
Isoproterenol—myocardial ischemia complicating use in asthmatic children (Matson et al) (BCLO), 776
Isovaleric acidemia, glycine therapy in (Yudkoff et al), 813

J

Jaundice in premature infant—intermittent phototherapy in treatment of (Vogl et al), 627

K

Kayexalate and Basaljel, combined use of—metabolic alkalosis in anephric child caused by (Baluarte et al) (BCLO), 237

L

Lactation, characteristics of lymphocyte reactivity and distribution of E-rosette forming cells at different times after onset of. II. Immunologic aspects of human colostrum and milk (Ogra and Ogra), 550
distribution characteristics and concentrations of immunoglobulins at different times after onset of lactation. I. Immunologic aspects of human colostrum and milk (Ogra and Ogra), 550
LBW infant(s), hypernatremia due to heparinized saline infusion through radial artery catheter (Hayden) (Clin note), 1025
pharmacologic effects of furosemide therapy in (Ross et al), 149
born in 1974 with birth weights of less than 1,001 gm, status at two years of (Pape et al), 253
Leukemia, acute, and Rubinstein-Taybi syndrome (Jonas et al) (Clin note), 851
lymphoblastic, in site of antecedent trauma—late soft tissue recurrence of (Reaman et al) (Clin note), 849
lymphocytic, and infantile genetic agranulocytosis in two sibs (Lui et al) (Clin note), 1028
—clinical experience in prevention of candidiasis by nystatin (Carpentieri et al) (BCLO), 593
—cranial irradiation and lymphocyte subpopulations in (Kishida et al) (BCLO), 785
childhood, and neurofibromatosis (Bader and Miller), 925
etiology of pneumonitis with (Wall) (Letter), 520; (Wong and Iacuone) (Reply), 520
lymphocytic: Prognostic significance of clinical and laboratory findings at time of diagnosis (Heideman et al), 540
myelocytic and lymphocytic, with hypereosinophilia (Wimmer et al) (BCLO), 244
Leukodystrophy, metachromatic—cerebroside sulfate hydrolysis by fibroblasts from a parent with (Fluharty et al) (BCLO), 782
Limb malformation, homolateral upper—congenital diaphragmatic hernia associated with: Study of possible pathogenesis in four cases (McCredie and Reid), 762
Lipid metabolism in neonate. III. Ketogenic effect of Intralipid infusion (Andrew et al), 995
Lung disease, chronic obstructive, with ventricular septal defects (Lester and Arcilla) (Letter), 344
perforation, high incidence by chest tube in neonatal pneumothorax (Moessinger et al), 635
Lymph node syndrome, mucocutaneous—possible early example of (Aterman) (Clin note), 1027
Lymphoblastic leukemia, acute, in site of antecedent trauma—late soft tissue recurrence of (Reaman et al) (Clin note), 849
Lymphocyte reactivity and distribution of E-rosette forming cells at different times after onset of lactation, characteristics of. II. Immunologic aspects of human colostrum and milk (Ogra and Ogra), 550

Lymphocyte—Cont'd
subpopulations and cranial irradiation in acute lymphocytic leukemia (Kishida et al) (BCLO), 785
T-, deficiency associated with inosine phosphorylase defect, impaired defense against vaccinia with (Virelizier et al), 358
Lymphocytic and myelocytic leukemia with hypereosinophilia (Wimmer et al) (BCLO), 244
leukemia, acute, and infantile genetic agranulocytosis in two sibs (Lui et al) (Clin note), 1028
—clinical experience in prevention of candidiasis by nystatin (Carpentieri et al) (BCLO), 593
Prognostic significance of clinical and laboratory findings at time of diagnosis (Heideman et al), 540
Lysyl hydroxylase deficiency, inherited human collagen: Ascorbic acid response (Elsas et al), 378

M

Malformation(s), Arnold-Chiari, hydrocephalus, meningomyelocele, and bilateral abductor vocal cord paralysis with respiratory obstruction and apnea (Holinger et al), 368
brain, related to prenatal exposure to ethanol (Clarren et al), 64
homolateral upper limb associated with congenital diaphragmatic hernia: Study of possible pathogenesis in four cases (McCredie and Reid), 762
phenotypic, in association with maternal trimethadione therapy (Rosen and Lightner) (BCLO), 240
Malignancies with *Streptococcus salivarius* sepsis (Hoecker et al) (Clin note), 337
Mallory-Weiss syndrome (Lamiell and Weyandt) (BCLO), 583
Malnutrition, protein-calorie, with plasma somatomedin and growth hormone values (Hintz et al), 153
Mannosidosis, abbreviated PR interval in (Mehta and Desnick) (BCLO), 599
neck, caused by cervical rib (Match) (Clin note), 508
paraspinal, associated with intervertebral disk infection secondary to *Moraxella kingii* (Wong et al) (BCLO), 86
reducible scrotal—healed meconium peritonitis presenting as (Gunn et al) (Clin note), 847
Maturation, renal functional—developmental patterns compared in human neonate (Arant), 705
McCune-Albright syndrome in a boy: Clinical and endocrinologic enigma (Giovannelli et al), 220
McElfresh, Arthur E—in recognition of a loss to The Journal and an acknowledgment of a personal debt (Nelson) (Editor's column), 173
Measles vaccine, safety in egg-sensitive individuals (Cohen) (Letter), 859; (Katz) (Reply), 859
Meckel diverticulum, false positive scan for (Tauscher et al) (Clin note), 1022
Meconium peritonitis, healed, presenting as reducible scrotal mass (Gunn et al) (Clin note), 847
Megakaryocytes, intranuclear inclusions in congenital cytomegalovirus infection (Chesney et al) (BCLO),
Meningitis and septicemia due to *Pasteurella multicida* (Frutos et al) (Clin note), 853
Meningitis and setpicemia—Cont'd
neonatal due to *Aeromonas shigelloides* (Appelbaum et al) (Clin note), 676
aseptic, and orchitis associated with echovirus 6 infection (Welliver and Cherry) (BCLO), 239
bacterial—syndrome of inappropriate secretion of antidiuretic hormone with (Kaplan and Feigin), 758
H. influenze—demographic factors in epidemiology of (Tarr and Peter), 884
in normal host—ampicillin-resistant followed by ampicillin-sensitive (Stechenberg and Feigin) (BCLO), 229
neonatal, and septicemia due to a Lancefield untypable beta hemolytic streptococcus (Rudensky et al) (Clin note), 676
—necessity for monitoring chloramphenicol levels when treating (Black et al) (BCLO), 235
pneumococcal, with major sickle hemoglobinopathy (Griesemer et al) (BCLO), 82
—primary meningococcal conjunctivitis followed by (Nussbaum et al) (BCLO), 784
type Ib, complicated by ventriculitis: Recurrent group B streptoccal infection (McCrory et al) (BCLO), 231
Meningococcal conjunctivitis, primary, followed by meningitis (Nussbaum et al) (BCLO), 784
Meningococcus group A vaccine in children 3 months to 5 years of age (Peltola et al), 818
Meningoencephalitis, *Pasteurella ureae* (Kolyvas et al) (BCLO), 81
Meningomyelocele, hydrocephalus, bilateral abductor vocal cord paralysis, and Arnold-Chiari malformation with respiratory obstruction and apnea (Holinger et al), 368
Menkes syndrome, extractable hair protein in (Kahler and Goldsmith) (Clin note), 675
Mental retardation, renal disease, dwarfism, and familial ichthyosis (Rayner et al), 766
Meperidine used for obstetric analgesia (Vaughan and Perkett) (Letter), 171; (Gerhardt) (Reply), 172
Mesenteric thromboembolism, oral feeding, and necrotizing enterocolitis—relationships of (Lehmiller and Kanto), 96
Metabolic alkalosis in anephric child caused by combined use of Kayexalate and Basaljel (Baluarte et al) (BCLO), 237
characteristics and prevalence: Idiopathic hypercalciuria (Moore et al), 906
defects, galactose, and galactosemia—newborn screening for (Levy and Hammersen), 871
Metabolism, defective glycine, and severe hyperammonemia with propionic acidemia (Shafai et al) (BCLO), 84
lipid, in neonate. III. Ketogenic effect of Intralipid infusion (Andrew et al), 995
Metachromatic leukodystrophy—cerebroside sulfate hydrolysis by fibroblasts from a parent with (Fluharty et al) (BCLO), 782
Methylmalonyl-CoA mutase deficiency—severe hyperammonemia in newborn infant with (Packman et al) (BCLO), 769
Methylphenidate—effect on academic progress (Hurst) (Letter), 168; (Lerer et al) (Reply), 168
Methyprylon intoxication—peritoneal dialysis for (Collins) (Letter), 519; (Polin and Pippinger) (Reply), 520

Microflora, gastrointestinal, in necrotizing enterocolitis—evaluation of (Bell et al) (BCLO), 589
Micrognathia, familial, with hydramnios (Berant et al) (Clin note), 157
Miliary pulmonary nodules due to aspirated vegetable particles (Kaplan et al) (BCLO), 448
Milk and human colostrum, immunologic aspects of. I. Distribution characteristics and concentrations of immunoglobulins at different times after onset of lactation (Ogra and Ogra), 546; II. Characteristics of lymphocyte reactivity and distribution of E-rosette forming cells at different times after the onset of lactation (Ogra and Ogra), 500
human, collection—comparision of bacterial contamination with two methods of (Liebhaber et al) (BCLO), 236
Mineralocorticoid therapy in congenital adrenal hyperplasia (McVie and Saenger) (Letter), 687
Minoxidil used in severe hypertension (Griswold and Mendoza) (Letter), 510; (Sinaiko and Mirkin) (Reply), 510
Molluscum dermatitis (Rockoff) (BCLO), 945
Monosaccharide intolerance, acquired—intestinal surface area in infants with (Klish et al), 566
Moraxella kingii—paraspinal mass associated with intervertebral disk infection secondary to (Wong et al) (BCLO), 86
Morphine sulfate tolerance and physical dependence—use of propoxyphene napsylate for detoxification of (Udkow and Weintraub), 829
Morphogenesis and fetal growth—effects of moderate alcohol consumption during pregnancy on (Hanson et al), 457
Morphologic analysis of pulmonary vascular bed in infants exposed in utero to prostaglandin synthetase inhibitors (Levin et al), 478
Mosaicism, parental, in Down syndrome, detection of (Méhes) (Letter), 692; (Priest) (Reply), 692
Mucocutaneous lymph node syndrome, possible early example of (Aterman) (Clin note), 1027
Mumps, Coxsackie B1-6, or respiratory syncytial virus infections—failure to associate with: Juvenile onset diabetes mellitus in pregnant women (Madden et al) (BCLO), 959
Murmur, changing, of patent ductus arteriosus (Thapar et al) (BCLO), 939
Muscle(s), deltoid—progressive fibrosis of (Hoefnagel et al) (BCLO), 79
increased pulmonary vascular smooth—fetal hypertension and development of: Possible mechanism for persistent pulmonary hypertension of newborn infant (Levin et al), 265
Mucosa, small intestinal—disaccharidase activities with cystic fibrosis (Antonowicz et al), 214
Myelocytic and lymphocytic leukemia with hypereosinophilia (Wimmer et al) (BCLO), 244
Myocardial ischemia complicating use of isoproterenol in asthmatic children (Matson et al) (BCLO), 776

N

Narcotic withdrawal, management in neonates (Purohit) (Letter), 1031; (Kandall) (Reply), 1032
Nasal triangular cartilage, dislocation of, after cesarean section for breech presentation without labor (Harkavy and Scanlon (Clin note), 162
Neck mass caused by cervical rib (Match) (Clin note), 508
Necrolysis, drug- and staphylococcal-induced toxic epidermal—frozen section differentiation of (Honig et al) (Clin note), 504
Necrosis, intestinal, in rabbit ileum—intra-arterial injection producing: Hazards of calcium gluconate therapy in newborn infant (Book et al), 793
Necrotizing enterocolitis associated with enterotoxigenic *E. coli* (Shore) (Letter), 684; (Ryder) (Reply), 684
—evaluation of gastrointestinal microflora in (Bell et al) (BCLO), 589
oral feeding, and mesenteric thromboembolism—relationships of (Lehmiller and Kanto), 96
Neisseria meningitidis serogroup 135, infections due to (Hammerschlag and Baltimore) (Clin note), 503
Nelson, Waldo E.—tribute to former editor (Bongiovanni) (Letter), 340; (Garfunkel) (Reply), 340
Nephritic factor, C3—hypocomplementemia caused by placental transfer of (Kim et al) (BCLO), 88
Nephritis, diphenylhydantoin interstitial. Roles of cellular and humoral immunologic injury (Hyman et al), 915
Nephropathy, IgA—recurrent resolving renal failure in (Talwalkar et al) (BCLO), 596
Nephrotic syndrome, frequently relapsing—chlorambucil dosage in: Controlled clinical trial (Baluarte et al), 295
—gonadal effects of chlorambucil given to pre- and pubertal boys for (Guesry et al), 299
idiopathic, minimal lesion—pattern of response to prednisone as criterion in selecting patients for cyclophosphamide therapy (Garin et al), 304
Nerve block, penile dorsal, and neonatal circumcision—a painless procedure (Kirya and Werthmann), 998
Neuroblastoma, multifocal nondisseminated (Leape et al) (BCLO), 75
Neurodegenerative disease, brain biopsies for (MacGregor et al), 903
Neurofibromatosis and childhood leukemia (Bader and Miller), 925
Neurologic considerations: Thyroid hormone replacement therapy in perinatal period (Weichsel) (Editor's column), 1035
handicaps following hyperbilirubinemia (Harkavy) (Letter), 854
Neurosensory deafness, congenital, and atypical ichthyosiform erythroderma—a distinct syndrome (Senter et al), 68
New books received, 334, 672
Nitroblue tetrazolium test in neonates (Chandler et al), 638
Nitroprusside, sodium—prolonged use of (Lupatkin et al) (Letter), 1032; (Luderer et al) (Reply), 1033
Nodules, miliary pulmonary, due to aspirated vegetable particles (Kaplan et al) (BCLO), 448
Nucleoside phosphorylase deficiency, new form of, in two brothers with defective T-cell function (Biggar et al), 354
Nursery, newborn—evaluation of bilirubin in (Wyllie and Kenner), 631
Nutrition, parenteral—plasma zinc levels in premature infants receiving (Michie and Wirth), 798

Nutrition—Cont'd
peripheral total parenteral, for premature infants with RDS: Controlled study (Gunn et al), 608
prolonged total parenteral—skeletal changes of copper deficiency with (Heller et al) (BCLO), 947
Nystatin used to prevent candidiasis in acute lymphocytic leukemia, clinical experience with (Carpentieri et al) (BCLO), 593

O

Obesity, childhood—controversies in (Katcher) (Letter), 516; (Weil) (Reply), 516
Obstetric analgesia, use of meperidine for (Vaughan and Perkett) (Letter), 171; (Gerhardt) (Reply), 172
Obstruction, bowel, occurring during treatment with aluminum hydroxide gel (Hurley) (BCLO), 592
chronic idiopathic intestinal (Tanner et al) (Letter), 169; (Byrne and Ament) (Reply), 170
partial biliary—multinodular hemangiomatosis with (Wishnick) (BCLO), 960
Olfactory reflexes in newborn infant (Sarnat), 624
Oral antibiotic therapy for serious infections in hospitalized patients (Nelson) (Editor's column), 175
I. Antibiotic concentrations in suppurative synovial fluid (Nelson et al), 131
feeding, mesenteric thromboembolism, and necrotizing enterocolitis—relationships of (Lehmiller and Kanto), 96
Orotracheal intubation, prolonged—acquired palatal groove after (Biskinis and Herz) (Letter), 512
Orchitis and aseptic meningitis associated with echovirus 6 infection (Welliver and Cherry) (BCLO), 239
Osteomyelitis and suppurative arthritis, therapy of. II. Oral antibiotic therapy for skeletal infections (Tetzlaff et al), 485
antibiotic concentrations in pus and bone of child with (Tetzlaff et al), 135
due to group B streptococcus in diabetic adolescent (McKee) (Clin note), 677
Otitis media, acute—aerobic and anaerobic bacteriology of (Brook et al), 13; Commentary (McCracken), 15
during first 6 weeks of life, bacterial etiology of (Shurin et al), 893
Overalimentation and growth (Van Biervliet and de Wijn) (Letter), 1029

P

Pacemakers in young patients: 1977 (Whitman et al), 722
Palatal groove, acquired, after prolonged orotracheal intubation (Biskinis and Herz) (Letter), 512
Palpebral fissure size in newborn infants (Jones et al) (BCLO), 787
Pancreas, artificial—role in juvenile diabetes (Rosenbloom) (Letter), 689; (Santiago and Clarke) (Reply), 690
Pancreatic insufficiency, exocrine, in cystic fibrosis diagnosed by synthetic peptide N-benzoyl-L-tyrosyl-*p*-aminobenzoic acid (Nousia-Arvanitakis et al), 734
Pancreatic—Cont'd
tissue, ectopic, in gastric antrum (Strobel et al) (BCLO), 586
Pancreatitis in children (Riccardi) (Letter), 685; (Hubbard et al) (Letter), 685; (Ament) (Reply), 686
Paralysis, bilateral abductor vocal cord, meningomyelocele, hydrocephalus, and Arnold-Chiari malformation with respiratory obstruction and apnea (Holinger et al), 368
Parathyroid hormone levels, elevated, in association with rhabdomyosarcoma (Hutchinson et al) (BCLO), 780
Parenteral nutrition, peripheral total, for premature infants with RDS: Controlled study (Gunn et al), 608
—plasma zinc levels in premature infants receiving (Michie and Wirth), 798
prolonged total—skeletal changes of copper deficiency with (Heller et al) (BCLO), 947
Pasteurella multocida brain abscess following perforating cranial dog bite (Klein and Cohen) (BCLO), 588
septicemia and meningitis due to (Frutos et al) (Clin note), 853
ureae meningoencephalitis (Kolyvas et al) (BCLO), 81
Patent ductus arteriosus, changing murmur of (Thapar et al) (BCLO), 939
pitfalls in premature infant with: Echocardiographic diagnosis (Hirschklau et al), 474
symptomatic—medical management of small preterm infants with (Cotton et al), 467
Pelvic ultrasonography in pediatric and adolescent endocrine disorders (Lippe and Sample), 897
Penile dorsal nerve block and neonatal circumcision—a painless procedure (Kirya and Werthmann), 998
Pentamidine isethionate and trimethoprim-sulfamethoxazole in treatment of *Pneumocystis carinii* pneumonia, comparison of (Hughes et al), 285
Peptic ulcer in uremic children (Moorthy and Chesney) (BCLO), 420
Peptide, synthetic, N-benzoyl-L-tryosyl-*p*-aminobenzoic acid—diagnosis of exocrine pancreatic insufficiency in cystic fibrosis by (Nousia-Arvanitakis et al), 734
Percutaneous cannulation of radial artery in newborn infant, technique for (Sessions et al), 105
Perforation, duodenorenal, in neonate by tube of silicone rubber during transpyloric feeding (Pérez-Rodrígues et al) (Clin note), 113
lung—high incidence by chest tube in neonatal pneumothorax (Moessinger et al), 635
Perinatal period, thyroid hormone replacement therapy in: Neurologic considerations (Weichsel) (Editor's column), 1035
Peritoneal dialysate, albumin-enriched—role in acute copper poisoning (Cole and Lirenman) (BCLO), 955
dialysis for methyprylon intoxication (Collins) (Letter), 519; (Polin and Pippinger) (Reply), 520
Peritonitis, healed meconium, presenting as reducible scrotal mass (Gunn et al) (Clin note), 847
Periventricular hemorrhage, neonatal: Past, present, and future (Volpe) (Editor's column), 693
Peroxidase assay method, estimation of unbound serum bilirubin by: Effect of exchange transfusion transfusion on unbound bilirubin and serum bindings (Arkans and Cassady), 1001

Phenobarbital and diphenylhydantoin levels in neonates with seizures (Painter et al), 315
Phenotypic malformations in association with maternal trimethadione therapy (Rosen and Lightner) (BCLO), 240
Phenylketonuric patient, protein-induced hypoglycemia in (Ziyai et al) (Clin note), 681
Phototherapy, dose-response relationship of (Ballowitz et al) (Letter), 683; (Tan) (Reply), 683
intermittent, in treatment of jaundice in premature infant (Vogl et al), 627
Pituitary adenoma—immunocytochemical demonstration of growth hormone in (Halmi and Duello) (Letter), 856; (Lightner) (Reply), 857
Placental transfer of C3 nephritic factor, hypocomplementemia caused by (Kim et al) (BCLO), 88
Plasmapheresis in catastrophic complications of idiopathic thrombocytopenic purpura (Novak and Wilimas) (BCLO), 434
Plummer disease, definition of (Rosenbloom) (Letter), 691; (Wiener) (Reply), 691
Pneumococcal meningitis with major sickle hemoglobinopathy (Griesemer et al) (BCLO), 82
Pneumocystis carinii pneumonia—comparison of pentamidine isethionate and trimethoprim-sulfamethoxazole in treatment of (Hughes et al), 285
pneumonitis, trimethoprim-sulfamethoxazole treatment of (Larter et al), 826
Pneumonia, *H. influenzae*, and sepsis—fluminant neonatal (Bale and Watkins) (BCLO), 233
neonatal, associated with medium-chain triglyceride feeding supplement (Smith et al), 801
Pneumocystis carinii—comparison of pentamidine isethionate and trimethoprim-sulfamethoxazole in treatment of (Hughes et al), 285
viral and bacterial—value of C-reactive protein test in differentiation of (McCarthy et al) (BCLO), 454
Pneumonitis, *Pneumocystis carinii*—trimethoprim-sulfamethoxazole treatment of (Larter et al), 826
with leukemia, etiology of (Wall) (Letter), 520; (Wong and Iacuone) (Reply), 520
Pneumothorax: Complication of endotracheal tube suctioning (Vaughan et al), 633
neonatal—high incidence of lung perforation by chest tube in (Moessinger et al), 635
spontaneous: Complication of juvenile dermatomyositis (Singsen et al) (BCLO), 771
Poisoning, copper—role of albumin-enriched peritoneal dialysate in (Cole and Lirenman) (BCLO), 955
Polydipsia, polyuria, and hypertension associated with renin-secreting Wilms tumor (Sheth et al), 921
Polyembryoma, thoracic—sexual precocity in male due to (Danon et al), 51
Polyuria, polydipsia, and hypertension associated with renin-secreting Wilms tumor (Sheth et al), 921
Porphyrins, red cell free erythrocyte, in cord blood (Guttuso et al), 810
PR interval, abbreviated, in mannosidosis (Mehta and Desnick) (BCLO), 599
Prednisone, pattern of response to, in idiopathic, minimal lesion nephrotic syndrome as criterion in selecting patients for cyclophosphamide therapy (Garin et al), 304
Pregnancy—effects of moderate alcohol consumption on fetal growth and morphogenesis during (Hanson et al), 457
Pregnant women, juvenile onset diabetes mellitus in: Failure to associate with Coxsackie B1-6, mumps, or respiratory syncytial virus infections (Madden et al) (BCLO), 959
Premature and term neonates—serum vitamin A in (Brandt et al), 101
infant with large patent ductus arteriosus, pitfalls in: Echocardiographic diagnosis (Hirschklau et al), 474
Prenatal diagnosis of hemoglobin H disease (Koenig et al), 278
exposure to ethanol, brain malformations related to (Clarren et al), 64
Preterm infants—physiologic changes induced by theophylline in treatment of apnea in (Davi et al), 91
small, with symptomatic patent ductus arteriosus, medical management of (Cotton et al), 467
thyroid function in: Longitudinal assessment (Uhrmann et al), 968
Prolactin or estradiol, possible role for: Hormonal changes in girls with precocious adrenarche (Warne et al), 743
Propionic acidemia, biotin-responsive, presenting as rumination syndrome (Hillman et al) (BCLO), 439
Propionic acidemia with severe hyperammonemia and defective glycine metabolism (Shafai et al) (BCLO), 84
Propoxyphene napsylate used for detoxification with morphine sulfate tolerance and physical dependence (Udkow and Weintraub), 829
Propranolol treatment, oral (Gillette et al), 141
Prostaglandin synthestase inhibitors—morphologic analysis of pulmonary vascular bed in infants exposed in utero to (Levin et al), 478
Protein-calorie malnutrition with plasma somatomedin and growth hormone values (Hintz et al), 153
extractable hair, in Menkes syndrome (Kahler and Goldsmith) (Clin note), 675
induced hypoglycemia in phenylketonuric patient (Ziyai et al) (Clin note), 681
Pseudohematuria in neonates (Rasoulpour et al) (Clin note), 852
Pseudohypoaldosteronism, a proximal tubular sodium wasting disease (Proesmans et al) (Clin note), 678
Pubertal-adolescent gynecomastia, clomiphene in (Laron and Dickerman) (Letter), 169; (Harding) (Reply), 169
and prepubertal boys—gonadal effects of chlorambucil given for nephrotic syndrome (Guesry et al), 299
Puberty, precocious, in juvenile hypothyrodism (Hemady et al), 55
Pulmonary edema, possible relationship to: Bronchopulmonary dysplasia (Brown et al), 982
emphysema, localized—selective bronchial intubation for treatment of (Dickman) (Letter), 860; (Brooks) (Reply), 861
fibrosis, late-onset, and chest deformity with cyclophosphadmide treatment (Alvarado et al) (BCLO), 443
function, effect of CPAP on (Gerhardt and Bancalari) (Letter), 859; (Motoyama) (Reply), 860
hyaline membranes, yellow (Colby et al) (Clin note), 114
hypertension due to multiple emboli (McMahon and Aterman), 841

Pulmonary—Cont'd
nodules, miliary, due to aspirated vegetable particles (Kaplan et al) (BCLO), 448
physiotherapy in neonates: Physiologic changes and respiratory management (Fox et al), 977
sequelae, long-term, of Wilson-Mikity syndrome (Coates et al), 247
vascular bed in congenital left-sided diaphragmatic hernia (Levin), 805
infants exposed in utero to prostaglandin synthetase inhibitors—morphologic analysis of (Levin et al), 478
smooth muscle, increased—fetal hypertension and development of: Possible mechanism for persistent pulmonary hypertension of newborn infant (Levin et al), 265
Pulmonic stenosis, peripheral, and cholestasis in father and son (Riely et al), 406
Purpura, idiopathic thrombocytopenic—plasmapheresis in catastrophic complications of (Novak and Wilimas) (BCLO), 434
Pyloric atresia, familial, associated with epidermolysis bullosa (De Groot et al) (BCLO), 429

Q

Quadriparesis, spastic, due to C_1-C_2 subluxation in Hurler syndrome (Brill et al) (BCLO), 441

R

Racial difference in frequency of manifestations: ABO incompatibility (Bottini) (Letter), 863; (Kirkman) (Reply), 863
Radial artery, percutaneous cannulation in newborn infant—technique for (Sessions et al), 105
Radiation, cranial—differential effects on growth hormone response to arginine and insulin infusion (Dickinson et al), 754
Radiologic diagnosis and successful treatment: Idiopathic infantile arterial calcification in siblings (Meradji et al), 401
Radiolucent esophageal foreign body: Often-forgotten cause of respiratory symptoms (Newman), 60
Read, factors influencing ability to (Coplan) (Letter), 517; (Bell) (Reply), 518
Reflexes, olfactory, in newborn infant (Sarnat), 624
Reflux, gastroesophageal, in "near miss" sudden infant death syndrome (Herbst et al) (BCLO), 73
Relationship, mother-newborn, following cesarean section (Coleman) (Letter), 163; (Klaus) (Reply), 163
Renal calculus and asymptomatic hematuria (Iitaka and West) (BCLO), 774
disease, mental retardation, dwarfism, and familial ichthyosis (Rayner et al), 766
failure, acute, in newborn infants (Anand et al), 985
recurrent resolving, in IgA nephropathy (Talwalkar et al) (BCLO), 596
functional maturation—developmental patterns compared in human neonate (Arant), 705
transplantation, successful, after generalized cryptococcosis (Iitaka et al) (BCLO), 422
Renal transplantation—Cont'd
in 3-month-old infant (Kwun et al) (BCLO), 426
tubular acidosis, distal—urinary citrate excretion in diagnosis of (Norman et al), 394
Renin-secreting Wilms tumor associated with polydipsia, polyuria, and hypertension (Sheth et al), 921
Respiratory distress syndrome, peripheral total parenteral nutrition for premature infants with: Controlled study (Gunn et al), 608
thyroid function in premature infants with (Cuestas) (Letter), 342; (Klein and Foley) (Reply), 343
management and physiologic changes: Pulmonary physiotherapy in neonates (Fox et al), 977
obstruction and apnea with bilateral abductor vocal cord paralysis, meningomyelocele, hydrocephalus, and Arnold-Chiari malformation (Holinger et al), 368
symptoms, often-forgotten cause of: Radiolucent esophageal foreign body (Newman), 60
syncytial virus infections, mumps, or Coxsackie B1-6—failure to associate with: Juvenile onset diabetes mellitus in pregnant women (Madden et al) (BCLO), 959
Retinal hemorrhages, recurrent pre-, following negative "g" maneuver on school playground equipment (Rabinovitch et al) (Clin note), 846
Rhabdomyosarcoma—elevated parathyroid hormone levels in association with (Hutchinson et al) (BCLO), 780
Rheumatic fever, tropical acute, and associated streptococcal infections compared with concurrent acute glomerulonephritis (Potter et al), 325
Rheumatoid arthritis, juvenile—anemia with (Koerper et al), 930
Rib, cervical—neck mass caused by (Match) (Clin note), 508
Rickets in children of rural origin in South Africa: Is low dietary calcium a factor? (Pettifor et al), 320
Rubella vaccines, different—response to experimental challenge in persons immunized with (Fogel et al), 26
Rubinstein-Taybi syndrome and acute leukemia (Jonas et al) (Clin note), 851
Rumination syndrome—biotin-responsive propionic acidemia presenting as (Hillman et al) (BCLO), 439
Rupture, esophageal, in premature infant (Khanna) (Clin note), 641

S

Salmonella: Unusual urinary tract pathogen (Barkin et al) (Clin note), 158
Screening for gonorrhea (Buttery) (Letter), 511; (Hein et al) (Reply), 511
neonatal, for alpha$_1$-antitrypsin deficiency (O'Brien et al), 1006
newborn, for galactosemia and other galactose metabolic defects (Levy and Hammersen), 871
program for neonatal hypothyroidism, modification of (Dussault et al), 274
Scrotal imaging in Henoch-Schönlein syndrome (Naiman et al) (Clin note), 1021
intra-, lesions—nonoperative diagnosis of (Datta and Tanaka) (Letter), 862; (Chesney) (Reply), 863
mass, reducible—healed meconium peritonitis presenting as (Gunn et al) (Clin note), 847

Seizures, phenobarbital and diphenylhydantoin levels in neonates with (Painter et al), 315
Sepsis and *Hemophilus influenzae* pneumonia—fulminant neonatal (Bale and Watkins) (BCLO), 233
Streptococcus salivarius, with malignancies (Hoecker et al) (Clin note), 337
Septicemia and meningitis due to *Pasteurella multicida* (Frutos et al) (Clin note), 853
neonatal, due to *Aeromonas shigelloides* (Appelbaum et al) (Clin note), 676
neonatal meningitis due to a Lancefield untypable beta hemolytic streptococcus (Rudensky et al) (Clin note), 676
fulminant neonatal, caused by *Streptococcus bovis* (Headings et al), 282
hyposplenic, and adrenal hemorrhage (Dearth and Gilchrist) (Letter), 512; (Waldman) (Reply), 512
Septo-optic dysplasia and hypothalamic hypopituitarism—sexual precocity in association with both (Huseman et al), 748
Serologic and clinical response of children with sickle cell disease to bivalent influenza A split virus vaccine (Steinberg et al), 823
Sexual precocity in association with septo-optic dysplasia and hypothalamic hypopituitarism (Huseman et al), 748
male due to thoracic polyembryoma (Danon et al), 51
Shunts, left-to-right, and "heart failure," reappraisal of digitalis for infants with (White and Lietman) (Editor's column), 867
Siblings—idiopathic infantile arterial calcification in: Radiologic diagnosis and successful treatment (Meradji et al), 401
Sibs, two—infantile genetic agranulocytosis and acute lymphocytic leukemia in (Lui et al) (Clin note), 1028
Sickle cell anemia—excretion of iron in response to deferoxamine in (Cohen and Schwartz), 659
iron burden in (O'Brien), 579
crisis, intermittent hypertension during (Sellers) (BCLO), 941
disease—extreme hyperbilirubinemia with (Seeler) (Letter), 171; (Buchanan) (Reply), 171
—serologic and clinical response to bivalent influenzae A split virus vaccine (Steinberg et al), 823
syndromes. II. Sickle cell anemia-α-thalassemia syndrome (Honig et al), 556
hemoglobinopathy, major, with pneumococcal meningitis (Greisemer et al) (BCLO), 82
Skeletal changes of copper deficiency with prolonged total parenteral nutrition (Heller et al) (BCLO), 947
infections, oral antibiotic therapy for. I. Antibiotic concentrations in suppurative synovial fluid (Nelson et al), 131
II. Therapy of osteomyelitis and suppurative arthritis (Tetzlaff et al), 485
Small bowel function, reliable index of: One-hour blood xylose test (Buts et al), 729
mucosal disease, use of one-hour blood xylose test as indicator of (Christie), 725
Sodium nitroprusside, prolonged use of (Lupatkin et al) (Letter), 1032; (Luderer et al) (Reply), 1033
wasting disease, proximal tubular—pseudohypoaldosteronism (Proesmans et al) (Clin note), 678
Soft tissue recurrence, late, of acute lymphoblastic leukemia in site of antecedent trauma (Reaman et al) (Clin note), 849
Somatomedin, plasma, and growth hormone values with protein-calorie malnutrition (Hintz et al), 153
Spastic quadriparesis due to C_1-C_2 subluxation in Hurler syndrome (Brill et al) (BCLO), 441
Sphygmomanometry in pediatric patient (Steinfeld et al), 934
Staphylococcal- and drug-induced toxic epidermal necrolysis—frozen section differentiation of (Honig et al) (Clin note), 504
Stature, short. Part I (Rimoin and Horton), 523; Part II (Rimoin and Horton), 697
Steatorrhea, transient, following episodes of mild diarrhea in early infancy (MacLean et al), 562
Steroids, gonadal, and plasma gonadotropins in children treated with cyclophosphamide (Parra et al), 117
Streptococcal, group B, endocarditis detected by echocardiography (Weinberg and Laird) (Clin note), 335
infections, associated, and tropical acute rheumatic fever compared with concurrent acute glomerulonephritis (Potter et al), 325
recurrent group B: Ventriculitis complicating type Ib meningitis (McCrory et al) (BCLO), 231
Streptococcus bovis, fulminant neonatal septicemia caused by (Headings et al), 282
group B, in diabetic adolescent—osteomyelitis due to (McKee) (Clin note), 677
Lancefield untypable beta hemolytic—neonatal meningitis and septicemia due to (Rudensky et al) (Clin note), 676
pneumoniae resistant to erythomycin and clindamycin (Champion et al) (Clin note), 505
salivarius sepsis with malignancies (Hoecker et al) (Clin note), 337
Subarachnoid spaces and lateral ventricles, enlargement of, in pediatric patients undergoing chemotherapy (Enzmann and Lane), 535
Subependymal and intraventricular hemorrhage, incidence and evolution of: Study of infants with birth weights less than 1,500 gm (Papile et al), 529
Subluxation, C_1-C_2, in Hurler syndrome—spastic quadripareisis due to (Brill et al) (BCLO), 441
Suctioning, endotracheal tube—complication of: Pneumothorax (Vaughan et al), 633
Sudden infant death syndrome, "near miss"—gastroesophageal reflux in (Herbst et al) (BCLO), 73
Sulfamethoxazole-trimethoprim treatment of *Pneumocystis carinii* pneumonitis (Larter et al), 826
Sulfasalazine, new complication of—bloody diarrhea (Werlin and Grand) (BCLO), 450
Supraventricular tachycardia, paroxysmal, during theophylline therapy in premature infant (Loughnan and McNamara), 1016
Syndrome, distinctive: Cutis gyratum and acanthosis nigricans associated with other anomalies (Stevenson et al) (BCLO), 950
of inappropriate secretion of antidiuretic hormone with bacterial meningitis (Kaplan and Feigin), 758
of multiple congenital anomalies (Torres-Aybar) (Clin note), 507
trisomy 9: Multiple congenital anomalies and unusual pathological findings (Mace et al) (BCLO), 446

Syndrome–Cont'd
see specific syndrome
Synovial fluid, suppurative–antibiotic concentrations in. I. Oral antibiotic therapy for skeletal infections (Nelson et al), 131

T

T-cell function, defective–new form of nucleoside phosphorylase deficiency in two brothers (Biggar et al), 354
T-lymphocyte deficiency associated with inosine phosphorylase defect, impaired defense against vaccinia with (Virelizier et al), 358
Tachycardia, supraventricular–immersion in ice water to treat (Yabek and Koffler) (Letter), 686; (Whitman et al) (Reply), 687
Temporal artery catheterization, serious sequelae of: Warning (Simmons et al) (Clin note), 284
Teratogenic agent, hyperthermia as (Smith et al), 878
Tetracycline-associated intracranial hypertension in adolescent: Complication of systemic acne therapy (Stuart and Litt) (Clin note), 679
Thalassemia, anemia -α, syndrome–sickle cell. II. Sickle cell syndromes (Honig et al), 556
clinical sign in–digital clubbing (Sinniah et al) (BCLO), 597
major, chelation therapy in. I. Intravenous and subcutaneous deferoxamine (Graziano et al), 648
major–fluctuation of circulating colony-forming cells with transfusion in (Chu and O'Connor) (Clin note), 336
Theophylline, crystallized, in asthmatic children–effectiveness of short- and long-term use of (Katz et al), 663
dosage, oral, for management of chronic asthma (Wyatt et al), 125
for oral use, liquid preparations of (Tourville and Finer) (Letter), 514
treatment of asthma (Weinberger), 1
in treatment of apnea in preterm infants–physiologic changes induced by (Davi et al), 91
kinetics, intrapatient variability in(Weinberger and Hendeles) (Letter), 513; (Walson et al) (Reply), 514
therapy in premature infant, paroxysmal supraventricular tachycardia during (Loughnan and Mc Namara), 1016
Thermodilution, cardiac output measured by (Freed and Keane), 39
Thoracic polyembryoma–sexual precocity in male due to (Danon et al), 51
Thrombocytopenia, chronic (Ramos et al) (BCLO), 584
Thrombocytopenic purpura, idiopathic–plasmapheresis in catastrophic complications of (Novak and Wilimas) (BCLO), 434
Thromboembolism, mesenteric, oral feeding, and necrotizing enterocolitis–relationships of (Lehmiller and Kanto), 96
Thyroid function in healthy premature infants (Cuestas), 963
premature infants with RDS (Cuestas) (Letter), 342; (Klein and Foley) (Reply), 343
preterm infant: Longitudinal assessment (Uhrmann et al), 968
gland, ectopic (Kaplan et al), 205
hormone replacement therapy in perinatal period: Neurologic considerations (Weichsel) (Editor's column), 1035
Thyroid–Cont'd
stimulating hormone–elevation during early neonatal period (Engbert et al) (Letter), 1030; (Mace) (Reply), 1030
Thyrotoxicosis, neonatal, following maternal hypothyroidism (Blackett et al) (Clin note), 159
Tissue, ectopic pancreatic, in gastric antrum (Strobel et al) (BCLO), 586
Tomography, computerized, in diagnosis of intracranial bleeding (Singer) (Letter), 341; (Kinney et al) (Reply), 342
Toxic epidermal necrolysis, drug- and staphylococcal-induced–frozen section differentiation of (Honig et al) (Clin note), 504
Toxicity, accidental heparin, in newborn ICU (Schreiner et al) (Clin note), 115
of caffeine (Mace) (Letter), 345
carbamazepine (Livingston et al) (Letter), 688
Toxicology resources–comparison in respect to rates of retrieval and time required (Yokel et al), 145
Tracheal intubation, complication of: Distal kinking of tube (Gottschalk et al), 161
Traction diverticulum of esophagus due to foregut cyst (Rosenlund et al) (Clin note), 338
Transfusion, early exchange–indications in patients with erythroblastosis fetalis (Wennberg et al), 789
exchange, and hypernatremia: Possible role in intracranial hemorrhage in very LBW infants (Doyle et al) (Clin note), 848
–effect on unbound bilirubin and serum bindings: Estimation of unbound serum bilirubin by peroxidase assay method (Arkans and Cassady), 1001
regimen, high, and chelation therapy, results, and perspective: Cooley anemia (Weiner et al), 653
with β-thalassemia major, fluctuation of circulating colony-forming cells with (Chu and O'Connor) (Clin note), 336
Transplantation, successful renal, after generalized cryptococcosis (Iitaka et al) (BCLO), 422
in 3-month-old infant (Kwun et al) (BCLO), 426
Transpyloric feeding–duodenorenal perforation in neonate by tube of silicone rubber during (Pérez-Rodrigues et al) (Clin note), 113
Trauma, antecedent–late soft tissue recurrence of acute lymphoblastic leukemia in site of (Reaman et al) (Clin note), 849
Triglyceride, medium-chain, feeding supplement–neonatal pneumonia associated with (Smith et al), 801
Trimethadione therapy, maternal–phenotypic malformations in association with (Rosen and Lightner) (BCLO), 240
Trimethoprim-sulfamethoxazole and pentamidine isethionate, comparison of, in treatment of *Pneumocystis carinii* pneumonia (Hughes et al), 285
treatment of *Pneumocystis carinii* pneumonitis (Larter et al), 826
Trisomy 9 syndrome: Multiple congenital anomalies and unusual pathological findings (Mace et al) (BCLO), 446
Tropical acute rheumatic fever and associated streptococcal infections compared with concurrent acute glomerulonephritis (Potter et al), 325
TSH, elevation during early neonatal period (Engbert et al) (Letter), 1030; (Mace) (Reply), 1030
Tube, distal kinking of: Complication of tracheal intubation (Gottschalk et al), 161

Tube—Cont'd
of silicone rubber, duodenorenal perforation in neonate during transpyloric feeding (Pérez-Rodrígues et al) (Clin note), 113
Tubular acidosis, distal renal—urinary citrate excretion in diagnosis of (Norman et al), 394
sodium wasting disease, proximal—pseudohypoaldosteronism (Proesmans et al) (Clin note), 678
Tumor, renin-secreting Wilms, associated with polydipsia, polyuria, and hypertension (Sheth et al), 921
Wilms, in mother and child (Tebbi and Gross) (Clin note), 1026
Turner syndrome and Crohn disease, association of (Keating et al) (Clin note), 160
vs. gonadal dysgenesis (Shapiro) (Letter), 345
Tyrosinemia associated with perinatal infection with cytomegalovirus (Thoene et al), 108
with aminolevulinic dehydratase deficiency (Lamon et al) (Letter), 346

U

Ulcer, peptic, in uremic children (Moorthy and Chesney) (BCLO), 420
Ultrasonography, pelvic, in pediatric and adolescent endocrine disorders (Lippe and Sample), 897
Ultrasound, diagnosis of adrenal hemorrhage by (Lawson and Teele) (BCLO), 423
Ultrasonic diagnosis of cholelithiasis (Holt et al) (BCLO), 418
Umbilical cord vein and artery of newborn infants after elective cesarean section or spontaneous delivery—plasma amino acid concentrations in (Pohlandt), 617
Uremic children, peptic ulcer in (Moorthy and Chesney) (BCLO), 420
Uric acid excretion in normal children (Stapleton et al), 911
Urinary citrate excretion in diagnosis of distal renal tubular acidosis (Norman et al), 394
tract infections, localization of, by means of antibody-coated bacteria in urinary sediments (Hellerstein et al), 188
pathogen, unusual: *Salmonella* (Barkin et al) (Clin note), 158

V

Vaccinia, impaired defense against, with T-lymphocyte deficiency associated with inosine phosphorylase defect (Virelizier et al), 358
Vaccine(s), bivalent influenza A split virus—serologic and clinical response of children with sickle cell disease (Steinberg et al), 823
live virus—antibody response in congenital and neonatal cytomegalovirus infections (Reynolds et al), 738
measles—safety in egg-sensitive individuals (Cohen) (Letter), 859; (Katz) (Reply), 859
meningococcus group A, in children 3 months to 5 years of age (Peltola et al), 818
rubella—response to experimental challenge in persons immunized with (Fogel et al), 26
Varicella-zoster viremia (Gershon et al) (Letter), 1033; (Feldman) (Reply), 1034
Vascular bed, pulmonary, in infants exposed in utero to prostaglandin synthetase inhibitors—morphologic analysis of (Levin et al), 478
smooth muscle, increased pulmonary—fetal hypertension and development of: Possible mechanism for persistent pulmonary hypertension of newborn infant (Levin et al), 265
Vein and artery, umbilical cord, of newborn infants after elective cesarean section or spontaneous delivery—plasma amino acid concentrations in (Pohlandt), 617
Veno-occlusive familial hepatic disease (Firzli) (Letter), 862; (Mellis and Bale) (Reply), 862
Ventricles, lateral, and subarachnoid spaces, enlargement of, in pediatric patients undergoing chemotherapy (Enzmann and Lane), 535
Ventricular contractions, premature, in normal children (Jacobsen et al), 36
fluid in encephalitis—herpes simplex type 1 isolated from (Frank and Tucker) (BCLO), 601
intra-, and subependymal hemorrhage, incidence and evolution of: Study of infants with birth weights less than 1,500 gm (Papile et al), 529
peri-, hemorrhage—neonatal: Past, present, and future (Volpe) (Editor's column), 693
septal defects with chronic obstructive lung disease (Lester and Arcilla) (Letter), 344
supra-, tachycardia—immersion in ice water to treat (Yabek and Koffler) (Letter), 686; (Whitman et al) (Reply), 687
Ventriculitis complicating type Ib meningitis: Recurrent group B streptococcal infection (McCrory et al) (BCLO), 231
management in neonate (James) (Letter), 854
Vesicles, cutaneous, in congenital cytomegalovirus infection (Blatt et al) (Clin note), 509
Viral and bacterial pneumonia—value of C-reactive protein test in differentiation of (McCarthy et al) (BCLO), 454
Viremia, varicella-zoster (Gershon et al) (Letter), 1033; (Feldman) (Reply), 1034
Virus infections (respiratory syncytial), mumps, or Coxsackie B1-6—failure to associate with: Juvenile onset diabetes mellitus in pregnant women (Madden et al) (BCLO), 959
vaccine, bivalent influenza A split—serologic and clinical response of children with sickle cell disease (Steinberg et al), 823
live—antibody response in congenital and neonatal cytomegalovirus infections (Reynolds et al), 738
Vitamin A, serum, in premature and term neonates (Brandt et al), 101
Vocal cord paralysis (bilateral abductor), meningomyelocele, hydrocephalus, and Arnold-Chiari malformation with respiratory obstruction and apnea (Holinger et al), 368

W

Wasting disease, proximal tubular sodium—pseudohypoaldosteronism (Proesmans et al) (Clin note), 678
Weight(s), birth, less than 1,500 gm—study of infants with: Incidence and evolution of subependymal and intraventricular hemorrhage (Papile et al), 529

Weight(s), birth—Cont'd
of less than 1,001 gm—status at two years of LBW infants born in 1974 with (Pape et al), 253
predictor in infants of diabetic mothers: Glycohemoglobin (Widness et al), 8
low birth, infants—overadministration of digoxin to (Berman et al) (Clin note), 1024
Wilms tumor in mother and child (Tebbi and Gross) (Clin note), 1026
renin-secreting, associated with polydipsia, polyuria, and hypertension (Sheth et al), 921
Wilson disease and cholelithiasis (Rosenfield et al), 210
Wilson-Mikity syndrome, long-term pulmonary sequelae of (Coates et al), 247
Withdrawal, neonatal drug—management of (Gooddard and Wilson) (Letter), 861; (Kandall) (Reply), 861

X

Xylose test, one-hour blood: Reliable index of small bowel function (Buts et al), 729
Xylose test—Cont'd
used as indicator of small bowel mucosal disease (Christie), 725

Y

Yellow pulmonary hyaline membranes (Colby et al) (Clin note), 114

Z

Zinc levels, plasma, in premature infants receiving parenteral nutrition (Michie and Wirth), 798

THE JOURNAL OF PEDIATRICS

EDITOR

JOSEPH M. GARFUNKEL
Springfield, Illinois

CONSULTING EDITOR

WALDO E. NELSON
Philadelphia

ASSOCIATE EDITORS

ROBERT E. MERRILL
Springfield, Illinois

DAVID S. SMITH
Philadelphia

EDITORIAL BOARD

MARY ELLEN AVERY
Boston

RICHARD E. BEHRMAN
Editor, Fetal and neonatal medicine
Cleveland

JAY BERNSTEIN
Editor, Clinical-pathological conference
Royal Oak, Michigan

REBECCA H. BUCKLEY
Durham

VICTOR CHERNICK
Winnipeg

W.A. DANIEL, Jr.
Editor, Adolescent medicine
Birmingham, Alabama

ANGELO M. DiGEORGE
Editor, Book reviews
Philadelphia

PHILIP R. DODGE
St. Louis

ALLAN DRASH
Pittsburgh

LEON EISENBERG
Boston

LAURENCE FINBERG
New York

MELVIN GRUMBACH
San Francisco

WILLIAM C. HEIRD
New York

RICHARD HONG
Madison, Wisconsin

DAVID T. KARZON
Nashville

SAUL KRUGMAN
New York

ANDRÉ LASCARI
Assistant to the Editor
Springfield, Illinois

MARTIN H. LEES
Portland, Oregon

PAUL S. LIETMAN
Editor, Pharmacology and therapeutics
Baltimore

MILTON MARKOWITZ
Farmington, Connecticut

GEORGE H. McCRACKEN, Jr.
Dallas

GRANT MORROW III
Tucson

RICHARD W. OLMSTED
Editor, Behavioral pediatrics
Denver

HOWARD A. PEARSON
New Haven

ALLEN W. ROOT
St. Petersburg, Florida

JANE SCHALLER
Seattle

IRVING SCHULMAN
Stanford

DAVID W. SMITH
Seattle

BEA J. van den BERG
Oakland

WILLIAM B. WEIL, Jr.
East Lansing

CLARK D. WEST
Cincinnati

VOLUME 93
COPYRIGHT © 1978 BY
THE C. V. MOSBY COMPANY

All rights reserved
Printed in the United States of America

INDEX TO VOLUME 93

*Author index**

A

Aase JM, 821
Ackerman H, 149
Adam PAJ, 901
Adamkin D, 604
Adams MA, 734
Adcock EW III, 862
Agbayani MM, 791
Aicardi J, 1039
Aiuti F, 1000
Alexander JB, 489
Alexander M, 619
Alexiou D, 630
Ali SK, 1061
Allen JC, 903
Allen JL, 69
Altman LC, 330
Altman RP, 196
Ambruso DR, 1070
Anderson GH, 67
Andler W, 634
Andrew LP, 584
Anoussakis C, 630
Antonio Z, 892
Antonovych TT, 762
Appelbaum PC, 796
Aranda JV, 507
Ardal B, 305
Ariagno RL, 283
Armstrong DL, 852
Arth C, 447
Arulanantham K, 515, 636
Ashbacher LV, 810
Asmar BI, 389
Astaldi A, 1000
Atkinson SA, 67
Atwell CW, 704
Audibert JM, 155
Auld PAM, 275
Auritt WA, 882
Au-Yeung YB, 895
Avery GB, 682
Avrill D, 927
AvRuskin TW, 460
Aynsley-Green A, 900

B

Bailey JD, 879
Baker CJ, 124, 578
Balch MT, 775
Balfour HH Jr, 990
Balkany TJ, 453
Ballard PL, 1011
Ballet JJ, 404
Barclay GR, 469
Barker LF, 133
Bar-Maor JA, 149
Baroni CD, 1000
Barr RG, 17
Barrett FF, 578
Barton LL, 322
Baska RE, 891
Baublis JV, 972
Bauer CR, 656
Baugher WH, 84
Beardmore H, 1060
Beaudet AL, 444
Beaudry P, 305
Beaver PC, 247
Beck J, 432
Bell MJ, 539
Bender HW, 647
Berant M, 727, 970
Berger M, 899
Bergeson PS, 723, 980
Berman BW, 793
Berman SA, 453
Berman W Jr, 652
Bernstein BH, 211
Bernstein MT, 881
Berthiaume L, 455
Bethel RA, 378
Betuel H, 47
Bhettay E, 538
Binkiewicz A, 965
Bjarke B, 296
Björksten B, 227
Blackett PR, 896
Bland H, 1025
Blasco PA, 261
Bleeker EZ, 624
Blizzard RM, 221
Bloom SR, 900
Bloomer JR, 127
Bluestone CD, 739
Blum D, 619
Boat TF, 157, 931
Bobik CM, 842
Bocian ME, 986
Bode HH, 812
Bodurtha J, 992
Bombach E, 791
Boréus LO, 695
Borns P, 254
Bose C, 1023
Bottone EJ, 797
Boyle R, 857
Braitman R, 155
Brennan MJ, 656
Broughton RE, 118
Brown DR, 842
Brown JK, 469
Bruni L, 1000
Brusilow S, 421
Bryan MH, 67
Bryan RN, 188
Bucciarelli RL, 1025
Buchino JJ, 245
Buescher ES, 530
Bujanover Y, 899
Bunjes R, 1003
Burgert EO Jr, 632
Buriot D, 304
Burman KD, 118
Burstein J, 834
Burstein R, 834
Burton WC, 959
Butzler JP, 619

C

Cadoz M, 1064
Caldeyro-Barcia R, 120
Cangir A, 439, 544
Cantekin EI, 739
Capurro H, 120
Carapella-de Luca E, 1000
Carey JC, 239
Carney JA, 982
Carpentieri U, 775
Carron H, 84
Carvalho RI, 235
Cashore WJ, 827
Cassidy JT, 416
Castleberry RP, 626
Cates KL, 624
Catlin FI, 584
Catterton WZ, 647
Cederbaum SD, 986
Center for Disease Control, 709
Cha CC, 864
Chabrolle JP, 158
Chambers JP, 823
Chan GM, 91
Chance GW, 662
Chandra RK, 892
Chandra RS, 196
Chanock RM, 916
Charney E, 724
Chatten J, 988
Chaudhary S, 133
Chaussain JL, 895
Chavanich L, 492
Chawareewong S, 492
Chen I-W, 91, 842
Cherry JD, 565
Chess S, 699
Chiron JP, 1064
Chiu TTW, 895
Chopra IJ, 118
Chou T-C, 462
Chow MT, 494
Christie DL, 23
Chusid MJ, 449, 1052
Ciastko A, 721
Claesson I, 328
Clarke FC, 432
Coates PM, 954
Coello-Ramírez P, 383
Coen RW, 821
Cohen D, 151
Cohen DL, 1022
Cohen MI, 147
Collinge J, 507
Collins M, 803
Conklin RH, 383
Conry J, 682
Controni G, 994
Cook DA, 967
Cooper JA, 547
Coppola A, 824
Corey M, 744, 976
Corrigan JJ Jr, 268
Cotton RB, 647
Cox JA, 216
Crain JD, 1034
Crawford DB, 78
Creek JE, 1059
Cremer N, 619
Crist WM, 626, 893
Crozier D, 976
Cunningham K, 662

D

Daguillard F, 404
Dajani AS, 389

*July, pp 1-166; August, pp 167-336; September, pp 337-546; October, pp 547-730; November, pp 731-902; December, pp 903-1070.

Damjanov I, 937
Daneman D, 879
Darnall RA Jr, 283
Daum RS, 927
David C, 988
David CB, 533
Davidson GP, 976
Davis AT, 394
Davis GT, 378
de Belle RC, 1060
de Chadarevian J-P, 412
Delage G, 455
Delbeke M-J, 266
DeLong GR, 689
DeLuca HF, 91
de Martinez Y, 1045
Demers LM, 512
Dempster G, 967
Denis FA, 1064
Denis R, 769
de Romaña GL, 1045
De Schaepdryver AF, 266
Deseda-Tous J, 565
Desmond MM, 584
DeSousa AL, 253
Devaskar U, 789
Dhawan VM, 78
Dibbins A, 270
Dikman S, 797
Dimond RC, 118
DiSessa TG, 639
Dobbeleir A, 769
Doeden D, 592
Doerschuk CF, 931
Donovan CM, 1019
Donovan EF, 842
Doughty RA, 954
Douglas RG Jr, 28
Douglass EC, 992
Dover GL, 502
Doyle C, 656
Doyle WJ, 739
Dresler S, 887
Driscoll DJ, 541
Driscoll JM Jr, 539
Drusin LM, 505
Dubey DR, 141
Dubynsky O, 652
Duff TE, 972
Duffy B, 507
Dulac O, 1039
Dumbovic N, 262
Dumont-Herskowitz RA, 621
Dupont C, 507
DuPont HL, 383
Dupree E, 466
Durandy A, 404

E

Earhart RN, 721
Eastham EJ, 561
Eavey RD, 721
Edson JR, 232
Edwards MS, 532, 578
Edwards RH, 893
Ehrlich RM, 879
Eichenwald HF, 337, 357
Eichner J, 1015
Eisen AH, 305
Ellis D, 762
Elsas FJ, 626
Engberg S, 332
Engel E, 80
Engel RR, 1069
Engelke SC, 837
England BG, 478
Engle WD, 972
Erbsmann F, 769
Erickson CM, 779
Eriksson B, 227, 398
Esseltine D, 974
Etzioni A, 149
Evans DJ Jr, 383
Evans HE, 791
Evans WE, 133
Ey JL, 497

F

Fanaroff AA, 540
Farina MA, 1065
Farnett ML, 604
Favara B, 71
Feingold M, 152
Feldman BH, 161, 639
Feldman S, 133
Feldman WE, 1029
Fendrick G, 882
Fennell RS III, 138
Ferguson AC, 52
Ferguson L, 86
Fernandez P, 699
Fernbach DJ, 995
Ferry PC, 547
Finkelstein ER, 333, 902
Fisch RO, 592
Fischbein C, 451
Fiser RH Jr, 801
Fisher ES, 584
Fitzhardinge PM, 852
Fogle RS, 122
Foley TP Jr, 57
Fomon SJ, 164, 476
Fomufod AK, 153
Fonseca D, 120
Forster J, 823
Forstner GG, 976
Fox DW, 980
Fox WW, 1005
Francisco CB, 891
Frank M, 749
Frayer WW, 275
Freed D, 257
Fried AM, 950
Friedman WF, 639
Friedman Z, 512, 652, 1068
Frisch H, 749
Fujii T, 293
Fujisawa S, 1063
Furst E, 102
Furukawa C, 330

G

Gala RR, 478
García B, 916
Garcia JC, 982
Gardner HG, 155
Garfunkel JM, 163
Garin EH, 138
Garrison RD, 895
Gartner LM, 296, 827
Gash J, 662
Gatti RA, 73
Gaum WE, 462
Geggel RL, 680
Geiman JM, 28
Gelfand EW, 1034
Genel M, 515
Georges LP, 188
Georgeson KE, 864
Gerrard JM, 624, 967
Gershon A, 505
Ghent CN, 127
Ghishan FK, 1042
Giacoia GP, 489
Giebink GS, 624
Gilchrist GS, 632
Githens JH, 1070
Glew RH, 823
Gill FM, 264
Gill P, 922
Gillette PC, 97, 257
Gluck L, 639
Gluckman PD, 1011
Godfrey S, 331, 1069
Goel K, 617
Goff J, 1061
Goldbarg HR, 808
Goldblum RM, 597
Goldenberg RI, 994
Goldman AS, 597
Goldmann DA, 288
Goldner RD, 84
Goldring D, 156
Goldstein G, 636
Gomersall M, 922
Gomez-Leon G, 460
Goodyer PR, 412
Gotoff SP, 86
Grace E, 469
Grady MI, 561
Graham GG, 1045
Graham TP, 647
Graham TP Jr, 80
Grand RJ, 1034
Gray GF Jr, 628
Greenberg LW, 1061
Gregory GA, 1016
Green OC, 299
Gresham EL, 122
Griscelli C, 304, 404
Grose C, 457
Grossman M, 447
Groth KE, 990
Growe G, 428
Gruber MA, 80
Grumbach MM, 1011
Grupe WE, 516
Gushurst C, 994
Gustavson K-H, 227, 332
Guthrie R, 473
Gutierrez Y, 245

H

Hadjigeorgiou E, 684
Haftel AJ, 1015
Halac E, 478
Haling J, 1015
Hall BD, 239
Hall CB, 28
Hall JG, 435, 609
Haller WS, 803
Halonen P, 43
Ham HR, 769
Hambidge KM, 71, 535
Hamosh M, 674
Hamosh P, 674
Hanshaw JB, 1019
Hanson LÅ, 328, 398
Hanson V, 211, 871, 876
Harris TR, 102
Harris V, 262
Hart MC, 980
Hart RL, 299
Hartmann AF Jr, 258
Hassel FM, 976
Hattori M, 1066
Havers W, 634
Hawkins EP, 995
Hayakawa H, 896
Haycock GB, 62
Hayek A, 978
Hecht F, 897
Hein K, 147
Heise HW, 185
Hendeles L, 536
Henkin RI, 847
Henricksen KM, 519
Hernandez A, 156, 258
Hervada AR, 882
Heymsfield SB, 378
Hibbard BZ Jr, 816
Hicks R, 211
Hieber VC, 783
Hierlwimmer UR, 188
Hill RA, 531
Hirano T, 262, 326
Hirschberger M, 779
Hirschfeld SS, 931

Hittner HM, 444
Ho PC, 910
Hodder DH, 451
Hodson EM, 756
Hoffman WH, 478
Hoffpauir CW, 326
Hokanson JT, 75
Holbrook CT, 626
Hollister DW, 609
Holman RT, 1069
Homer DR, 726
Hooft C, 266
Hook EB, 1065
Hopp R, 883
Hopwood NJ, 57
Horan JJ, 155
Horiguchi S, 293
Horn S, 682
Horton WA, 435, 609
Hsia YE, 127, 471
Huestis DW, 268
Huf RL, 884
Humphreys RP, 486
Hunt CE, 1069
Hurley JK, 538, 899
Hurst D, 897
Huseman C, 221
Huxtable RJ, 980

I

Idemoto J, 75
Iitaka K, 216
Ilstrup DM, 632
Imperato C, 1000
Isenberg JN, 1043

J

Jacobs AH, 944
Jacobs JF Jr, 972
Jacobs RF, 801
Jacobsson L, 332
Jaffe N, 185
Jalling B, 695
James E, 1025
Jameson S, 251
Janik DS, 519
Janney A, 326
Janson GL, 398
Jarrett P, 889
Jarrett PB, 980
Jay S, 901
Jay WM, 901
Jelliffe DB, 333
Jelliffe EFP, 333
Jennings RB Jr, 806
Jeune M, 47
Jimbo T, 293
Job JC, 895
Jodal U, 328, 398
Joglekar S, 892
Johanson A, 221
Johnson DH, 806
Johnson JR, 842
Johnsonbaugh RE, 188
Jones KL, 331

K

Kaga M, 896
Kagan BM, 73
Kahn E, 617
Kahn MA, 296
Kaijser B, 398
Kaiser-McCaw B, 897
Kalpoyannis N, 684
Kaneko Y, 1066
Kantor NM, 895
Kapikian AZ, 916
Kaplan BS, 412, 974
Kaplan S, 462
Kaplan SL, 1011
Kapur S, 762
Karcher D, 537
Karim SMM, 494
Karli I, 684
Karna P, 729
Kaufman KF, 141
Kawahara FS, 299
Kazazian HH Jr, 502
Keens TG, 113
Kelsch RC, 972
Kennell J, 333
Kent JT, 211
Khan AJ, 791
Kiangsiri S, 492
Kiel EA, 801
Kim KS, 326
King CR, 272, 1027
King FH Jr, 793
King K, 211
King KC, 901
Kinney TR, 810
Kipps A, 538
Kirkpatrick SE, 639
Kjellstrand CM, 756
Klauber GT, 78
Klaus MH, 333
Kleiman MB, 253
Kleinerman E, 1061
Kliegman R, 540
Klish WJ, 728
Koenig HM, 816
Koep LJ, 592
Koffler H, 821, 834
Kohl S, 206, 383, 466
Kohlhoff JG, 592
Kohnen PW, 181
Koldovský O, 954
Konichezky S, 120
Koops B, 834
Kopelman AE, 497
Korn S, 699
Kornreich H, 211
Koup JR, 333
Kovar I, 647
Krall V, 428
Kramer MS, 998
Krastins IRB, 744
Krause PJ, 565
Krauss AN, 275
Krienke EG, 1003
Krivit W, 232, 624
Kuhns LR, 162
Kumar SP, 1026
Kunz S, 891
Kurnit DM, 270
Kutner MH, 378
Kwun YA, 539, 890

L

Lababidi Z, 1025
LaBrecque DR, 1042
Lachman BS, 449
Lachman RS, 609
Lake AM, 812
Lala VR, 460
Lampert RP, 896
Lander HB, 394
Lane GA, 972
Lanning P, 458
Larsen J, 797
Larsen SA, 726
Larson JM, 529
Lau S, 624
Lawton JWM, 910
Lazar BS, 428
Lazerson J, 449
Lê CT, 572
Leake RD, 332
Leclair J, 288
Lee H, 497
Lee JCK, 323
Lee JS, 323
Lee K, 296
Lee RE, 823
Lefur JM, 304
Lehman TJA, 876
Leichter J, 13
Lenarsky C, 970
Levin LS, 329
Levison H, 744
Lewin EB, 572
Lewin GA, 725, 727
Lewis AB, 481
Lewy PR, 299
Li FP, 185, 537
Liakakos D, 630
Lichauco T, 561
Lifshitz F, 617
Liggins GC, 1011
Lightbody KL, 502
Lightsey AL Jr, 816
Lindberg U, 328, 398
Linder D, 887
Lindholm Å, 227
Litt IF, 901
Little HK, 78
Lokaphadhana K, 492
Long SS, 793
López-Correa R, 1049
Loughlin GM, 181
Lovrien EW, 1027
Lowenthal A, 537
Lucarelli P, 1000
Lucas A, 900
Lukens JN, 888
Lukoff J, 724
Lund MF, 624
Lurie PR, 481
Lynn AM, 818

M

McAdams AJ, 1, 167
McBride A, 147
McCabe EFB, 592
McCaughran DA, 428
McCracken GH Jr, 337, 357, 491, 542
McCray GM, 891
MacDonald H, 332
McDonald R, 538
McEnery PT, 216
McGarry JD, 959
McGrath RL, 110
McGuinness GA, 110
McIntosh K, 33
Mack DV, 23
McKeen EA, 992
McKnight R, 258
McLaughlin B, 455
McLean RH, 78, 937
MacLean WC Jr, 1045
McNamara DG, 97, 257
Macone A, 288
McReynolds JW, 421
Madanat F, 439
Mahony BS, 1070
Maisels MJ, 512, 652
Makker SP, 516
Malamitsi A, 684
Mantagos S, 421
Mar ID, 1064
Marchetto DJ, 537
Marinelli PV, 118
Marks A, 147
Marks HG, 254
Marks JF, 959
Marks KH, 512
Marks MI, 922
Martin LW, 216
Martin RJ, 279
Mascoli N, 451
Massa E, 1045
Massey EW, 325
Massoud N, 308
Mata L, 916
Mathis RK, 812

Matthew JD, 662
Mauer SM, 756
May LT, 597
Meadows AT, 537, 889, 992
Mealey J Jr, 253
Medici MA, 73
Medrano J, 634
Melagelada J-R, 982
Melker RJ, 722
Merritt TA, 639
Meyer M, 147
Meyers MH, 185
Michaels RH, 249, 739
Michels VV, 444
Mierau G, 71
Mikity V, 725, 727
Miller DR, 628
Miller K, 232
Miller SW, 113
Mills GC, 597
Milner AD, 667
Mitchell I, 744
Moel DI, 539, 890
Moessinger AC, 539
Mojtabaee A, 1062
Money J, 432
Monson R, 324
Montgomery W, 789
Moore AAD, 806
Moore FA, 102
Morens DM, 1049
Morriss FH Jr, 862
Mühlendahl KEv, 1003
Mullins CE, 97
Mulvihill JJ, 992
Munoz A, 824
Muñoz O, 383
Murnane MJ, 954
Murphy SA, 181
Musselman J, 652

N

Nahmias AJ, 206
Naiditch MJ, 565
Najjar JL, 888
Nakamura N, 293
Nalor EW, 473
Naulty CM, 682
Neely JE, 232
Neldner KH, 71
Nelson DP, 816
Nelson JA, 597
Nelson JD, 1029
Nelson JS, 857, 866
Nelson RM, 324
Nicolopoulos D, 684
Nightingale CH, 902
Nix RA, 801
Nix WL, 995
Nora JJ, 110
Nordström S, 227
North AF Jr, 156, 332
Nosanchuk JS, 323
Novar L, 428
Nussbaum E, 931

O

O'Brien JE, 152
O'Brien WE, 75
Ochs HD, 330
O'Connell L, 428
O'Grady LR, 23
Oh W, 827, 857
Ohta S, 1063
Ohtaki C, 896
Okken A, 279
Olarte J, 383
O'Leary MC, 624
Olive G, 1039
Olling S, 398
O'Meara OP, 115
Orenstein DM, 157
Orfanos AP, 473
Ortega JA, 1059
Osborne B, 439
Ossi M, 133
Owen R, 247
Ozsoylu S, 898

P

Pacharee P, 492
Pachman LM, 299
Pai CH, 922
Papadakis D, 684
Papadatos C, 1038
Pape KE, 852
Papile L-A, 821, 834
Park IJ, 502
Patterson JH, 378
Paulus TE, 801
Peake RL, 57
Pearce MB, 465
Pearson HA, 998
Peckham GJ, 1005
Pegelow CH, 871
Pellock JM, 325
Pereira F, 893
Pereira GR, 680
Perez J, 507
Perin JCS, 478
Perman JA, 17
Perry LW, 994
Peter G, 857, 866
Peters RS, 876
Peters SP, 823
Petty RE, 416
Peyyt BG, 881
Phibbs RH, 1016
Philip AGS, 150
Phillips LS, 299
Pickering LK, 383, 466, 862
Piepsz A, 769
Pinsky L, 270
Pisciotto PT, 628
Platzker ACG, 113
Plaxico DT, 1025
Plotnick LP, 261
Pokorny WJ, 995
Poland RL, 729
Polmar SH, 201
Poole CA, 656
Porter CJ, 97
Portuguez-Malavasi A, 507
Post E, 604
Powars DR, 871
Powe L, 808
Powell GK, 553
Powell KR, 155
Powers JS, 323
Powers WF, 729
Poziviak CS, 249, 739
Prader A, 749
Prescott G, 272
Prian GW, 115
Priest JH, 378, 896
Priest JR, 990
Prieur AM, 304

Q

Quie PG, 624
Quintiliani R, 902

R

Rabin BS, 57
Raifman MA, 727, 970
Raijman L, 986
Rajani KB, 810
Raker RK, 505
Rane A, 296
Rasoulpour M, 78
Ratner H, 791
Raye JR, 837
Rayson B, 428
Reddi OS, 814
Reed JO, 389
Reid GD, 531
Remes M, 458
Rennert OM, 896
Rey E, 1039
Reynolds GES III, 532
Richard GA, 138
Richlin DM, 84
Riding KH, 739
Rimoin DL, 435, 609
Ritts RE Jr, 632
Roberts K, 724
Roberts TM, 247
Robinson MJ, 965
Rochon L, 1060
Rockaway F, 970
Rodgers BM, 324
Rodriguez JM, 192
Rodriguez WJ, 994
Rodriguez-Alarcon J, 1024
Roloff JS, 888
Rom S, 486
Rooks Y, 998
Roos D, 1000
Rosan RC, 295
Rosen RC, 268
Rosenberg LE, 421, 471
Rosenfeld RG, 251
Rosenkranz HS, 106
Rosenstein BJ, 261
Rossier A, 158
Rothfield N, 937
Rotter JI, 435
Row A, 803
Rowlingson JC, 84
Royal JE, 808
Rozenfeld IH, 428
Rubenstein DS, 793
Rubidge CJ, 796
Rubin IL, 279
Rudman D, 378
Rudolph AJ, 295
Rudolph J, 451
Rumack CM, 115
Ruuskanen O, 43
Ryu JE, 476

S

Saarinen UM, 177
Sachs HK, 428
Sacks LM, 1026
Sadeghi-Nejad A, 152
Safaii HS, 621
Saied KR, 322
Sakurai M, 1066
Salcedo JR, 762
Sallustro F, 704
Salmi TT, 43
Salzman-Mann C, 674
Santella RM, 106
Saphir R, 797
Saunders RA, 667
Schachter J, 447
Schafer IA, 75
Schaffer HG, 584
Schain RJ, 884
Scheifele DW, 37, 927
Schmalstieg FC, 597
Schmickel RD, 783
Schonberg SK, 147
Schubert WK, 245
Schulman C, 769
Schumacher HR, 335
Schwabe AD, 876
Schwartz E, 264
Schwartz GJ, 62
Schwartz R, 901
Scolnik B, 151
Scott CI, 435, 609
Scragg JN, 796

Seaward DA, 816
Seay AR, 83, 88
Seeler RA, 326, 535, 808, 898
Seemayer TA, 1060
Segers A, 619
Selke AC, 950
Senior B, 621, 965
Senter TP, 331
Seppänen J, 458
Serfontein GL, 486
Shaban SS, 206
Shah BL, 837
Shapira Y, 984
Shapiro LJ, 986
Shapiro SS, 264
Shaw KNF, 986
Shenai JP, 533
Sher J, 824
Shimizu S, 1063
Siber GR, 37
Siegel JD, 249, 491, 542
Siegler RL, 465
Siem RA, 632
Sills JA, 469
Silverman A, 71, 592
Silvestri DL, 329
Simmons MA, 110, 453
Simons RL, 28
Siadati A, 1062
Sinaniotis CA, 1038
Singh M, 152
Singh N, 1019
Singhi S, 152
Singsen BH, 211, 871
Sitar DS, 507
Sivasubramanian KN, 674, 847
Skoglund RR, 529
Skopelitis P, 630
Skovby F, 609
Slovis TL, 389
Smallridge RC, 118
Smith AL, 927
Smith C, 80
Smith DH, 37
Smith DW, 160
Smith PL, 499
Smith RD, 524
Smith TF, 632
Smith TH, 891
Smith WL, 122
Smithson WA, 632
Sobradillo B, 749
Söderström R, 332
Soderstrom SJ, 416
Solaun MR, 1024
Sorensen RU, 201
Souillet G, 47
South DA, 944
Spackman TJ, 680, 954
Speck WT, 106, 869
Speer M, 295
Spitzer R, 604
Spranger J, 159, 609
Spratt HC, 922
Spritz RA, 954
Sprunt K, 69
Spyrides P, 1038
Srouji MN, 988
Stahlman MT, 647
Stambolis CH, 634
Stamelos S, 262
Stanberry LR, 1029
Starr SE, 206
Starzl TE, 592
Stass SA, 335
Statter M, 984
Steele MW, 270
Steg NL, 254
Steichen JJ, 91
Stein RT, 162
Steinberg S, 505
Stenback WA, 995
Stern L, 827
Stern RC, 157, 201
Steuber CP, 995
Stevens DM, 192
Stickler GB, 779, 982
Stillman AE, 980
Stine SB, 254
Stinton VD, 102
Stitzel A, 604
Stocks J, 331, 1069
Stoerner JW, 862
Stollmann B, 634
Stonestreet BS, 857
Strauss AW, 258
Strauss RG, 726
Stroud HH, 254
Strunk RC, 181
Stuart BH, 901
Stuntz JT, 818
Sugg VM, 895
Sullivan DB, 416
Sussman MD, 84
Sutow WW, 439
Suzuki M, 896
Suzuki Y, 293
Svanborg Edén C, 398
Swarner OW, 519, 864
Swartz RD, 972
Syriopoulou VP, 927

T

Taber LH, 578
Takahashi M, 481
Tan KL, 494
Tanaka K, 471
Tang TT, 1052
Tanner JM, 541
Taussig LM, 181
Teichberg S, 617
Telander RL, 982
Terán CA, 722
Thompson DM, 871
Thompson JA, 88
Thompson KH, 13
Thongcharoen P, 492
Tolaymat A, 533
Tomiyama T, 896
Tomson G, 296
Touraine J, 47
Trainin EB, 460
Travis LB, 899
Truman JT, 812
Tsang RC, 91, 842
Tsurusawa M, 1063
Tucker JC, 812
Tyson KRT, 899
Tze WJ, 13

U

Ubriani RS, 791
Uhari M, 458
Uhrmann S, 512
Ulshen MH, 1034
Urbaniak SJ, 469
Urick JJ, 990
Urmson J, 604
Urrutia JJ, 916

V

Vain NE, 864
Valaes T, 157
Van den Noortgaete M, 266
van Doorninck WJ, 71, 535
van Eys J, 544
Vargas LM, 1024
Varma K, 803
Varma M, 221
Varma SK, 803
Vasan U, 837
Viana MB, 235
Virelizier JL, 404
Vitullo BB, 1060
Vlachos P, 1038
Vogel LC, 86
Vollet JJ, 383
von Reyn CF, 247
Von Schmidt B, 447
Vorderman AL, 584

W

Wagner ML, 578
Walbergh EJ, 565
Waldman S, 275
Walker SE, 416
Walker WA, 561
Wall PM, 162
Wallin A, 695
Walravens PA, 71, 535
Ward BH, 818
Ward JI, 37
Ware AJ, 959
Warren P, 451
Wartofsky L, 118
Wasi C, 492
Wassner SJ, 328
Watkins JB, 17
Way GL, 110
Wedgwood RJ, 330
Weidner NJ, 462
Weil WB Jr, 897
Weinberg AG, 959
Weinberger M, 158, 334, 536
Weinstein A, 937
Wesley JR, 113
Wessel MA, 165
West CD, 1, 167, 216
Whitington PF, 728
Whitman V, 652
Wigger HJ, 539
Wilimas J, 1061
Wilkinson AR, 1016
Williams G, 662
Williams J, 151
Williams RL, 138
Williams SA, 516
Wilson GN, 783
Wilson ML, 1015
Wingert WA, 725, 727
Winkelstein JA, 530
Winter RJ, 299
Wisotsky DH, 62
Woenne R, 744
Wolf B, 471
Wolfe RR, 110
Wood PA 206
Wood RE, 157, 931
Wood SM, 469
Woodall JP, 1049
Woodruff C, 883
Wright GB, 115
Wyatt RG, 916
Wyman ML, 519

Y

Yates TS, 254
Yogev R, 394
Yolken RH, 916
Yongsmith N, 428
Young TK, 324
Younoszai K, 1042
Yunis EJ, 762

Z

Zachmann M, 749
Zackai EH, 954
Zahka KG, 881
Zahler MC, 529
Zakut C, 151
Zbitnew A, 967
Zeltzer M, 149
Ziegler EE, 164, 476
Zion TE, 584
Ziter FA, 83, 88
Zvi AB, 984

*Subject index**

A

Abdominal plasma cell pseudotumor (Pisciotto et al) (BCLO), 628
Abscess, enteritis, and septicemia due to *Yersinia enterocolitica* with thalassemia (Butzler et al) (BCLO), 619
neonatal adrenal, due to *Bacteriodes* (Ohta et al) (Clin note), 1063
Abstracts of 1977 Midwest Society for Pediatric Research, 309
Abuse, child, presenting as immunodeficiency disease (Kohl et al) (BCLO), 466
Achondroplasia—standard growth curves for (Horton et al), 435
Acid deficiency, folic: Reversible cause of infantile hypotonia (Shapira et al) (BCLO), 984
serology, teichoic, in staphylococcal infections (Lē and Lewin), 572
Acidemia, propionic—correlation between serum propionate and blood ammonia concentrations in (Wolf et al) (BCLO), 471
Acidosis, metabolic, from loss of thoracic lymph (Siegler and Pearce) (BCLO), 465
Acrocyanosis, rash, anemia, diarrhea, and fever in 2-month-old girl (Chusid and Tang), 1052
Acrodermatitis enteropathica, zinc metabolism in (Walravens et al) (BCLO), 71
Acromegalic gigantism and tuberous sclerosis (Hoffman et al) (BCLO), 478
Actinomyces viscosus infection, cervicofacial (Larsen et al) (BCLO), 797
Adenosine deaminase deficiency—improved screening test for (Naylor et al) (BCLO), 473
—limited effect of erythrocyte and plasma infusions in (Schmalstieg et al), 597
ADH, inappropriate secretion of, in neonatal hypoxia (Leake) (Letter), 332
Adolescence, early—myocardial infarction in: Possible manifestation of prolapsing mitral valve syndrome (Jennings et al) (BCLO), 806
Adolescent(s) and children with thyroid disorders—thyroid antibodies in (Hopwood et al), 57
females, homeless—age of first intercourse among (Hein et al) (Clin note), 147
Adrenal abscess, neonatal, due to *Bacteriodes* (Ohta et al) (Clin note), 1063
cortical carcinoma—renal cell carcinoma following radiation therapy for (Andler et al) (BCLO), 634
hyperplasia, congenital virilizing, segmental hypertrophy, macrodactyly, and cystic lymphangioma (Hirano and Seeler) (Clin note), 326
African and Indian children with *Shigella* infections with special reference to *Shigella* septicemia (Scragg et al) (BCLO), 796
Age, gestational, in newborn infant, simplified method for diagnosis of (Capurro et al) (BCLO), 120
Agglutination, latex particle, and counterimmuno-electrophoresis—rapid diagnosis of Hemophilus influenzae type b infections by (Ward et al), 37
Airway conductance, upper, re neonatal mortality (Stocks and Godfrey) (Letter), 1069
obstruction, upper—diagnosis by fluoroscopy: Sleep apnea syndrome (Smith et al) (Clin note), 891
pulmonary hypertension secondary to—echocardiographic changes with (Nussbaum et al), 931
Alcohol in breast milk—pseudo-Cushing syndrome caused by (Binkiewicz et al) (BCLO), 965
syndrome, fetal, with neural tube defect and renal anomalics (Goldstein and Arulanantham) (BCLO), 636
Alimentation, central parenteral, in newborn infants: New technique for catheter placement (Vain et al) (BCLO), 864
parenteral—behavioral and dermatologic changes and low serum zinc and copper concentrations in two premature infants after (Sivasubramanian and Henkin), 847
Aluminum hydroxide, conservative management of bowel obstruction secondary to (Berger et al) (Letter), 899; (Bujanover) (Letter), 899; (Hurley) (Reply), 899
Amino acids, essential—treatment of complete ornithine transcarbamylase deficiency with nitrogen-free analogues of (McReynolds et al), 421
Ammonia, blood, and serum propionate concentrations correlated in propionic acidemia (Wolf et al) (BCLO), 471
AMP excretion, cyclic, and urinary phosphate following citrate-induced hypocalcemic stimulation of neonatal parathyroid glands (Brown et al), 842
Ampicillin-sensitive and ampicillin-resistant *H. influenzae* type B, effect of TMP-SMX on nasopharyngeal carriage of (Yogev et al), 394
therapy, oral—fatal pseudomembranous enterocolitis following (Auritt et al) (Clin note), 882
Amylase clearance, pancreatitis, and azathioprine (Isenberg) (Clin note), 1043
Anal atresia and absent penis with persistent cloaca in one of identical twins (Koffler et al) (BCLO), 821
ear, renal, and radial congenital malformations, syndrome of—autosomal dominant transmission of (Kurnit et al) (BCLO), 270
Anemia, autoimmune hemolytic, nucleoside phosphorylase deficiency, and selective T-cell deficiency—patient with (Carapella-de Luca et al) (BCLO), 100

*July, pp 1-166; August, pp 167-336; September pp 337-546; October pp 547-730; November pp 731-902; December pp 903-1070.

Anemia—Cont'd
diarrhea, fever, rash, and acrocyanosis in 2-month-old girl (Chusid and Tang), 1052
immunohemolytic, and Gilbert syndrome with marked hyperbilirubinemia (Lake et al) (BCLO), 812
iron deficiency, with marked elevation of FEP (Braitman) (Letter), 155
sickle cell, and cerebrovascular occlusion, moyamoya with (Seeler et al) (BCLO), 808
—iron studies in (Mahony et al) (Letter), 1070
thiamine-responsive megaloblastic, sensorineural deafness, and diabetes mellitus: New syndrome? (Viana and Carvalho), 235
Anencephalic donors—transplantation of cadaver kidneys from (Iitaka et al), 216
Anesthesia, induction of, in Duchenne muscular dystrophy—cardiac arrest during (Seay et al) (BCLO), 88
Ankylosing spondylitis, juvenile—atlantoaxial subluxation in (Reid and Hill) (Clin note), 531
"Anomalad," pro and con the term (Spranger) (Letter), 159; (Smith) (Reply), 160
prune-belly—pathogenesis of (King and Prescott) (BCLO), 273
Anomalies, multiple, sacrococcygeal chordoma in neonate with (Nix et al) (BCLO), 995
Antibody-dependent cytoxicity to cells infected with herpes simplex—human neonatal and maternal monocyte-macrophage and lymphocyte-mediated (Kohl et al), 206
leptospiral, and MLNS (Ohtaki et al) (Letter), 896
secretory, directed against rotavirus in human milk—measurement by means of enzyme-linked immunosorbent assay (Yolken et al), 916
to native deoxyribonucleic acid with juvenile rheumatoid arthritis and other connective tissue diseases, diagnostic significance of (Cassidy et al), 416
rotavirus detected by counterimmunoelectrophoresis in human serum, colostrum, and milk (Cook et al) (BCLO), 967
varicella zoster virus in LBW infants (Raker et al) (BCLO), 505
Antibodies, thyroid, in children and adolescents with thyroid disorders (Hopwood et al), 57
Antigenicity of infant formulas: Role of immature intestine on protein permeability (Eastham et al), 561
Antigens, cell-surface HLA-A and -B—absence associated with combined immunodeficiency disease (Touraine et al), 47
group B streptococcal, detected in body fluids of neonates (Siegel and McCracken) (BCLO), 491
Antimicrobial therapy. Part I. Review of antimicrobial agents (Eichenwald and McCracken), 337; Part II. Therapy of infectious conditions (McCracken and Eichenwald), 357
Apnea sleep syndrome: Diagnosis of upper airway obstruction by fluoroscopy (Smith et al) (Clin note), 891
Appendicitis, acute, re barium enema (Raifman and Berant) (Letter), 727; (Lewin et al) (Reply), 727
diagnosed by barium enema (Lukoff et al) (Letter), 724; (Lewin et al) (Reply), 725
Appendix, pseudodiverticulitis of—with neonatal Hirschsprung disease (Srouji et al) (BCLO), 988
Arachnodactyly, contractural, and severe mitral regurgitation with Marfan syndrome in premature infant (Gruber et al) (BCLO), 80
Arterial blood gas sampling, brachial—peripheral median nerve damage secondary to (Pape et al), 852
cannulation in newborn infant (Feldman) (Letter), 161; (Stein et al) (Letter), 162
oxygenation in newborn infants, noninvasive estimation of (Krauss et al), 275
Arteriosus, patent ductus—closure with ligation and indomethacin: Consecutive experience (Merritt et al), 639
—digoxin therapy in LBW infants with (Berman et al), 652
in hyaline membrane disease, improved lung compliance after ligation of (Naulty et al) (BCLO), 682
symptomatic patent ductus, in small preterm infants—randomized trial of early closure of (Cotton et al), 647
Artery catheterization, temporal—apparent cerebral embolization after (Prian et al) (BCLO), 115
—sequelae of (Au-Yeung et al) (Letter), 896
pressure, pulmonary, with persistent pulmonary hypertension—physiologic factors affecting (Peckhan and Fox), 1005
stenosis, renal, and unilateral obstructive hydronephrosis with severe hypertension (Uhari et al) (BCLO), 458
Arthritis, C3, and chronic glomerulonephritis, hypomorphic variant of (McLean et al), 937
juvenile rheumatoid, and other connective tissue diseases, diagnostic significance of antibody to native deoxyribonucleic acid with (Cassidy et al), 416
—intrahepatic cholestasis after gold therapy in (Ghishan et al) (Clin note), 1042
—neutropenia associated with chrysotherapy for (Thompson et al), 871
rheumatoid—hepatotoxicity with encephalopathy associated with aspirin therapy in (Ulshen et al), 1034
rheumatoid—possible toxicity of levamisole with (Prieur et al) (BCLO), 304
thorn-induced (Barton and Saied) (Clin note), 322
varicella, documented by isolation of virus from joint fluid (Priest et al) (BCLO), 990
L-Asparaginase, hyperglycemia associated with therapeutic use of: Possible role of insulin receptors (Carpentieri and Balch), 775
Aspirin hepatitis associated with encephalopathy (Petty et al) (Clin note), 881
therapy in rheumatoid arthritis, hepatotoxicity with encephalopathy associated with (Ulshen et al), 1034
Assay, enzyme-linked immunosorbent, measurement by means of—secretory antibody directed against rotavirus in human milk (Yolken et al), 916
Asthma and cystic fibrosis, bronchial hyperreactivity in (Mitchell et al), 744
dose of theophylline for (Weinberger and Hendeles) (Letter), 536
hypersensitivity to Vistaril with (Massoud) (Clin note), 308
Asthmatic children, terbutaline in: Dose-response study (Ardal et al) (BCLO), 305
Ataxia-telangiectasia: Primary defect? (Hecht and Kaiser-McCaw) (Letter), 897
Atlantoaxial subluxation in juvenile ankylosing spondylitis (Reid and Hill) (Clin note), 531

Atresia, anal, and absent penis with persistent cloaca in one of identical twins (Koffler et al) (BCLO), 821
pyloric (Terán) (Letter), 722
Autoimmune hemolytic anemia, nucleoside phosphorylase deficiency, and selective T-cell deficiency—patient with (Carapella-de Luca et al) (BCLO), 1000
Autosomal dominant transmission of syndrome of anal, ear, renal, and radial congenital malformations (Kurnit et al) (BCLO), 270
Azathioprine, pancreatitis, and amylase clearance (Isenberg) (Clin note), 1043

B

Bacteremia, polymicrobial, associated with pharyngotonsillitis, (Rosenfeld and Jameson) (BCLO), 251
Bacteria, ability of, to activate terminal complement components in serum of patients with cystic fibrosis (Buescher and Winkelstein) (Clin note), 530
Bacterial colonization of neonates admitted to intensive care environment (Goldmann et al), 288
Bactericidal concentrations, minimum, and minimum inhibitory, discrepancy between—penicillin for groups A and B β-hemolytic streptococci (Allen and Sprunt) (BCLO), 69
Bacteroides fragilis meningitis in neonate successfully treated with metronidazole (Berman et al) (BCLO), 793
neonatal adrenal abscess due to (Ohta et al) (Clin note), 1063
Bacteriology, differing, among in- and out-patients: Otitis media in infants less than 12 weeks of age (Berman et al) (BCLO), 453
Bacteriuria, asymptomatic, significance of (Wassner) (Letter), 328; (Lindberg et al) (Reply), 328
Balance studies in newborn infants (Shenai) (Clin note), 533
Barium enema, diagnosis of appendicitis by (Lukoff et al) (Letter), 724; (Lewin et al) (Reply), 725
re acute appendicitis (Raifman and Berant) (Letter), 727; (Lewin et al) (Reply), 727
Bayley-Pinneau, Roche-Wainer-Thissen, and Tanner height predictions in normal children and in patients with various pathologic conditions (Zachmann et al), 749
Behavior disorders, select, in children suggesting manic-depressive illness—lithium carbonate treatment of (DeLong), 689
Behavioral and dermatologic changes and low serum zinc and copper concentrations in two premature infants after parenteral alimentation (Sivasubramanian and Henkin), 847
consequences of congenital rubella (Chess et al), 699
Bicarbonate infusions, intravenous sodium, and cerebral intraventricular hemorrhage, relationship of (Papile et al), 834
Bile duct, common, in cystic fibrosis—intrapancreatic compression of (Vitullo et al) (Clin note), 1060
Biliary atresia, extrahepatic—ductal remnants in: Histopathologic study with clinical correlation (Chandra and Altman), 196
Bilirubin, "direct," effect on "free" bilirubin measurements (Valaes) (Letter), 157
binding determinations, neonatal—clinical application of: Current status (Cashore et al), 827
Blindness, cortical, and quadriplegia in *H. influenzae* meningitis (DeSousa et al) (BCLO), 253
as complication of hemodialysis (Moel and Kwun) (Clin note), 890
Blood ammonia and serum propionate concentrations correlated in propionic acidemia (Wolf et al) (BCLO), 471
gas sampling, brachial arterial—peripheral median nerve damage secondary to (Pape et al), 852
lead concentration and maternal lead exposure (Ryu et al) (BCLO), 476
levels of diazepam after single rectal administration (Dulac et al) (BCLO), 1039
pressure, children's, and adult hypertensive disease (North) (Letter) 156; (Goldring et al) (Reply), 156
screening, cord, for sickle hemoglobins: Evidence for female preponderance of hemoglobin S (Kramer et al) (BCLO), 998
umbilical cord, and respiratory distress syndrome, prolactin in (Gluckman et al), 1011
Bochdalek hernia presenting as gastric outlet obstruction (Etzioni et al) (Clin note), 149
Body rocking, head banging, and head rolling in normal children (Sallustro and Atwell), 704
surface area, geometric method for measuring: Height-weight formula validated in infants, children, and adults (Haycock et al), 62
Bone, constitutional diseases of—international nomenclature of, 614
Book review, 885
Bowel obstruction secondary to aluminum hydroxide, conservative management of (Berger et al) (Letter), 899; (Bujanover) (Letter), 899; (Hurley) (Reply), 899
Brain growth, catch-up—demonstration by CAT scan (Marks et al) (BCLO), 254
tumors, childhood—chemotherapy for (van Eys and Cangir) (Editor's column), 544
Breast feeding, prolonged—need for iron supplementation in infants on (Saarinen), 177
milk, alcohol in—pseudo-Cushing syndrome caused by (Binkiewicz et al) (BCLO), 965
vs bottle feeding and incidence of illness, more on (Strauss) (Letter), 726; (Larsen and Homer) (Reply), 726
Breath(s) hydrogen determination, interval—noninvasive diagnosis by: Sucrose malabsorption (Perman et al), 17
first postnatal, in human subjects—pulmonary pressure/volume relationships during last phase of delivery and (Saunders and Milner), 667
Bronchial hyperreactivity in cystic fibrosis and asthma (Mitchell et al), 744

C

C3, arthritis, and chronic glomerulonephritis, hypomorphic variant of (McLean et al), 937
Calcivirus and minirotavirus, nosocomial infantile gastroenteritis associated with (Spratt et al), 922
Camptodactyly, facial anomalies, and pulmonary hypoplasia, syndrome of (Williams et al) (Clin note), 151
Cancer in childhood, course of five-year survivors (Li et al), 185
parents of children with leukemia (Marchetto et al) (Letter), 537

Cancer—Cont'd
therapy, effects on nervous system (Allen), 903
Candida albicans and *E. coli*, killing of, and phagocytosis: Human colostral cells (Ho and Lawton), 910
Cannulation, arterial, in newborn infant (Feldman) (Letter), 161; (Stein et al) (Letter), 162
Capillary, digital, sampling (Powers) (Letter), 729; (Poland and Karna) (Reply), 729
Carbamazepine, liver functions in children receiving (Huf and Schain) (Clin note), 884
Carbohydrate metabolism, disorders of. I. Congenital lipodystrophy: Endocrine study in three siblings (Huseman et al), 221
Carbuncle, renal, with congenital nephrotic syndrome (Crawford et al) (BCLO), 78
Carcinoma, renal cell, following radiation therapy for adrenal cortical carcinoma (Andler et al) (BCLO), 634
Cardiac arrest during induction of anesthesia in Duchenne muscular dystrophy (Seay et al) (BCLO), 88
catheterization in neonate (Porter et al), 97
defects, critical congenital—administration of prostaglandin E_1 in neonates with (Lewis et al), 481
Carnitine deficiency, systemic (Ware et al), 959
Carpal-tarsal osteolysis (Erickson et al), 779
Carrier(s) detection in ornithine transcarbamylase deficiency (Hokanson et al) (BCLO), 75
translocation—more on (Priest) (Letter), 896
CAT scan, demonstration by—catch-up brain growth (Marks et al) (BCLO), 254
Catecholamines and metabolites, urinary (De Schaepdryver et al) (BCLO), 266
Catheter placement, new technique for: Central parenteral alimentation in newborn infants (Vain et al) (BCLO), 864
umbilical, retrieval in premature infant (Smith) (BCLO), 499
Catheterization, cardiac, in neonate (Porter et al), 97
temporal artery—apparent cerebral embolization after (Prian et al) (BCLO), 115
—sequelae of (Au-Yeung et al) (Letter), 896
Cell(s) anemia, sickle—iron studies in (Mahony et al) (Letter), 1070
carcinoma, renal, following radiation therapy for adrenal cortical carcinoma (Andler et al) (BCLO), 634
disease, sickle, G-6-PH deficiency, and jaundice (Ozsoylu) (Letter), 898; (Seeler) (Reply), 898
hand mirror—significance of: Commentary (Schumacher and Stass) (Editor's column), 335
human colostral: Phagocytosis and killing of *E. coli* and *C. Albicans* (Ho and Lawton), 910
I-, disease—neonatal presentation of (Spritz et al), 954
infected with herpes simplex—human neonatal and maternal monocyte-macrophage and lymphocyte-mediated antibody-dependent cytotoxicity to (Kohl et al), 206
normal human uroepithelial—adhesion of *E. coli* from children with various forms of urinary tract infection (Svanborg Edén et al), 398
obtained from normal donors, fatal graft-versus-host reaction following transfusion of: Acute leukemia and granulocyte transfusion (Rosen et al) (BCLO), 268
precursor T—selective defect associated with apparently normal B lymphocytes in severe combined immunodeficiency disease (Griscelli et al), 404
Cell(s)—Cont'd
pseudotumor, abdominal plasma (Pisciotto et al) (BCLO), 628
-surface HLA-A and -B antigens—absence associated with combined immunodeficiency disease (Touraine et al), 47
T-, defiency, nucleoside phosphorylase deficiency, and autoimmune hemolytic anemia—patient with (Carapella-de Luca et al) (BCLO), 1000
Cellular immunity, prolonged impairment of, with intrauterine growth retardation (Ferguson), 52
intra-, deoxyribonucleic acid-modifying activity of intermittent phototherapy (Santella et al), 106
Cephalosporins, oral—pharmacokinetics of (Finkelstein et al) (Letter), 902
Cerebral embolization, apparent, after temporal artery catheterization (Prian et al) (BCLO), 115
intraventricular hemorrhage and intravenous sodium bicarbonate infusions, relationship of (Papile et al), 834
Cerebrovascular occlusion and sickle cell anemia, moyamoya with (Seeler et al) (BCLO), 808
Cervicofacial *Actinomyces viscosus* infection (Larsen et al) (BCLO), 797
Cestoda (*Mesocestoides*) infection the US (Gutierrez et al) (BCLO), 245
Chemotherapy for childhood brain tumors (van Eys and Cangir) (Editor's column), 544
malignancy—response to influenza virus vaccine in children receiving (Smithson et al) (BCLO), 632
Chlamydial pneumonitis (Arth et al) (BCLO), 447
Chlorambucil therapy, significant side effect of: Seizures (Williams et al) (BCLO), 516
Chlorpropamide-induced hypoglycemia—intravenous infusion of diazoxide in treatment of (Jacobs et al) (BCLO), 801
Cholestasis, familial—efficacy and safety of long-term phenobarbital therapy of (Ghent et al), 127
intrahepatic, after gold therapy in juvenile rheumatoid arthritis (Ghishan et al) (Clin note), 1042
Cholestramine and phototherapy—combined treatment of neonatal jaundice with (Nicolopoulos et al) (BCLO), 684
Chordoma, sacrococcygeal, in neonate with multiple anomalies (Nix et al) (BCLO), 995
Choreiform activity in hemoglobin SC disease (Ali et al) (Clin note), 1061
Chorioangioma of placenta and intrauterine growth failure (King and Lovrien) (Clin note), 1027
Chromosome 3 duplication and Cornelia de Lange syndrome, association of (Wilson et al), 783
translocation, 8-21—acute childhood myelogenous leukemia with (Kaneko et al) (Clin note), 1066
Chrysotherapy for juvenile rheumatoid arthritis, neutropenia associated with (Thompson et al), 871
Cirrhotic, non-, portal fibrosis following neonatal cytomegalic inclusion disease (Dresler and Linder) (Clin note), 887
Citrobacter infections of central nervous system (Vogel et al) (BCLO), 86
Cleft lip or palate—growth hormone deficiency with (Rudman et al), 378
Clefting syndrome with ocular anterior chamber defect and lid anomalies (Michels et al), 444

Cloaca, persistent, with absent penis and anal atresia in one of identical twins (Koffler et al) (BCLO), 821
Clomiphene and neural tube defects—possible relationship between (Singh and Singhi) (Clin note), 152
Coagulopathy, severe, complicating charcoal hemoperfusion with Reye syndrome (Engle et al) (BCLO), 972
Cohen syndrome, confirmation of (Carey and Hall), 239
Colchicine therapy, long-term, of familial Mediterranean fever (Lehman et al), 876
Colostral cells, human: Phagocytosis and killing of *E. coli* and *C. albicans* (Ho and Lawton), 910
Colostrum, human serum, and milk—detection of antibody to rotavirus by counterimmunoelectrophoresis in (Cook et al) (BCLO), 967
Communication disorders, sign language in (Ferry and Cooper), 547
Complement—activity of alternative pathway in newborn infant (Adamkin et al), 604
components, terminal, in serum of patients with cystic fibrosis—ability of bacteria to activate (Buescher and Winkelstein) (Clin note), 530
Computerized single entry system for recording data and reporting data on high-risk newborn infants (Janik et al), 519
Congenital cardiac defects, critical—administration of prostaglandin E_1 in neonates with (Lewis et al), 481
generalized phlebectasia (cutis marmorata telangiectatica congenita) (South and Jacobs), 944
hypoprothrombinemia, severe (Gill et al) (BCLO), 264
hypothyroidism and IQ increase: Quarter century follow-up (Money et al), 432
lipodystrophy: Endocrine study in three siblings. I. Disorders of carbohydrate metabolism (Huseman et al), 221
malformations, anal, ear, renal, and radial, syndrome of—autosomal dominant transmission of (Kurnit et al) (BCLO), 270
nephrotic syndrome with renal carbuncle (Crawford et al) (BCLO), 78
neurosensory deafness and icthyosiform erythroderma (Levin) (Letter), 329; (Silvestri) (Letter), 329; (Ochs et al) (Letter), 330; (Senter and Jones) (Reply), 331
rubella, behavioral consequences of (Chess et al), 699
encephalitis in nonretarded children, longitudinal course of (Desmond et al), 584
virilizing adrenal hyperplasia, segmental hypertrophy, macrodactyly, and cystic lymphangioma (Hirano and Seeler) (Clin note), 326
Copper and zinc concentrations, low serum, and dermatologic and behavioral changes in two premature infants after parenteral alimentation (Sivasubramanian and Henkin), 847
Cord blood screening for sickle hemoglobins: Evidence for female preponderance of hemoglobin S (Kramer et al) (BCLO), 998
umbilical, and respiratory distress syndrome, prolactin in (Gluckman et al), 1011
Cornelia de Lange syndrome and chromosome 3 duplication, association of (Wilson et al), 783
Cortical blindness as complication of hemodialysis (Moel and Kwun) (Clin note), 890
carcinoma, adrenal—renal cell carcinoma following radiation therapy for (Andler et al) (BCLO), 634
Counterimmunoelectrophoresis and latex particle agglutination—rapid diagnosis of *H. influenzae* type b infections by (Ward et al), 37
Coxsackie A-5 virus, neonatal herpangina caused by (Chawareewong et al) (BCLO), 492
CPAP, intermittent bag ventilation of preterm infants on: Effect of transcutaneous Po_2 (Okken et al), 279
Cranial, intra-, hemorrhage, in utero, and hydrops fetalis (Bose) (Clin note), 1023
hypertension, benign, with tetracycline therapy (Jay and Jay) (Letter), 901; (Stuart and Litt) (Reply), 901
Craniosynostosis, premature: Common complication of juvenile thyrotoxicosis (Johnsonbaugh et al), 188
Craniotomy, post-, diabetes insipidus: Treatment with DDAVP, a synthetic analog of vasopressin (Daneman et al) (BCLO), 879
Cryptorchidism, hCG stimulation test in prepubertal boys with (Anoussakis et al) (BCLO), 630
Cushing, pseudo-, syndrome caused by alcohol in breast milk (Binkiewicz et al) (BCLO), 965
Cutis laxa with intrauterine growth retardation and hip dislocation in male (Philip) (Clin note), 150
marmorata telangiectatica congenita (congenital generalized phlebectasia) (South and Jacobs), 944
Cyanide poisoning, acute, following administration of Laetrile enemas (Ortega and Creek) (Clin note), 1059
Cyst, ruptured ovarian, in newborn infant (Monson et al) (Clin note), 324
Cystic fibrosis—ability of bacteria to activate terminal complement components in serum of patients with (Buescher and Winkelstein) (Clin note), 530
and asthma, bronchial hyperreactivity in (Mitchell et al), 744
—iatrogenic hyperuricemia with (Davidson et al) (BCLO), 976
intrapancreatic compression of common bile duct in cystic fibrosis (Vitullo et al) (Clin note), 1060
—iodide-induced hypothyroidism without goiter with (Rosenstein et al) (BCLO), 261
lymphocyte responsiveness to *Pseudomonas aeruginosa:* Relationship to statis of pulmonary disease in sibling pairs (Sorensen et al), 201
Cystitis and pyelonephritis—urinary lactic dehydrogenase isoenzyme IV and V in differential diagnosis of (Devaskar and Montgomery) (BCLO), 789
Cytomegalic inclusion disease, neonatal—noncirrhotic portal fibrosis following (Dresler and Linder) (Clin note), 887
Cytoxicity, human neonatal and maternal monocyte-macrophage and lymphocyte-mediated antibody-dependent, to cells infected with herpes simplex (Kohl et al), 206

D

DDAVP, management of diabetes insipidus with (Lampert et al) (Letter), 896
synthetic analog of vasopressin, treatment with: Postcraniotomy diabetes insipidus (Daneman et al) (BCLO), 879
Deafness, congenital neurosensory, and icthyosiform erythroderma (Levin) (Letter), 329; (Silvestri), (Letter), 329; (Ochs et al) (Letter), 330; (Senter and Jones) (Reply), 331

Deafness—Cont'd
senorineural, diabetes mellitus, and thiamine-responsive megaloblastic anemia: New syndrome? (Viana and Carvalho), 235
Deliveries, so-called unsterile: Management of infants (Fomufod) (Clin note), 153
Dengue in American children of Caribbean (Morens et al) (BCLO), 1049
Deoxyribonucleic acid–modifying activity, intracellular, of intermittent phototherapy (Santella et al), 106
native, with juvenile rheumatoid arthritis and other connective tissue diseases, diagnostic significance of antibody to (Cassidy et al), 416
Depilation treatment of hypertrichosis (Earhart) (Letter), 721
Dermatitis, seborrheic—hypernatremia in (Jeanneau et al) (Clin note), 148
Dermatologic and behavioral changes and low serum zinc and copper concentrations in two premature infants after parenteral alimentation (Sivasubramanian and Henkin), 847
Developmental screening tests used by primary-care pediatricians (Smith), 524
Diabetes insipidus managed with DDAVP (Lampert et al) (Letter), 896
postcraniotomy: Treatment with DDAVP, a synthetic analog of vasopressin (Daneman et al) (BCLO), 879
mellitus, thiamine-responsive megaloblastic anemia, and sensorineural deafness: New syndrome? (Viana and Carvalho), 235
Diabetic control, indicator of—HbAlc (Tze et al), 13
ketoacidosis associated with pneumomediastinum (Zahler et al) (Clin note), 529
Diarrhea, fever, anemia, rash, and acrocyanosis in 2-month-old girl (Chusid and Tang), 1052
monosaccharide intolerance and soy-protein hypersensitivity with (Goel et al) (BCLO), 617
prospective study of enteropathogens, in Houston and Mexico (Pickering et al), 383
Diastrophic dysplasia, phenotypic variability of (Horton et al), 609
Diazepam, blood levels of, after single rectal administration (Dulac et al) (BCLO), 1039
Diazoxide, intravenous infusion of, in treatment of chlorpropamide-induced hypoglycemia (Jacobs et al) (BCLO), 801
Digestion, fat, in stomach of premature infants. I. Characteristics of lipase activity (Hamosh et al), 674
Digital capillary sampling (Powers) (Letter), 729: (Poland and Karna) (Reply), 729
Digoxin therapy in LBW infants with patent ductus arteriosus (Berman et al), 652
Disease *see* specific disease
Diseases, constitutional, of bone—international nomenclature of, 614
Diverticulitis, pseudo-, of appendix with neonatal Hirschsprung disease (Srouji et al) (BCLO), 988
Diving reflex and supraventricular tachycardia, more on (Ciastko) (Letter), 721
Dopamine: Caution in use in neonate (Kliegman and Fanaroff) (Letter), 540; (Driscoll) (Reply), 541
Dosage accuracy of chewable theophylline (Finkelstein and Koup) (Letter), 333; (Weinberger) (Reply), 334
Duchenne muscular dystrophy, cardiac arrest during anesthesia in (Seay et al) (BCLO), 88
Ductal remnants in extrahepatic biliary atresia: Histopathologic study with clinical correlation (Chandra and Altman), 196
Ductus arteriosus, silent (McGrath et al), 110
Dysplasia, diastrophic—phenotypic variability of (Horton et al), 609
Dystrophy, Duchenne muscular—cardiac arrest during anesthesia in (Seay et al) (BCLO), 88
reflex neurovascular (Bernstein et al), 211
sympathetic: Successful treatment by transcutaneous nerve stimulation (Richlin et al) (BCLO), 84

E

Ear, anal, renal, and radial congenital malformations, syndrome of—autosomal dominant transmission of (Kurnit et al) (BCLO), 270
Echocardiographic changes with pulmonary hypertension secondary to upper airway obstruction (Nussbaum et al), 931
Echocardiography, contrast—diagnosis of pulmonary arteriovenous fistula by (Hernandez et al) (BCLO), 258
Effusion—microbiology of recurrent and chronic otitis media with (Riding et al), 739
Electrocardiographic abnormalities—hyperkalemia (Weidner et al) (BCLO), 462
Embolism, pulmonary, in neonate: Occurrence during course of total parenteral nutrition (Wesley et al) (BCLO), 113
Embolization, apparent cerebral, after temporal artery catheterization (Prian et al) (BCLO), 115
Emphysema, pulmonary interstitial—surgical resection in neonate (Bauer et al), 656
Empyema, *Pasteurella multocida* pleura (Goldenberg et al) (BCLO), 994
Encephalitis, congenital rubella, in nonretarded children—longitudinal course of (Desmond et al), 584
Encephalopathy, aspirin hepatitis associated with (Petty et al) (Clin note), 881
associated with aspirin therapy in rheumatoid arthritis, hepatotoxicity with (Ulshen et al), 1034
Endocrine study in three siblings: Congenital lipodystrophy. I. Disorders of carbohydrate metabolism (Huseman et al), 221
Endotracheal tube from esophagus, retrieval of (Lababidi et al) (Clin note), 1025
Enema, barium—diagnosis of appendicitis by (Lukoff et al) (Letter), 724; (Lewin et al) (Reply), 725
re acute appendicitis (Raifman and Berant) (Letter), 727; (Lewin et al) (Reply), 727
Laetrile—acute cyanide poisoning following administration of (Ortega and Creek) (Clin note), 1059
Energy-protein malnutrition, infantile—oral iron absorption in (Massa et al), 1045
Enteritis, abscess, and septicemia due to *Yersinia enterocolitica* with thalassemia (Butzler et al) (BCLO), 619
Enterobacter hafnia meningitis (Mojtabaee and Siadati) (Clin note), 1062
Enterocolitis, fatal pseudomembranous, following oral ampicillin therapy (Auritt et al) (Clin note), 882
milk- and soy-induced, of infancy (Powell), 553

Enterocolitis—Cont'd
necrotizing—alterations in stool flora resulting from oral kanamycin prophylaxis of (Boyle et al), 857
Enterococcal, non-, group D streptococcal infection, early onset in newborn infant (Alexander and Giacoia) (BCLO), 489
Enteropathogens with diarrhea in Houston and Mexico, prospective study of (Pickering et al), 383
Enzyme-linked immunosorbent assay, measurement by means of—secretory antibody directed against rotavirus in human milk (Yolken et al), 916
Enzymes, urea cycle—activity of: Methylmalonyl-CoA mutase deficiency associated with severe neonatal hyperammonemia (Shapiro et al) (BCLO), 986
Epilepsy and immunoglobulin deficiency associated with XXX syndrome (Sills et al) (BCLO), 469
Epiphysis, slipped capital femoral, associated with primary hypothyroidism (Hirano et al) (BCLO), 262
Erythrocyte and plasma infusions—limited effect in adenosine deaminase deficiency (Schmalstieg et al), 597
Erythroleukemia with neurofibromatosis (Roloff et al) (Clin note), 888
Escherichia coli, adhesion to normal human uroepithelial cells of—from children with various forms of urinary tract infection (Svanborg Edén et al), 398
and *C. albicans*, killing of, and phagocytosis: Human colostral cells (Ho and Lawton), 910
KL rectal colonization, neonatal—factors affecting (Peter and Nelson) (BCLO), 866
Esophageal sphincter, incompetent lower, and gastroesophageal reflux in recurrent acute pulmonary disease (Christie et al), 23
Esophagus, retrieval of endotracheal tube from (Lababidi et al) (Clin note), 1025

F

Facial anomalies, camptodactyly, and pulmonary hypoplasia, syndrome of (Williams et al) (Clin note), 151
Factor IX inhibitor, spontaneously acquired, in nonhemophiliac child (Miller et al), 232
Familial cholestasis, efficacy and safety of long-term phenobarbital therapy of (Ghent et al), 127
Mediterranean fever, long-term colchicine therapy of (Lehman et al), 876
Fat digestion in stomach of premature infants. I. Characteristics of lipase activity (Hamosh et al), 674
Fatty acid deficiency, essential—inunction of oil to correct (Friedman) (Letter), 1068; (Hunt et al) (Reply), 1069
Feeding(s), breast vs bottle, and incidence of illness, more on (Strauss) (Letter), 726; (Larsen and Homer) (Reply), 726
first, in neonates—hormonal response to (Bloom et al) (Letter), 900; (King et al) (Reply), 901
human milk, and hyponatremia in very LBW infants (Kumar and Sacks) (Clin note), 1026
tube, perforation of, into right renal pelvis (Fogle et al) (BCLO), 122
Femoral epiphysis, slipped capital, associated with primary hypothyroidism (Hirano et al) (BCLO), 262
FEP, marked elevation of, with iron deficiency anemia (Braitman) (Letter), 155
Fetal alcohol syndrome with neural tube defect and renal anomalies (Goldstein and Arulanatham) (BCLO), 636
Fetus at risk for hemoglobin S-O disease—Arab, prenatal diagnosis in (Kazazian et al) (BCLO), 502
Fever, diarrhea, anemia, rash, and acrocyanosis in 2-month-old girl (Chusid and Tang), 1052
typhoid: Unusual presentation (David and Tolaymat) (Clin note), 533
Fibrosis, noncirrhotic portal, following neonatal cytomegalic inclusion disease (Dresler and Linder) (Clin note), 887
Fistula, persistent neurenteric—unusual presentation of: Pneumocephalus (Lynn et al) (BCLO), 818
pulmonary arteriovenous, diagnosed by contrast echocardiography (Hernandez et al) (BCLO), 258
Fluid(s), body, of neonates—detection of group B streptococcal antigens in (Siegel and McCracken) (BCLO), 491
intake in neonates, chart for (Kahn et al) (Clin note), 296
Fluoroscopy, diagnosis of upper airway obstruction by: Sleep apnea syndrome (Smith et al) (Clin note), 891
Folic acid deficiency: Reversible cause of infantile hypotonia (Shapira et al) (BCLO), 984
Formulas, infant—antigenicity of: Role of immature intestine on protein permeability (Eastham et al), 561
Fractured ribs: Unusual presentation of rickets in premature infants (Geggel et al) (BCLO), 680
Furosemide and indomethacin administered in sick LBW infants, urinary excretion of prostaglandin E following (Friedman et al), 512
in newborn infants, pharmacokinetic disposition and protein binding of (Aranda et al), 507

G

Gastroenteritis, nosocomial infantile, associated with minirotavirus and calcicvirus (Spratt et al), 922
rotavirus—clinical study of (Delage et al) (BCLO), 455
Gastric outlet obstruction, Bochdalek hernia presenting as (Etzioni et al) (Clin note), 149
Gastroesophageal reflux and incompetent lower esophageal sphincter in recurrent acute pulmonary disease (Christie et al), 23
Gaucher disease, acute neuropathic, in black infant (Forster et al) (BCLO), 823
Generations, four successive, ovarian fibromata in (Dumont-Herskowitz et al) (BCLO), 621
Gentamicin serum levels used to individualize therapy (Evans et al), 133
Gestational age in newborn infant, simplified method for diagnosis of (Capurro et al) (BCLO), 120
Gigantism, acromegalic, and tuberous sclerosis (Hoffman et al) (BCLO), 478
Gilbert syndrome and immunohemolytic anemia with marked hyperbilirubinemia (Lake et al) (BCLO), 812
Glands, neonatal parathyroid—urinary phosphate and cyclic AMP excretion following citrate-induced hypocalcemic stimulation of (Brown et al), 842
Glomerular filtration rate, separate, using a single injection of ^{99m}Tc-DTPA and the scintillation camera, a simple method for measuring (Piepsz et al), 769

Glomerlonephritides, chronic. Part I (West and McAdams), 1; Part II (West and McAdams), 167
Glomerulonephritis, acute poststreptococcal, mimicking Henoch-Schönlein purpura (Goodyer et al), 412
thrombocytopenia with (Kaplan and Esseltine) (BCLO), 974
chronic, C3, and arthritis, hypomorphic variant of (McLean et al), 937
immune-complex-mediated, and pulmonary hemorrhage simulating Goodpasture syndrome (Loughlin et al), 181
Glomerulosclerosis, focal: Correlation of histology with prognosis (Ellis et al), 762
Glossitis, acute, due to *H. influenzae* type b (Edwards and Reynolds) (Clin note), 532
Glucose-6-phosphate dehydrogenase deficiency, phototherapy in newborn infants with (Kopelman et al) (BCLO), 497
sickle cell disease, and jaundice (Ozsoylu) (Letter), 898; (Seeler) (Reply), 898
with severe methemoglobinemia (Hibbard et al) (BCLO), 816
Goiter, without, with cystic fibrosis—iodide-induced hypothyroidism (Rosenstein et al) (BCLO), 261
Gold therapy in juvenile rheumatoid arthritis, intrahepatic cholestasis after (Ghishan et al) (Clin note), 1042
Goodpasture syndrome—immune-complex-mediated glomerulonephritis and pulmonary hemorrhage simulating (Loughlin et al), 181
Graft-versus-host reaction, fatal, following transfusion of cells obtained from normal donors: Acute leukemia and granulocyte transfusion (Rosen et al) (BCLO), 268
Granulocyte transfusion and acute leukemia: Fatal graft-versus-host reaction following transfusion of cells obtained from normal donors (Rosen et al) (BCLO), 268
Growth, catch-up brain—demonstration by CAT scan (Marks et al) (BCLO), 254
curves, standard, for achondroplasia (Horton et al), 435
failure, intrauterine, and chorioangioma of placenta (King and Lovrien) (Clin note), 1027
hormone deficiency—prevalence with cleft lip or palate (Rudman et al), 378
with Silver-Russell syndrome (O'Brien et al) (Clin note), 152
retardation, intrauterine, and hip dislocation in male—cutis laxa with (Philip) (Clin note), 150
—prolonged impairment of cellular immunity with (Ferguson), 52

H

Hallerman-Streiff syndrome—deficiency of humoral immunity and hypoparathyroidism associated with (Chandra et al) (Clin note), 852
Haloperiodol poisoning, acute (Sinaniotis et al) (BCLO), 1038
Hand mirror cells, significance of: Commentary (Schumacher and Stass) (Editor's column), 335
HbAlc—indicator of diabetic control (Tze et al), 13
hCG stimulation test in prepubertal boys with cryptorchidism (Anoussakis et al) (BCLO), 630
Head banging, body rocking, and head rolling in normal children (Sallustro and Atwell), 704
Height, predicting adult—correction to TW2 RUS-based tables for (Tanner) (Letter), 541
predictions—Bayley-Pinneau, Tanner, and Roche-Wainer-Thissen—in normal children and in patients with various pathologic conditions (Zachmann et al), 749
weight formula validated in infants, children, and adults: Geometric method for measuring body surface area (Haycock et al), 62
Hematoma, intracerebellar, in neonate (Rom et al), 486
Hemodialysis, complication of—cortical blindness (Moel and Kwun) (Clin note), 890
treatment, outcome of 53 patients requiring: Acute renal failure (Hodson et al), 756
Hemoglobin S, evidence for female preponderance of: Cord blood screening for sickle hemoglobins (Kramer et al) (BCLO), 998
SC and pneumococcal infection (Seeler) (Letter), 535
disease, choreiform activity in (Ali et al) (Clin note), 1061
S-O_{Arab} disease, prenatal diagnosis in fetus at risk for (Kazazian et al) (BCLO), 502
Hemoglobinopathy, SC—severe *Mycoplasma* pneumonia and vesicular eruption in (Chusid et al) (BCLO), 449
β-, streptococci, groups A and B—discrepancy between minimum inhibitory and minimum bactericidal concentrations of penicillin for (Allen and Sprunt) (BCLO), 69
Hemolytic anemia, autoimmune, nucleoside phosphorylase deficiency, and selective T-cell deficiency—patient with (Carapella-de Luca et al) (BCLO), 100
Hemoperfusion, charcoal, with Reye syndrome—severe coagulopathy complicating (Engle et al) (BCLO), 972
Hemophilia, neonatal subgaleal hemorrhage in (Cohen) (Clin note), 1022
Hemophiliac, non-, child—spontaneously acquired Factor IX inhibitor in (Miller et al), 232
Hemophilus influenzae infection in neonate mimicking respiratory distress syndrome (Speer et al) (Clin note), 295
meningitis, experimental—ventricular involvement in (Daum et al), 927
meningitis—quadriplegia and cortical blindness in (DeSousa et al) (BCLO), 253
type b—acute glossitis due to (Edwards and Reynolds) (Clin note), 532
ampicillin-sensitive and ampicillin-resistant—effect of TMP-SMX on nasopharyngeal carriage of (Yogev et al), 394
infections—rapid diagnosis by latex particle agglutination and counterimmunoelectrophoresis (Ward et al), 37
pneumonia in 43 children (Asmar et al), 389
meningitis caused by (Denis et al) (Clin note), 1064
Hemorrhage, cerebral intraventricular, and intravenous sodium bicarbonate infusions, relationship of (Papile et al), 834
in utero intracranial, and hydrops fetalis (Bose) (Clin note), 1023
neonatal subgaleal, in hemophilia (Cohen) (Clin note), 1022
pulmonary, and immune-complex-mediated glomerulonephritis simulating Goodpasture syndrome (Loughlin et al), 181
systemic lupus erythematosus (Rajani et al) (BCLO), 810

Henoch-Schönlein purpura mimicked by acute poststreptococcal glomerulonephritis (Goodyer et al), 412
Hepatic, intra-, cholestasis after gold therapy in juvenile rheumatoid arthritis (Ghishan et al) (Clin note), 1042
Hepatitis, aspirin, associated with encephalopathy (Petty et al) (Clin note), 881
Hepatoma and hereditary tyrosinemia—homotransplantation of liver in patient with (Fisch et al), 592
Hepatotoxicity with encephalopathy associated with aspirin therapy in rheumatoid arthritis (Ulshen et al), 1034
Hereditary pancreatitis, pseudocyst formation in (Fried and Selke), 950
tyrosinemia and hepatoma—homotransplantation of liver in patient with (Fisch et al), 592
Hernia, Bochdalek, presenting as gastric outlet obstruction (Etzioni et al) (Clin note), 149
Herpangina, neonatal, caused by Coxsackie A-5 virus (Chawareewong et al) (BCLO), 492
Herpes simplex—human neonatal and maternal monocyte-macrophage and lymphocyte-mediated an antibody-dependent cytoxicity to cells infected with (Kohl et al), 206
Hip dislocation and intrauterine growth retardation in male—cutis laxa with (Philip) (Clin note), 150
Hirschsprung disease, pseudodiverticulitis of appendix with neonatal (Srouji et al) (BCLO), 988
Histology with prognosis, correlation of: Focal glomerulosclerosis (Ellis et al), 762
HLA-A and -B antigens, cell-surface—absence associated with combined immunodeficiency disease (Touraine et al), 47
Hodgkin disease complicated by acute leukemia (Powers et al) (Clin note), 323
Homotransplantation of liver in patient with hepatoma and hereditary tyrosinemia (Fisch et al), 592
Humoral immunity and hypoparathyroidism, deficiency of, associated with Hallerman-Streiff syndrome (Chandra et al) (Clin note), 852
response to first feeding in neonates (Bloom et al) (Letter), 900; (King et al) (Reply), 901
Hormone deficiency, growth—prevalence in children with cleft lip or palate (Rudman et al), 378
with Silver-Russell syndrome (O'Brien et al) (Clin note), 152
Hyaline membrane disease—improved lung compliance after ligation of patent ductus arteriosus in (Naulty et al) (BCLO), 682
Hydrogen determination, interval breath—noninvasive diagnosis by: Sucrose malabsorption (Perman et al), 17
Hydronephrosis, unilateral obstructive, and renal artery stenosis with severe hypertension (Uhari et al) (BCLO), 458
Hydrops fetalis and in utero intracranial hemorrhage (Bose) (Clin note), 1023
Hyperammonemia, severe neonatal—methylmalonyl-CoA mutase deficiency associated with: Activity of urea cycle enzymes (Shapiro et al) (BCLO), 986
Hyperbilirubinemia, marked, with Gilbert syndrome and immunohemolytic anemia (Lake et al) (BCLO), 812
—plasma concentrations of phenobarbital in mother and child after combined prenatal and postnatal administration for prophylaxis of (Boréus et al), 695
Hyperglycemia associated with therapeutic use of L-asparaginase: Possible role of insulin receptors (Carpentieri and Balch), 775
Hyperkalemia—electrocardiographic abnormalities (Weidner et al) (BCLO), 462
Hyperkinetic children, home management of (Dubey and Kaufman), 141
Hypernatremia in seborrheic dermatitis (Jeanneau et al) (Clin note), 148
Hyperpyrexia, malignant, with Schwartz-Jampel syndrome (Seay and Ziter) (BCLO), 83
Hypersensitivity, protein-soy, and monosaccharide intolerance with diarrhea (Goel et al) (BCLO), 617
to Vistaril with asthma (Massoud) (Clin note), 308
Hypertension, benign intracranial, with tetracycline therapy (Jay and Jay) (Letter), 901; (Stuart and Litt) (Reply), 901
correctable renovascular—negative saralasin response in (Trainin et al) (BCLO), 460
persistent pulmonary—physiologic factors affecting pulmonary artery pressure with (Peckham and Fox), 1005
pulmonary, secondary to upper airway obstruction—echocardiographic changes with (Nussbaum et al), 931
severe, with unilateral obstructive hydronephrosis and renal artery stenosis (Uhari et al) (BCLO), 458
Hypertensive disease, adult, and children's blood pressure (North) (Letter), 156; (Goldring et al) (Reply), 156
Hypertrichosis, depilation treatment of (Earhart) (Letter), 721
Hypertrophy, segmental, congenital virilizing adrenal hyperplasia, macrodactyly, and cystic lymphangioma (Hirano and Seeler) (Clin note), 326
Hyperuricemia, iatrogenic, with cystic fibrosis (Davidson et al) (BCLO), 976
Hypocalcemic, citrate-induced, stimulation of neonatal parathyroid glands—urinary phosphate and cyclic AMP excretion following (Brown et al), 842
Hypogammaglobulinemia, chronic progressive panencephalitis in (Medici et al) (BCLO), 73
Hypoglycemia, chlorpropamide-induced—intravenous infusion of diazoxide in treatment of (Jacobs et al) (BCLO), 801
Hypomorphic variant of C3, arthritis, and chronic glomerulonephritis (McLean et al), 937
Hyponatremia in very LBW infants and human milk feedings (Kumar and Sacks) (Clin note), 1026
Hypoparathyroidism and humoral immunity, deficiency of—associated with Hallerman-Streiff syndrome (Chandra et al) (Clin note), 852
Hypoplasia, pulmonary, camptodactyly, and facial anomalies, syndrome of (Williams et al) (Clin note), 151
Hypoprothrombinemia, severe congenital (Gill et al) (BCLO), 264
Hypopyon and acute leukemia (Holbrook et al) (BCLO), 626
Hypothyroidism, congenital, and IQ increase: Quarter century follow-up (Money et al), 432
diagnosis in neonatal period (Engberg et al) (Letter), 332
iodide-induced, without goiter with cystic fibrosis (Rosenstein et al) (BCLO), 261
primary, associated with slipped capital femoral epiphysis (Hirano et al) (BCLO), 262
Hypotonia, infantile—reversible cause of: Folic acid deficiency (Shapira et al) (BCLO), 984

Hypoxia, neonatal, inappropriate secretion of ADH in (Leake) (Letter), 332

I

Iatrogenic hyperuricemia with cystic fibrosis (Davidson et al) (BCLO), 976
I-cell disease, neonatal presentation of (Spritz et al), 954
Icthyosiform erythroderma and congenital neurosensory deafness (Levin) (Letter), 329; (Silvestri) (Letter), 329; (Ochs et al) (Letter), 330; (Senter and Jones) (Reply), 331
ICU environment, bacterial colonization of neonates admitted to (Goldmann et al), 288
Immune-complex-mediated glomerulonephritis and pulmonary hemorrhage simulating Goodpasture syndrome (Loughlin et al), 181
Immunity, cellular—prolonged impairment with intrauterine growth retardation (Ferguson), 52
humoral, and hypoparathyroidism, deficiency of—associated with Hallerman-Streiff syndrome (Chandra et al) (Clin note), 852
Immunodeficiency disease—child abuse presenting as (Kohl et al) (BCLO), 466
combined, associated with absence of cell-surface HLA-A and -B antigens (Touraine et al), 47
severe combined—selective defect of precursor T cells associated with apparently normal B lymphocytes in (Griscelli et al), 404
Immunoelectrophoresis, counter-, in human serum, colostrum, and milk—detection of antibody to rotavirus by (Cook et al) (BCLO), 967
Immunoglobulin deficiency and epilepsy associated with XXX syndrome (Sills et al) (BCLO), 469
Immunohemolytic anemia and Gilbert syndrome with marked hyperbilirubinemia (Lake et al) (BCLO), 812
Immunologic and clinical studies: Revaccination of previous recipients of killed measles vaccine (Krause et al), 565
Immunosorbent assay, enzyme-linked, measurement by means of—secretory antibody directed against rotavirus in human milk (Yolken et al), 916
Incubators, conventional—minimal oxygen consumption in infants cared for under overhead radiant warmers compared with (Darnall and Ariagno), 283
Indian and African children with *Shigella* infections with special reference to *Shigella* septicemia (Scragg et al) (BCLO), 796
Indomethacin and furosemide administered in sick LBW infants, urinary excretion of prostaglandin E following (Friedman et al), 512
ligation—closure of patent ductus arteriosus with: Consecutive experience (Merritt et al), 639
in treatment of idiopathic minimal lesion nephrotic syndrome (Garin et al), 138
Infarction, myocardial, in early adolescence: Possible manifestation of prolapsing mitral valve syndrome (Jennings et al) (BCLO), 806
Infection *see* specific infection
Infectious conditions—antimicrobial therapy. Part I. Review of agents (Eichenwald and McCracken), 337; Part II. Therapy (McCracken and Eichenwald), 357
Influenza, respiratory syncytial, and para-influenza virus infections—interferon production with (Hall et al), 28
virus vaccine—response in children receiving chemotherapy for malignancy (Smithson et al) (BCLO), 632
Infusions, intravenous sodium bicarbonate, and cerebral intraventricular hemorrhage, relationship of (Papile et al), 834
plasma and erythrocyte—limited effect in adenosine deaminase deficiency (Schmalstieg et al), 597
Inguinoscrotal lesion, neonatal, produced by plastic umbilical clamp (Rodriguez-Alarcon et al) (Clin note), 1024
Inheritance, proposed autosomal dominant method, of Wolff-Parkinson-White syndrome and supraventricular tachycardia (Gillette et al) (BCLO), 257
Insulin receptors, possible role of: Hyperglycemia associated with therapeutic use of L-asparaginase (Carpentieri and Balch), 775
Interactions, early mother-infant—importance of (Jelliffe and Jelliffe) (Letter), 333; (Klaus and Kennell) (Reply), 333
Intercourse, first—age among homeless adolescent females (Hein et al) (Clin note), 147
Interferon in nasal secretions with viral respiratory tract infections (McIntosh), 33
production with respiratory syncytial, influenza, and parainfluenza virus infections (Hall et al), 28
Interstitial emphysema, pulmonary—surgical resection in neonate (Bauer et al), 656
Intestinal surface area in infants with acquired monosaccharide intolerance (Whitington) (Letter), 728; (Klish) (Reply), 728
Intestine, immature, role on protein permeability: Antigenicity of infant formulas (Eastham et al), 561
Intoxication, accidental childhood—fatal overtreatment of (Muhlendahl et al) (BCLO), 1003
neonatal lead, in prenatally exposed infant (Singh et al) (BCLO), 1019
pyrrolizidine (Senecio), mimicking Reye syndrome (Fox et al) (BCLO), 980
Intracerebellar hematoma in neonate (Rom et al), 486
Intrauterine growth failure and chorioangioma of placenta (King and Lovrien) (Clin note), 1027
retardation and hip dislocation in male, cutis laxa with (Philip) (Clin note), 150
Inunction of oil to correct essential fatty acid deficiency (Friedman) (Letter), 1068; (Hunt et al) (Reply), 1069
Iodide-induced hypothyroidism without goiter with cystic fibrosis (Rosenstein et al) (BCLO), 261
Iodine skin absorption in neonate, danger of (Chabrolle and Rossier) (Letter), 158
IQ following treatment of lead poisoning: Patient-sibling comparison (Sachs et al), 428
increase and congenital hypothyroidism: Quarter century follow-up (Money et al), 432
Iron absorption, oral, in infantile protein-energy malnutrition (Massa et al), 1045
deficiency anemia with marked elevation of FEP (Braitman) (Letter), 155
studies in sickle cell anemia (Mahony et al) (Letter), 1070
supplementation, need in infants on prolonged breast feeding (Saarinen), 177

Isoenzyme IV and V, urinary lactic dehydrogenase, in differential diagnosis of cystitis and pyelonephritis (Devaskar and Montgomery) (BCLO), 789

J

Jackson, Edith B., M.D. (Wessel) (Editor's column), 165
Jaundice, neonatal—combined treatment with cholestyramine and phototherapy (Nicolopoulos et al) (BCLO), 684
sickel cell disease, and G-6-PH deficiency (Ozsoylu) (Letter), 898; (Seeler) (Reply), 898
Joint fluid, varicella arthritis documented by isolation of virus from (Priest et al) (BCLO), 990

K

Kanamycin prophylaxis, oral, or necrotizing enterocolitis—alterations in stool flora resulting from (Boyle et al), 857
Ketoacidosis, diabetic, associated with pneumomediastinum (Zahler et al) (Clin note), 529
Kidneys, cadaver, transplanted from anencephalic donors (Iitaka et al), 216
transplantation in infants (Hurley) (Letter), 538; (Moel and Kwun) (Reply), 539

L

Lactic dehydrogenase isoenzyme IV and V, urinary, in differential diagnosis of cystitis and pyelonephritis (Devaskar and Montgomery) (BCLO), 789
Laetrile enemas, acute cyanide poisoning following administration of (Ortega and Creek) (Clin note), 1059
Language, sign, in communication disorders (Ferry and Cooper), 547
LATS-protector, T_4, T_3, reverse T_3, and 3,3′T_2, alterations in serum concentrations of: Neonatal thyrotoxicosis (Smallridge et al) (BCLO), 118
Lead exposure, maternal, and blood lead concentration in infancy (Ryu et al) (BCLO), 476
intoxication, neonatal, in prenatally exposed infant (Singh et al) (BCLO), 1019
poisoning in young children, preventing (CDC), 709
IQ following treatment of: Patient-sibling comparison (Sachs et al), 428
Leprosy: Report of two cases (Rodriguez and Stevens), 192
Leptospiral antibody and MLNS (Ohtaki et al) (Letter), 896
Leukemia, acute, and granulocyte transfusion: Fatal graft-versus-host reaction following transfusion of cells obtained from normal donors (Rosen et al) (BCLO), 268
hypopyon (Holbrook et al) (BCLO), 626
complicating Hodgkin disease (Powers et al) (Clin note), 323
lymphocytic—rhabdomyosarcoma diagnosed by electron microscopy in (Crist et al) (Clin note), 893
cancer in parents of children with (Marchetto et al) (Letter), 537
childhood acute myelogenous, with 8-21 chromosome translocation (Kaneko et al) (Clin note), 1066
Leukocyte function, polymorphonuclear, in newborn infants (Stoerner et al) (BCLO), 862
Levamisole, possible toxicity of, with rheumatoid arthritis (Prieur et al) (BCLO), 304
Lid anomalies and ocular anterior chamber defect—clefting syndrome with (Michels et al), 444
Ligation and indomethacin, closure of patent ductus arte iosus with: Consecutive experience (Merritt et al), 639
Lip or palate, cleft—growth hormone deficiency with (Rudman et al), 378
Lipase activity, characteristics of. I. Fat digestion in stomach of premature infants (Hamosh et al), 674
Lipodystrophy, congenital: Endocrine study in three siblings. I. Disorders of carbohydrate metabolism (Huseman et al), 221
Lithium carbonate treatment of select behavior disorders in children suggesting manic-depressive illness (DeLong), 689
therapy, maternal—effects in newborn infant (Rane et al) (Clin note), 296
Liver functions in children receiving carbamazepine (Huf and Schain) (Clin note), 884
homotransplantation of, in patient with hepatoma and hereditary tyrosinemia (Fisch et al), 592
Lung compliance, improved, after ligation of patent ductus arteriosus in hyaline membrane disease (Naulty et al) (BCLO), 682
Lupus erythematosus, systemic, and pulmonary hemorrhage (Rajani et al) (BCLO), 810
Lymph node, mucocutaneous, syndrome and leptospiral antibody (Ohtaki et al) (Letter), 896
thoracic—metabolic acidosis from loss of (Siegler and Pearce) (BCLO), 465
Lymphangioma, cystic, congenital virilizing adrenal hyperplasia, segmental hypertrophy, and macrodactyly (Hirano and Seeler) (Clin note), 326
Lymphocyte(s)- and macrophage-monocyte-mediated antibody-dependent cytoxicity, human neonatal and maternal, to cells infected with herpes simplex (Kohl et al), 206
morphologic changes of, in Pompe disease (Coppola et al) (BCLO), 824
normal B, in severe combined immunodeficiency disease—selective defect of precursor T cells associated with (Griscelli et al), 404
responsiveness to *Pseudomonas aeruginosa* in cystic fibrosis: Relationship to statis of pulmonary disease in sibling pairs (Sorensen et al), 201
Lymphocytic leukemia, acute—rhabdomyosarcoma diagnosed by electron microscopy in (Crist et al) (Clin note), 893

M

Macrodactyly, congenital virilizing adrenal hyperplasia, segmental hypertrophy, and cystic lymphangioma (Hirano and Seeler) (Clin note), 326
Macrophage-monocyte and lymphocyte-mediated antibody-dependent cytoxicity, human neonatal and maternal, to cells infected with herpes simplex (Kohl et al), 206
Malabsorption, sucrose: Noninvasive diagnosis by interval breath hydrogen determination (Perman et al), 17
Malformations, congenital (anal, ear, renal, and radial), syndrome of—autosomal dominant transmission of (Kurnit et al) (BCLO), 270

Malignancy, chemotherapy for—response to influenza virus vaccine in children receiving (Smithson et al) (BCLO), 632
helping the parents of children with (Adams), 734
Malignant hyperpyrexia with Schwartz-Jampel syndrome (Seay and Ziter) (BCLO), 83
neoplasms, second, Wilms tumor, and pigmented nevi (Meadows and Jarrett) (Clin note), 889
Malnutrition, infantile protein-enery—oral iron absorption in (Massa et al), 1045
Manic-depressive illness—lithium carbonate treatment of select behavior disorders in children suggesting (DeLong), 689
Marfan syndrome with contractural arachnodactyly and severe mitral regurgitation (Gruber et al) (BCLO), 80
McElfresh, Dr.—further tribute to (Gardner et al) (Letter), 155
Measles vaccination after exposure to natural measles (Ruuskanen et al), 43
vaccine, killed—revaccination of previous recipients of: Clinical and immunologic studies (Krause et al), 565
Mediterranean fever, familial—long-term colchicine therapy of (Lehman et al), 876
Megaloblastic anemia, thiamine-responsive, sensorineural deafness, and diabetes mellitus: New syndrome? (Viana and Carvalho), 235
Meningitis, *Bacteroides fragilis*, in neonate successfully treated with metronidazole (Berman et al) (BCLO), 793
caused by *Hemophilus influenzae* type C (Denis et al) (Clin note), 1064
Neisseria meningitidis type W-135 (Kim et al) (Clin note), 326
Enterobacter hafnia (Mojtabaee and Siadati) (Clin note), 1062
experimental *H. influenzae*—ventricular involvement in (Daum et al), 927
H. influenzae—quadriplegia and cortical blindness in (DeSousa et al) (BCLO), 253
Neisseria lactamica (Greenberg and Kleinerman) (Clin note), 1061
Mental function and metals (Walravens et al) (Letter), 535
Meralgia paraesthetica (Massey and Pellock) (Clin note), 325
Mesocestoides (Cestoda) infection in U.S. (Gutierrez et al) (BCLO), 245
Metabolic acidosis from loss of thoracic lymph (Siegler and Pearce) (BCLO), 465
defect, new—threoninemia (Reddi) (BCLO), 814
Metabolism, carbohydrate—disorders of. I. Congenital lipodystrophy: Endocrine study in three siblings (Huseman et al), 221
zinc, in acrodermatitis enteropathica (Walravens et al) (BCLO), 71
Metabolites and catecholamines, urinary (De Schaepdryver et al) (BCLO), 266
Metals and mental function (Walravens et al) (Letter), 535
Methemoglobinemia, severe, with glucose-6-phosphate dehydrogenase deficiency (Hibbard et al) (BCLO), 816
Methylmalonyl-CoA mutase deficiency associated with severe neonatal hyperammonemia: Activity of urea cycle enzymes (Shapiro et al) (BCLO), 986
Metronidazole—*Bacteroides fragilis* meningitis in neonate successfully treated with (Berman et al) (BCLO), 793
Microbiology of recurrent and chronic otitis media with effusion (Riding et al), 739
Milk- and soy-induced enterocolitis of infancy (Powell), 553
breast—pseudo-Cushing syndrome caused by alcohol in (Binkiewicz et al) (BCLO), 965
colostrum, and human serum—detection of antibody to rotavirus by counterimmunoelectrophoresis in (Cook et al) (BCLO), 967
feedings, human, and hyponatremia in very LBW infants (Kumar and Sacks) (Clin note), 1026
human: Difference in nitrogen concentration in milk from mothers of term and premature infants (Atkinson et al) (BCLO), 67
secretory antibody directed against rotavirus in—measurement by means of enzyme-linked immunosorbent assay (Yolken et al), 916
thyroxine, tri-iodothyronine, and reverse tri-iodothyronine concentrations in (Varma et al) (BCLO), 803
of premature infant's mother: Interpretation of data (Fomon and Ziegler) (Editor's column), 164
Minirotavirus and calicivirus, nosocomial infantile gastroenteritis associated with (Spratt et al), 922
Mitral regurgitiation, severe, and contractural arachnodactyly with Marfan syndrome (Gruber et al) (BCLO), 80
valve syndrome, prolapsing—possible manifestation of: Myocardial infarction in early adolescence (Jennings et al) (BCLO), 806
MLNS and leptospiral antibody (Ohtaki et al) (Letter), 896
Monocyte-macrophage and lymphocyte-mediated antibody-dependent cytoxicity, human neonatal and maternal, to cells infected with herpes simplex (Kohl et al), 206
Monosaccharide intolerance and soy-protein hypersensitivity with diarrhea (Goel et al) (BCLO), 617
—intestinal surface area in infants with acquired (Whitington) (Letter), 728; (Klish) (Reply), 728
Morphologic changes of lymphocytes in Pompe disease (Coppola et al) (BCLO), 824
Mortality, neonatal, re upper airway conductance (Stocks and Godfrey) (Letter), 1069
Moyamoya with sickle cell anemia and cerebrovascular occlusion (Seeler et al) (BCLO), 808
Mucocutaneous lymph node syndrome and leptospiral antibody (Ohtaki et al) (Letter), 896
Muscle mix-up, ocular/oral (Eavey) (Letter), 721
Muscular dystrophy, Duchenne—cardiac arrest during anesthesia in (Seay et al) (BCLO), 88
Mycoplasma pneumonia, severe, and vesicular eruption in SC hemoglobinopathy (Chusid et al) (BCLO), 449
pneumoniae—poliomyelitis-like syndrome caused by (Warren et al) (BCLO), 451
Myelogenous leukemia, childhood acute, with 8-21 chromosome translocation (Kaneko et al) (Clin note), 1066
Myocardial infarction in early adolescence: Possible manifestation of prolapsing mitral valve syndrome (Jennings et al) (BCLO), 806
Myoglobinuric renal failure in newborn infant (Haftel et al) (BCLO), 1015

N

Nafcillin, clinical and pharmacokinetic evaluation of (Feldman et al), 1029

Nasal resistance as possible factor in neonatal mortality (Stocks and Godfrey) (Letter), 331; (North and MacDonald) (Reply), 332
secretions, interferon in, with viral respiratory tract infections (McIntosh), 33
Nasopharyngeal carriage of ampicillin-sensitive and ampicillin-resistant *H. influenzae* type B, effect of TMP-SMX on (Yogev et al), 394
Necrotizing enterocolitis—alterations in stool flora resulting from oral kanamycin prophylaxis (Boyle et al), 857
Neisseria meningitidis type W-135, meningitis caused by (Kim et al) (Clin note), 326
lactamica meningitis (Greenberg and Kleinerman) (Clin note), 1061
Nematoda (*Toxocara cati*), adult-infection with (von Reyn et al) (BCLO), 247
Neonatal transport: Controlled study of skilled assistance (Chance et al), 662
Neoplasms, second malignant, Wilms tumor, and pigmented nevi (Meadows and Jarrett) (Clin note), 889
Nephrotic syndrome, congenital, with renal carbuncle (Crawford et al) (BCLO), 78
idiopathic minimal lesion—indomethacin in treatment of (Garin et al), 138
Nerve damage, peripheral median, secondary to brachial arterial blood gas sampling (Pape et al), 852
stimulation, transcutaneous—successful treatment by: Reflex sympathetic dystrophy (Richlin et al) (BCLO), 84
Nervous system, central—*Citrobacter* infections of (Vogel et al) (BCLO), 86
effects of cancer therapy on (Allen), 903
toxicity, central, associated with ingestion of propylene glycol (Arulanantham and Genel) (BCLO), 515
Neural tube defect(s) and clomiphene—possible relationship between (Singh and Singhi) (Clin note), 152
renal anomalies with fetal alcohol syndrome (Goldstein and Arulanantham) (BCLO), 636
Neurenteric fistula, persistent—unusual presentation of: Pneumocephalus (Lynn et al) (BCLO), 818
Neurofibromatosis and Zollinger-Ellison syndrome in 13-year-old boy (Garcia et al) (BCLO), 982
multiple, complicated by rhabdomyosarcoma (McKeen et al) (BCLO), 992
with erythroleukemia (Roloff et al) (Clin note), 888
Neuropathic Gaucher disease, acute, in black infant (Forster et al) (BCLO), 823
Neurtopenia associated with chrysotherapy for juvenile rheumatoid arthritis (Thompson et al), 871
Neurovascular dystrophy, reflex (Bernstein et al), 211
Nevi, pigmented, Wilms tumor, and second malignant neoplasms (Meadows and Jarrett) (Clin note), 889
New books received, 126, 298, 528, 638, 885, 1058
Nitrogen concentration in milk from mothers of term and premature infants, difference in: Human milk (Atkinson et al) (BCLO), 67
-free analogues of essential amino acids—treatment of complete ornithine transcarbamylase deficiency with (McReynolds et al), 421
Nomenclature, international, of constitutional diseases of bone, 614
Nonretarded children, longitudinal course of congenital rubella encephalitis in (Desmond et al), 584
Nosocomial infantile gastroenteritis associated with minirotavirus and calicivirus (Spratt et al), 922
Nucleoside phosphorylase deficiency, selective T-cell deficiency, and autoimmune hemolytic anemia, patient with (Carapella-de Luca et al) (BCLO), 1000
Nutrition, total parenteral—occurrence during course of: Pulmonary embolism in neonate (Wesley et al) (BCLO), 113

O

Obesity, childhood—controversies in (Hurst) (Letter), 897; (Weil) (Reply), 897
Ocular anterior chamber defect and lid anomalies, clefting syndrome with (Michels et al), 444
/oral muscle mix-up (Eavey) (Letter), 721
Oral/ocular muscle mix-up (Eavey) (Letter), 721
Ornithine transcarbamylase deficiency, carrier detection in (Hokanson et al) (BCLO), 75
complete, treated with nitrogen-free analogues of essential amino acids (McReynolds et al), 421
Osteolysis, carpal-tarsal (Erickson et al), 779
Osteomyelitis, chronic recurrent multifocal, and pustulosis palmoplantaris (Björkstén et al), 227
infantile—etiologic shift in: Emergence of group B streptococcus (Edwards et al), 578
Otitis media in infants less than 12 weeks of age: Differing bacteriology among in- and out-patients (Berman et al) (BCLO), 453
recurrent and chronic, with effusion—microbiology of (Riding et al), 739
Ovarian cyst, ruptured, in newborn infant (Monson et al) (Clin note), 324
fibromata in four successive generations (Dumont-Herskowitz et al) (BCLO), 621
Oxygen consumption, minimal, in infants cared for under overhead radiant warmers compared with conventional incubators (Darnall and Ariagno), 283
saturation in sick newborn infants, continuous measurement of (Wilkinson et al) (BCLO), 1016
Oxygenation, arterial, in newborn infants, noninvasive estimation of (Krauss et al), 275

P

Palate or lip, cleft—growth hormone deficiency with (Rudman et al), 378
Pancreatic, intra-, compression of common bile duct in cystic fibrosis (Vitullo et al) (Clin note), 1060
Pancreatitis, amylase clearance, and azathioprine (Isenberg) (Clin note), 1043
hereditary—pseudocyst formation in (Fried and Selke), 950
Panencephalitis, chronic progressive, in hypogammaglobulinemia (Medici et al) (BCLO), 73
Parainfluenza virus infections, respiratory syncytial, and influenza—interferon production with (Hall et al), 28
Parathyroid glands, neonatal—urinary phosphate and cyclic AMP excretion following citrate-induced hypocalcemic stimulation of (Brown et al), 842
Parenteral alimentation—behavioral and dermatologic changes and low serum zinc and copper concentrations in two premature infants after (Sivasubramanian and Henkin), 847

Parenteral alimentation—Cont'd
central in newborn infants: New technique for catheter placement (Vain et al) (BCLO), 864
nutrition, total—occurrence during course of: Pulmonary embolism in neonate (Wesley et al) (BCLO), 113
Pasteurella multocida pleural empyema (Goldenberg et al) (BCLO), 994
Patent ductus arteriosus—closure with ligation and indomethacin: Consecutive experience (Merritt et al), 639
Patent ductus arteriosus, digoxin therapy in LBW infants with (Berman et al), 652
Patent ductus arteriousus in hyaline membrane disease, improved lung compliance after ligation of (Naulty et al) (BCLO), 682
symptomatic, in small preterm infants—randomized trial of early closure of (Cotton et al), 647
Pelvis, right renal—perforation of feeding tube into (Fogle et al) (BCLO), 122
Penicillin for groups A and B β-hemolytic streptococci—discrepancy between minimum inhibitory and minimum bactericidal concentrations of (Allen and Sprunt) (BCLO), 69
resistant pneumococcus (Cates et al) (BCLO), 624
Penis, absent, and anal atresia with persistent cloaca in one of identical twins (Koffler et al) (BCLO), 821
Phagocytosis and killing of *E. coli* and *C. albicans* Human colostral cells (Ho and Lawton), 910
Pharmacokinetic(s) and clinical evaluation of nafcillin (Feldman et al), 1029
disposition and protein binding of furosemide in newborn infants (Aranda et al), 507
of oral cephalosporins (Finkelstein et al) (Letter), 902
studies of prenisolone (Green et al), 299
Pharyngotonsillitis associated with polymicrobial bacteremia (Rosenfeld and Jameson) (BCLO), 251
Phenobarbital, plasma concentrations of, in mother and child after combined prenatal and postnatal administration for prophylaxis of hyperbilirubinemia (Boréus et al), 695
therapy, long-term—efficacy and safety in familial cholestasis (Ghent et al), 127
Phenotypic variability of diastrophic dysplasia (Horton et al), 609
Phlebectasia, congenital generalized (cutis marmorata telangiectatica congenita) (South and Jacobs), 944
Phosphate, urinary, and cyclic AMP excretion following citrate-induced hypocalcemic stimulation of neonatal parathyroid glands (Brown et al), 842
Phototherapy and cholestramine—combined treatment of neonatal jaundice with (Nicolopoulos et al) (BCLO), 684
—effect on neonatal riboflavin status (Tan et al) (BCLO), 494
in newborn infants with glucose-6-phosphate dehydrogenase deficiency (Kopelman et al) (BCLO), 497
intermittent—intracellular deoxyribonucleic acid-modifying activity of (Santella et al), 106
light combination, alternative (Furst et al), 102
Physiologic factors affecting pulmonary artery pressure with persistent pulmonary hypertension (Peckhan and Fox), 1005
Pigmented nevi, Wilms tumor, and second malignant neoplasms (Meadows and Jarrett) (Clin note), 889
Placenta, chorioangioma of, and intrauterine growth failure (King and Lovrien) (Clin note), 1027
Plasma and erythrocyte infusions—limited effect in adenosine deaminase deficiency (Schmalstieg et al), 597
cell pseudotumor, abdominal (Pisciotto et al) (BCLO), 628
concentrations of phenobarbital in mother and child after combined prenatal and postnatal administration for prophylaxis of hyperbilirubinemia (Boréus et al), 695
Pneumocephalus: Unusual presentation of persistent neurenteric fistula (Lynn et al) (BCLO), 818
Pneumococcal infection(s) and hemoglobin SC (Seeler) (Letter), 535
serotypically defined (Siegel et al) (BCLO), 249
Pneumococcus, penicillin-resistant (Cates et al) (BCLO), 624
Pneumomediastinum associated with diabetic ketoacidosis (Zahler et al) (Clin note), 529
Pneumonia, *H. influenzae* type b, in 43 children (Asmar et al), 389
Pneumonitis, chlamydial (Arth et al) (BCLO), 447
Poisoning, acute cyanide, following administration of Laetrile enemas (Ortega and Creek) (Clin note), 1059
haloperiodol (Sinaniotis et al) (BCLO), 1038
lead, in young children—preventing (CDC), 709
IQ following treatment of: Patient-sibling comparison (Sachs et al), 428
Poliomyelitis-like syndrome caused by *Mycoplasma pneumoniae* (BCLO) (Warren et al), 451
Polyembryoma, thoracic—sexual precocity due to (Job and Chaussain) (Letter), 895
Polymorphonuclear leukocyte function in newborn infants (Stoerner et al) (BCLO), 862
Pompe disease, morphologic changes of lymphocytes in (Coppola et al) (BCLO), 824
Prednisolone, pharmacokinetic studies of (Green et al), 299
Prenatal diagnosis in twin pregnancy (Suzuki et al) (BCLO), 293
Prolactin in umbilical cord blood and respiratory distress syndrome (Gluckman et al), 1011
Propionate, serum, and blood ammonia concentrations correlated in propionic acidemia (Wolf et al) (BCLO), 471
Propylene glycol, central nervous system toxicity associated with the ingestion of (Arulanantham and Genel) (BCLO), 515
Prostaglandin E_1—administration in neonates with critical congenital cardiac defects (Lewis et al), 481
E, urinary excretion of, following administration of furosemide and indomethacin in sick LBW infants (Friedman et al), 512
Protein binding and pharmocokinetic disposition of furosemide in newborn infants (Aranda et al), 507
energy malnutrition, infantile—oral iron absorption in (Massa et al), 1045
permeability, role of immature intestine on: Antigenicity of infant formulas (Eastham et al), 561
soy hypersensitivity and monosaccharide intolerance with diarrhea (Goel et al) (BCLO), 617
Proteus mirabilis—initial urinary tract infection caused by (Khan et al) (BCLO), 791
Prune-belly anomalad, pathogenesis of (King and Prescott) (BCLO), 273

Pseudocyst formation in hereditary pancreatitis (Fried and Selke), 950
Pseudomembranous enterocolitis, fatal, following oral ampicillin therapy (Auritt et al) (Clin note), 882
Pseudomonas aeruginosa in cystic fibrosis, lymphocyte responsiveness to: Relationship to statis of pulmonary disease in sibling pairs (Sorensen et al), 201
Pseudotumor, abdominal plasma cell (Pisciotto et al) (BCLO), 628
Pubertal, pre-, boys with cryptorchidism—hCG stimulation test in (Anoussakis et al) (BCLO), 630
Pulmonary arteriovenous fistula diagnosed by contrast echocardiography (Hernandez et al) (BCLO), 258
artery pressure with persistent pulmonary hypertension, physiologic factors affecting (Peckhan and Fox), 1005
disease in sibling pairs, relationship to: Lymphocyte responsiveness to *Pseudomonas aeruginosa* in cystic fibrosis (Sorensen et al), 201
recurrent acute—incompetent lower esophageal sphincter and gastroesophageal reflux in (Christie et al), 23
embolism in neonate: Occurrence during course of total parenteral nutrition (Wesley et al) (BCLO), 113
hemorrhage and immune-complex-mediated glomerulonephritis simulating Goodpasture syndrome (Loughlin et al), 181
systemic lupus erythematosus (Rajani et al) (BCLO), 810
hypertension secondary to upper airway obstruction, echocardiographic changes with (Nussbaum et al), 931
hypoplasia, camptodactyly, and facial anomalies, syndrome of (Williams et al) (Clin note), 151
interstitial emphysema—surgical resection in neonate (Bauer et al), 656
pressure/volume relationships during last phase of delivery and first postnatal breaths in human subjects (Saunders and Milner), 667
Purpura, Henoch-Schönlein, mimicked by acute poststreptococcal glomerulonephritis (Goodyer et al), 412
Pustulosis palmoplantaris and chronic recurrent multifocal osteomyelitis (Björkstén et al), 227
Pyelonephritis and cystitis—urinary lactic dehydrogenase isoenzyme IV and V in differential diagnosis of (Devaskar and Montgomery) (BCLO), 789
Pyloric atresia (Terán) (Letter), 722
Pyomyositis, staphylococcal, in South Texas (Grose) (BCLO), 457
Pyrrolizidine (Senecio) intoxication mimicking Reye syndrome (Fox et al) (BCLO), 980

Q

Quadriplegia and cortical blindness in *H. influenzae* meningitis (DeSousa et al) (BCLO), 253

R

Radial, renal, ear, and anal congenital malformations, syndrome of—autosomal dominant transmission of (Kurnit et al) (BCLO), 270
Radiation therapy for adrenal cortical carcinoma—renal cell carcinoma following (Andler et al) (BCLO), 634
Radioiodine for thyrotoxicosis, thyroid storm following (Hayek) (BCLO), 978
Rash, anemia, diarrhea, fever, and acrocyanosis in 2-month-old girl (Chusid and Tang), 1052
Rectal administration, single—blood levels of diazepam after (Dulac et al) (BCLO), 1039
colonization, neonatal *E. coli* K1—factors affecting (Peter and Nelson) (BCLO), 866
Reflex, diving, and supraventricular tachycardia, more on (Ciastko) (Letter), 721
neurovascular dystrophy (Bernstein et al), 211
sympathetic dystrophy: Successful treatment by transcutaneous nerve stimulation (Richlin et al) (BCLO), 84
Regurgitation, severe mitral, and contractural arachnodactyly with Marfan syndrome (Gruber et al) (BCLO), 80
Renal anomalies and neural tube defect with fetal alcohol syndrome (Goldstein and Arulanatham) (BCLO), 636
artery stenosis and unilateral obstructive hydronephrosis with severe hypertension (Uhari et al) (BCLO), 458
carbuncle with congenital nephrotic syndrome (Crawford et al) (BCLO), 78
cell carcinoma following radiation therapy for adrenal cortical carcinoma (Andler et al) (BCLO), 634
ear, anal, and radial congenital malformations, syndrome of—autosomal dominant transmission of (Kurnit et al) (BCLO), 270
extra-, Wilms tumor (Madanat et al), 439
failure, acute: Outcome of 53 patients requiring hemodialysis treatment (Hodson et al), 756
myoglobinuric, in newborn infant (Haftel et al) (BCLO), 1015
pelvis, right—perforation of feeding tube into (Fogle et al) (BCLO), 122
Renovascular hypertension, correctable—negative saralasin response in (Trainin et al) (BCLO), 460
Respiratory distress syndrome and umbilical cord blood, prolactin in (Gluckman et al), 1011
—*H. influenzae* infection mimicking respiratory distress syndrome (Speer et al) (Clin note), 295
syncytial, influenza, and parainfluenza virus infections—interferon production with (Hall et al), 28
tract infections, viral—interferon in nasal secretions with (McIntosh), 33
Retardation, intrauterine growth, and hip dislocation in male—cutis laxa with (Philip) (Clin note), 150
—prolonged impairment of cellular immunity with (Ferguson), 52
Reye syndrome—pyrrolizidine (Senecio) intoxication mimicking (Fox et al) (BCLO), 980
—severe coagulopathy complicating charcoal hemoperfusion with (Engle et al) (BCLO), 972
Rhabdomyloysis and cold weather (Raifman et al) (BCLO), 970
Rhabdomyosarcoma complicating multiple neurofibromatosis (McKeen et al) (BCLO), 992
diagnosed by electron microscopy in child with acute lymphocytic leukemia (Crist et al) (Clin note), 893
Rheumatoid arthritis, hepatotoxicity with encephalopathy associated with aspirin therapy in (Ulshen et al), 1034

Rheumatoid arthritis—Cont'd
juvenile, and other connective tissue diseases, diagnostic significance of antibody to native deoxyribonucleic acid with (Cassidy et al), 416
—intrahepatic cholestasis after gold therapy in (Ghishan et al) (Clin note), 1042
—neutropenia associated with chrysotherapy for (Thompson et al), 871
possible toxicity of levamisole with (Prieur et al) (BCLO), 304
Riboflavin status, neonatal—effect of phototherapy on (Tan et al) (BCLO), 494
Ribs, fractured: Unusual presentation of rickets in premature infants (Geggel et al) (BCLO), 680
Rickets in premature infants, unusual presentation of: Fractured ribs (Geggel et al) (BCLO), 680
Roche-Wainer-Thissen, Bayley-Pinneau, and Tanner height predictions in normal children and in patients with various pathologic conditions (Zachmann et al), 749
Rotavirus, antibody to, detected by counterimmunoelectrophoresis in human serum, colostrum, and milk (Cook et al) (BCLO), 967
gastroenteritis, clinical study of (Delage et al) (BCLO), 455
in human milk, secretory antibody directed against—measurement by means of enzyme-linked immunosorbent assay (Yolken et al), 916
Rubella, congenital—behavioral consequences of (Chess et al), 699
encephalitis, congenital, in nonretarded children—longitudinal course of (Desmond et al), 584

S

Sacrococcygeal chordoma in neonate with multiple anomalies (Nix et al) (BCLO), 995
Saphenous vein venipuncture, greater (Plaxico and Bucciarelli) (Clin note), 1025
Saralasin response, negative, in correctable renovascular hypertension (Trainin et al) (BCLO), 460
SC hemoglobinopathy—severe *Mycoplasma* pneumonia and vesicular eruption in (Chusid et al) (BCLO), 449
Schwartz-Jampel syndrome with malignant hyperprexia (Seay and Ziter) (BCLO), 83
Scintillation camera—simple method for measuring separate glomerular filtration rate using a single injection of ^{99m}Tc-DTPA and (Piepsz et al), 769
Sclerosis, tuberous, and acromegalic gigantism (Hoffman et al) (BCLO), 478
Screening, cord blood, for sickle hemoglobins: Evidence for female preponderance of hemoglobin S (Kramer et al) (BCLO), 998
test(s), developmental—use by primary-care pediatricians (Smith), 524
improved, for adenosine deaminase deficiency (Naylor et al) (BCLO), 473
Seborrheic dermatitis, hypernatremia in (Jeanneau et al) (Clin note), 148
Secretory antibody directed against rotavirus in human milk—measurement by means of enzyme-linked immunosorbent assay (Yolken et al), 916
Seizures: Significant side effect of chlorambucil therapy (Williams et al) (BCLO), 516
Senecio (pyrrolizidine) intoxication mimicking Reye syndrome (Fox et al) (BCLO), 980
Septal defect, ventricular—apparent sex difference in spontaneous closure of (Farina and Hook) (Clin note), 1065
Septicemia, abscess, and enteritis due to *Yersinia enterocolitica* with thalassemia (Butzler et al) (BCLO), 619
Shigella—infection in African and Indian children with special reference to (Scragg et al) (BCLO), 796
Serology, teichoic acid, in staphylococcal infections (Lê and Lewin), 572
Serotypically defined pneumococcal infections (Siegel et al) (BCLO), 249
Serum, human, colostrum, and milk—detection of antibody to rotavirus by counterimmunoelectrophoresis in (Cook et al) (BCLO), 967
Sex difference, apparent, in spontaneous closure of ventricular septal defect (Farina and Hook) (Clin note), 1065
Sexual precocity due to thoracic polyembryoma (Job and Chaussain) (Letter), 895
Shigella infection in African and Indian children with special reference to *Shigella* septicemia (Scragg et al) (BCLO), 796
Sibling(s) pairs, relationship to statis of pulmonary disease in: Lymphocyte responsiveness to *Pseudomonas aeruginosa* in cystic fibrosis (Sorensen et al), 201
patient comparison: IQ Following treatment of lead poisoning (Sachs et al), 428
three—endocrine study in: Congenital lipodystrophy. I. Disorders of carbohydrate metabolism (Huseman et al), 221
Sickle cell anemia and cerebrovascular occlusion, moyamoya with (Seeler et al) (BCLO), 808
iron studies in (Mahony et al) (Letter), 1070
disease, G-6-PH deficiency, and jaundice (Ozsoylu) (Letter), 898; (Seeler) (Reply), 898
hemoglobins, cord blood screening for: Evidence for female preponderance of hemoglobin S (Kramer et al) (BCLO), 998
Sign language in communication disorders (Ferry and Cooper), 547
Silver-Russell syndrome, growth hormone deficiency in (O'Brien et al) (Clin note), 152
Skin absorption, iodine, in neonate—danger of (Chabrolle and Rossier) (Letter), 158
Sleep apnea syndrome: Diagnosis of upper airway obstruction by fluoroscopy (Smith et al) (Clin note), 891
Slo-Phyllin, consitutents of (Audibert) (Letter), 155
Sodium balance in very low-birth-weight infants (Engelke et al), 837
overload from Karo syrup (Hopp and Woodruff) (Clin note), 883
Soy- and milk-induced enterocolitis of infancy (Powell), 553
protein hypersensitivity and monosaccharide intolerance with diarrhea (Goel et al) (BCLO), 617
Sphincter, incompetent lower esophageal, and gastroesophageal reflux in recurrent acute pulmonary disease (Christie et al), 23
Spondylitis, juvenile ankylosing—atlantoaxial subluxation in (Reid and Hill) (Clin note), 531
SSPE, diagnosis of (Lowenthal and Karcher) (Letter), 537; (Bhettay et al) (Reply), 538

Staphylococcal infections, teichoic acid serology in (Lē and Lewin), 572
pyomyositis in South Texas (Grose) (BCLO), 457
Stenosis renal artery, and unilateral obstructive hyronephrosis with severe hypertension (Uhari et al) (BCLO), 458
Stillbirth, tragedy of: Commentary (Speck), 869
Stomach of premature infants, fat digestion in. I. Characteristics of lipase activity (Hamosh et al), 674
Stool flora, alterations resulting from oral kanamycin prophylaxis of necrotizing enterocolitis (Boyle et al), 857
Streptococcal, acute post-, glomerulonephritis mimicking Henoch-Schönlein purpura (Goodyer et al), 412
antigens, group B, detected in body fluids of neonates (Siegel and McCracken) (BCLO), 491
disease, early onset group B (Baker) (Clin note), 124
group D, infections (Siegel and McCracken) (Editor's column), 542
infection, nonenterococcal group D, early onset in newborn infant (Alexander and Giacoia) (BCLO), 489
post-, glomerulonephritis–thrombocytopenia with acute (Kaplan and Esseltine) (BCLO), 974
Streptococci, groups A and B β-hemolytic–discrepancy between minimum inhibitory and minimum bactericidal concentrations of penicillin for (Allen and Sprunt) (BCLO), 69
Streptococcus, group B–emergence of: Etiologic shift in infantile osteomyelitis (Edwards et al), 578
Subgaleal hemorrhage, neonatal, in hemophilia (Cohen) (Clin note), 1022
Subluxation, atlantoaxial, in juvenile ankylosing spondylitis (Reid and Hill) (Clin note), 531
Sucrose malabsorption: Noninvasive diagnosis by interval breath hydrogen determination (Perman et al), 17
Syncytial (respiratory), influenza, and parainfluenza virus infections–interferon production with (Hall et al), 28
Syndrome of anal, ear, renal, and radial congenital malformations–autosomal dominant transmission of (Kurnit et al) (BCLO), 270
camptodactyly, facial anomalies, and pulmonary hypoplasia (Williams et al) (Clin note), 151
Syndrome *see* specific syndrome

T

T cell(s) defiency, nucleoside phosphorylase deficiency, and autoimmune hemolytic anemia–patient with (Carapella-de Luca et al) (BCLO), 1000
precursor–selective defect associated with apparently normal B lymphocytes in severe combined immunodeficiency disease (Griscelli et al), 404
Tachycardia, supraventricular, and diving reflex, more on (Ciastko) (Letter), 721
Wolff-Parkinson-White syndrome–proposed autosomal dominant method of inheritance of (Gillette et al) (BCLO), 257
Tanner, Bayley-Pinneau, and Roche-Wainer-Thissen height predictions in normal children and in patients with various pathologic conditions (Zachmann et al), 749
Tarsal-carpal osteolysis (Erickson et al), 779
^{99m}Tc-DTPA and scintillation camera–simple method for measuring separate glomerular filtration rate using a single injection of (Piepsz et al), 769
Teichoic acid serology in staphylococcal infections (Le and Lewin), 572
Telangiectasia-ataxia: Primary defect? (Hecht and Kaiser-McCaw) (Letter), 897
Temporal artery catheterization–apparent cerebral embolization after (Prian et al) (BCLO), 115
sequelae of (Au-Yeung et al) (Letter), 896
Terbutaline in asthmatic children: Dose-response study (Ardal et al) (BCLO), 305
Test, hCG stimulation, in prepubertal boys with cryptorchidism (Anoussakis et al) (BCLO), 630
Tetracycline therapy, benign intracranial hypertension with (Jay and Jay) (Letter), 901; (Stuart and Litt) (Reply), 901
Thalassemia–enteritis, abscess, and septicemia due to *Yersinia enterocolitica* with (Butzler et al) (BCLO), 619
Theophylline, chewable–dosage accuracy of (Finkelstein and Koup) (Letter), 333; (Weinberger) (Reply), 334
dosage forms for (Boat et al) (Letter), 157; (Weinberger) (Reply), 158
dose for asthma (Weinberger and Hendeles) (Letter), 536
Thiamine-responsive megaloblastic anemia, sensorineural deafness, and diabetes mellitus: New syndrome? (Viana and Carvalho), 235
Thoracic lymph–metabolic acidosis from loss of (Siegler and Pearce) (BCLO), 465
polyembryoma, sexual precocity due to (Job and Chaussain) (Letter), 895
Thoracostomy in neonates, methods for (Bell) (Letter), 539; (Moessinger et al) (Reply), 539
Thorn-induced arthritis (Barton and Saied) (Clin note), 322
Threoninemia–new metabolic defect (Reddi) (BCLO) 814
Thrombocytopenia with acute post-streptococcal glomerulonephritis (Kaplan and Esseltine) (BCLO), 974
Thyroid antibodies in children and adolescents with thyroid disorders (Hopwood et al), 57
storm following radioiodine for thyrotoxicosis (Hayek) (BCLO), 978
Thyrotoxicosis, juvenile–common complication of: Premature craniosynostosis (Johnsonbaugh et al), 188
neonatal: Alterations in serum concentrations of LATS-protector, T_4, T_3, reverse T_3, and 3,3′ T_2 (Smallridge et al) (BCLO), 118
thyroid storm following radioiodine for (Hayek) (BCLO), 978
Thyroxine, T_3, reverse T_3, and 3,3′ T_2, and LATS-protector, alterations in serum concentrations of: Neonatal thyrotoxicosis (Smallridge et al) (BCLO), 118
tri-iodothyronine, and reverse tri-iodothyronine concentrations in human milk (Varma et al) (BCLO), 803
Tissue diseases, other connective, and juvenile rheumatoid arthritis–diagnostic significance of antibody to native deoxyribonucleic acid with (Cassidy et al), 416
TMP-SMX–effect on nasopharyngeal carriage of ampicillin-sensitive and ampicillin-resistant *H. influenzae* type B (Yogev et al), 394
Tomography, computed axial, scan–catch-up brain growth demonstrated by (Marks et al) (BCLO), 254
–demonstration catch-up brain growth (Marks et al) BCLO), 254
Toxicity, central nervous system, associated with ingestion of propylene glycol (Arulanantham and Genel) (BCLO), 515

Toxicity—Cont'd
of levamisole, possible, with rheumatoid arthritis (Prieur et al) (BCLO), 304
Toxocara cati (Nematoda), adult—infection of infant with (von Reyn et al) (BCLO), 247
Tracheal foreign bodies, aspirated—removal of (Melker) (Letter), 722; (Bergeson) (Reply), 723
Transcutaneous nerve stimulation, successful treatment by: Reflex sympathetic dystrophy (Richlin et al) (BCLO), 84
Po_2, effect of: Intermittent bag ventilation of preterm infants on continuous positive airway pressure (Okken et al), 279
Transfusion, granulocyte, and acute leukemia: Fatal graft-vs-host reaction after transfusion of cells obtained from normal donors (Rosen et al) (BCLO), 268
Translocation carriers, more on (Priest) (Letter), 896
8-21 chromosome—acute childhood myelogenous leukemia with (Kaneko et al) (Clin note), 1066
Transplantation, kidney, in infants (Hurley) (Letter), 538; (Moel and Kwun) (Reply), 539
of cadaver kidneys from anencepahlic donors (Iitaka et al). 216
Transport, neonatal: Controlled study of skilled assistance (Chance et al), 662
Tri-iodothyronine, reverse tri-iodothyronine, and thyroxine concentrations in human milk (Varma et al) (BCLO), 803
T_4, reverse T_3, $3,3'T_2$, and LATS-protector, alterations in serum concentrations of: Neonatal thyrotoxicosis (Smallridge et al) (BCLO), 118
Tube defect, neural, and renal anomalies with fetal alcohol syndrome (Goldstein and Arulanantham) (BCLO), 636
Tuberous sclerosis and acromegalic gigantism (Hoffman et al) (BCLO), 478
Tumor(s), childhood brain—chemotherapy for (van Eys and Cangir) (Editor's column), 544
extrarenal Wilms (Madanat et al), 439
Wilms, pigmented nevi, and second malignant neoplasms (Meadows and Jarrett) (Clin note), 889
TW2 RUS-based tables for predicting adult height, correction to (Tanner) (Letter), 541
Twin(s), one of identical—persistent cloaca with absent penis and anal atresia in (Koffler et al) (BCLO), 821
pregnancy, prenatal diagnosis in (Suzuki et al) (BCLO), 293
Typhoid fever; Unusal presentation (David and Tolaymat) (Clin note), 533
Tyrosinemia, hereditary, and hepatoma—homotransplantation of liver in patient with (Fisch et al), 592

U

Umbilical catheter retrieval in premature infant (Smith) (BCLO), 499
clamp, plastic—neonatal inguinoscrotal lesion produced by (Rodriguez-Alarcon et al) (Clin note), 1024
cord blood and respiratory distress syndrome, prolactin in (Gluckman et al), 1011
Urea cycle enzymes, activity of: Methylmalonyl-CoA mutase deficiency associated with severe neonatal hyperammonemia (Shapiro et al) (BCLO), 986
Urinary catecholamines and metabolites (De Schaepdryver et al) (BCLO), 266
excretion of prostaglandin E following administration of furosemide and indomethacin to sick LBW infants (Friedman et al), 512
lactic dehydrogenase isoenzyme IV and V in differential diagnosis of cystitis and pyelonephritis (Devaskar and Montgomery) (BCLO), 789
phosphate and cyclic AMP excretion following citrate-induced hypocalcemic stimulation of neonatal parathyroid glands (Brown et al), 842
Urinary tract infection—adhesion to normal human uroepithelial cells of *E. coli* from children with various forms of (Svanborg Edén et al), 398
initial, caused by *Proteus mirabilis* (Khan et al) (BCLO), 791
Uroepithelial cells, normal human—adhesion of *E. coli* from children with various forms of urinary tract infection (Svanborg Edén et al), 398
Uterine, intra-, growth retardation—prolonged impairment of cellular immunity with (Ferguson), 52

V

Vaccination, measles, after exposure to natural measles (Ruuskanen et al), 43
Vaccine, influenza virus—response in children receiving chemotherapy for malignancy (Smithson et al) (BCLO), 632
killed measles—revaccination of previous recipients of: Clinical and immunologic studies (Krause et al), 565
Varicella arthritis documented by isolation of virus from joint fluid (Priest et al) (BCLO), 990
zoster virus in LBW infants, antibody to (Raker et al) (BCLO), 505
Vasopressin, treatment with DDAVP, synthetic analog of: Postcraniotomy diabetes insipidus (Daneman et al) (BCLO), 879
Vein venipuncture, greater saphenous (Plaxico and Bucciarelli) (Clin note), 1025
Venipuncture, greater saphenous vein (Plaxico and Bucciarelli) (Clin note), 1025
Ventilation, intermittent bag, of preterm infants on continuous positive airway pressure: Effect of transcutaneous Po_2 (Okken et al), 279
Ventricular involvement in experimental *H. influenzae* meningitis (Daum et al), 927
septal defect, apparent sex difference in spontaneous closure of (Farina and Hook) (Clin note), 1065
Vesicular eruption and severe *Mycoplasma* pneumonia in SC hemoglobinopathy (Chusid et al) (BCLO), 449
Viral respiratory tract infections, interferon in nasal secretions with (McIntosh), 33
Virus, Coxsackie A-5—neonatal herpangina caused by (Chawareewong et al) (BCLO), 492
from joint fluid, varicella arthritis documented by isolation of (Priest et al) (BCLO), 990
infections, respiratory syncytial, influenza, and parainfluenza—interferon production with (Hall et al), 28
vaccine, influenza—response in children receiving chemotherapy for malignancy (Smithson et al) (BCLO), 632

Virus—Cont'd
varicella zoster, in LBW infants, antibody to (Raker et al) (BCLO), 505
Vistaril, hypersensitivity to, with asthma (Massoud) (Clin note), 308
Vitamin D_3 suplementation, $1,25(OH)_2$—effect in premature infants (Chan et al), 91

W

Weather, cold, and rhabdomyolysis (Raifman et al) (BCLO), 970
Weight-height formula validated in infants, children, and adults: Geometric method for measuring body surface area (Haycock et al), 62
low-birth-, infants and human milk feedings, hyponatremia in (Kumar and Sacks) (Clin note), 1026
—antibody to varicella zoster virus in (Raker et al) (BCLO), 505
—sodium balance in (Engelke et al), 837
Wilms tumor, extrarenal (Madanat et al), 439
, pigmented nevi, and second malignant neoplasms (Meadows and Jarrett) (Clin note), 889
Wolff-Parkinson-White syndrome and supraventricular tachycardia—proposed autosomal dominant method of inheritance of (Gillette et al) (BCLO), 257

X

XXX syndrome associated with immunoglobulin deficiency and epilepsy (Sills et al) (BCLO), 469

Y

Yersinia enterocolitica with thalassemia—enteritis, abscess, and septicemia due to (Butzler et al) (BCLO), 619

Z

Zinc and copper concentrations, low serum, in two premature infants after parenteral alimentation—dermatologic and behavioral changes and (Sivasubramanian and Henkin), 847
metabolism in acrodermatitis enteropathica (Walravens et al) (BCLO), 71
Zollinger-Ellison syndrome and neurofibromatosis in 13-year-old boy (Garcia et al) (BCLO), 982